



Designation: A702 – 13 A702 – 13 (Reapproved 2018)

Standard Specification for Steel Fence Posts, Hot Wrought¹

This standard is issued under the fixed designation A702; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the U.S. Department of Defense.

1. Scope

1.1 This specification covers steel fence posts manufactured from hot-wrought sections and intended for use in field and line fencing.

1.2 The posts are available as studded tee and are furnished painted or galvanized, unless otherwise specified.

1.3 The values stated in inch-pound units are to be regarded as standard. The values given in parentheses are mathematical conversions to SI units that are provided for information only and are not considered standard.

1.4 This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Referenced Documents

2.1 *ASTM Standards:*²

A29/A29M Specification for General Requirements for Steel Bars, Carbon and Alloy, Hot-Wrought

A123/A123M Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products

A499 Specification for Steel Bars and Shapes, Carbon Rolled from “T” Rails

A641/A641M Specification for Zinc-Coated (Galvanized) Carbon Steel Wire

A700 Guide for Packaging, Marking, and Loading Methods for Steel Products for Shipment

2.2 *Federal Standards:*³

FED-STD-123 Marking for Shipments (Civil Agencies)

2.3 *Military Standards:*³

MIL-STD-129 Marking for Shipment and Storage

MIL-STD-163 Steel Mill Products, Preparation for Shipment and Storage

3. Terminology

3.1 *Definitions:*

3.1.1 *line posts*—posts that support the straight-line body of the fence.

4. Ordering Information

4.1 Orders for products under this standard should include the following information:

4.1.1 Quantity (number of pieces) of line posts (it is customary to order line posts in multiples of five of the required length),

4.1.2 Length or lengths required (see 6.2),

4.1.3 Finish: galvanized or painted,

4.1.4 ASTM designation and date of issue,

4.1.5 Anchor plates, if required (see 6.2.4).

¹ This specification is under the jurisdiction of ASTM Committee A01 on Steel, Stainless Steel and Related Alloys and is the direct responsibility of Subcommittee A01.15 on Bars. This standard is a revision of Commercial Standard CS 184-51, Steel Fence Posts—Field Line Type, formerly published by the United States Department of Commerce.

Current edition approved Oct. 1, 2013; Sept. 1, 2018. Published November 2013; September 2018. Originally approved in 1974. Last previous edition approved in 2006/2013 as A702 – 89 (2006); A702 – 13. DOI: 10.1520/A0702-13-10.1520/A0702-13R18.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ Available from DLA Document Services, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, <http://quicksearch.dla.mil/>.



4.1.6 Wire fasteners (state weight of zinc coating if other than Class 1) (see 5.5.2).

NOTE 1—A typical ordering description is as follows: 500 line posts; 8 ft long; painted; ASTM A702 dated ____; omit anchor plates.

5. Materials and Manufacture

5.1 Material:

5.1.1 Line posts shall be fabricated from Steel A as specified in Table 1.

5.1.2 The finished line post shall conform to the tensile properties specified in Table 1.

5.1.3 At the manufacturer's option, a Brinell or Rockwell B hardness test may be substituted for the tensile requirements in Table 1. In such cases the material shall conform to the Brinell or Rockwell B hardness specified in Table 2.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

ASTM A702-13(2018)

<https://standards.iteh.ai/catalog/standards/sist/e96e2c9d-61f6-41b6-a84f-a52ced1b25e4/astm-a702-132018>

TABLE 1 Materials for Line Posts

Steel	Steel Description	Line Posts	
		Yield Point, min, ksi (MPa)	Tensile Strength, min, ksi (MPa)
A	hot-wrought carbon steel or hot-wrought rail steel ^A	50 (345)	80 (550)

^AHot-wrought rail steel in accordance with Specification A499.