

Edition 4.0 2021-11 REDLINE VERSION

INTERNATIONAL STANDARD



Heating cables with a rated voltage of up to and including 300/500 V for comfort heating and prevention of ice formation

Document Preview

IEC 60800:2021

https://standards.iteh.ai/catalog/standards/iec/fc6ht34d-a2ce-4e24-8885-19a3f89d6259/iec-60800-202





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Tel.: +41 22 919 02 11

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20

info@iec.ch www.iec.ch

Switzerland About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 4.0 2021-11 REDLINE VERSION

INTERNATIONAL STANDARD



Heating cables with a rated voltage of up to and including 300/500 V for comfort heating and prevention of ice formation

Document Preview

IEC 60800:2021

https://standards.iteh.ai/catalog/standards/iec/fc6hf34d-a2ce-4e24-8885-19a3f89d6259/iec-60800-202

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.20 ISBN 978-2-8322-1056-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	OREWORD		4
IN	NTRODUCT	ION	2
1	Scope a	nd object	7
2	Normativ	ve references	7
3	Terms a	nd definitions	8
4	Mechani	cal classification	10
5		ments for marking	
6	•	ments for installation instructions	
7	•	requirements for construction of heating cables	
'		eneral	
		nductors	
		sulation	
		ectrically conducting screen	
		mouring	
		eath	
		pisture resistance	
8	Testing.	Tab Ctandondo	16
	8.1 Ty	pe tests – General requirements	16
		pe tests – Detailed test requirements	
	8.2.1	Electrical resistance of heating conductors and screen	16
	8.2.2	Water immersion and temperature cycling test	17
	8.2.3	Verification of rated output for parallel heating cables	
	8.2.4	Verification of start-up current for parallel heating cables	
	8.2.5	Penetration test for electrically conductive screen	18
	8.2.6		
	8.2.7	Deformation test for installation classification	
	8.2.8	Cold impact test	
	8.2.9	Cold bend test	
	8.2.10	Ageing test for insulation	
	8.2.11	Ageing test for non-metallic sheath	
	8.2.12 8.2.13	Compatibility test	
	8.2.14	Tensile test	
	8.2.15	Reverse winding test	
	8.2.16	Heat shock test	
	8.2.17	Shrinkage test for insulation and sheath	
	8.2.18	Hot set test	
	8.2.19	Cyclic ageing test for the heating cable	
	8.2.20	Cyclic ageing test for splices and end seals	
	8.2.21	Checking of the durability of markings	28
	8.2.22	—Abrasion test	
	8.2.23	Deformation test for insulation and sheathing materials	
	8.2.22	Pressure test at high temperature for insulation and sheath	29
		utine and sample tests	
	831	General remarks	20

8.3.2	Voltage test	29		
8.3.3	Heating cable resistance and output verification	29		
8.3.4	Insulation thickness	30		
8.3.5	Sheath thickness	30		
8.3.6	Hot set test	30		
Annex A (no	31			
Bibliograph	y	32		
Figure 1 – ⁻	Typical arrangement for splice testing the splice	20		
Figure 2 –	Typical arrangement for testing the end seal testing	20		
Figure 3 – Cold bend test				
Figure 4 – Jaws for tensile machine				

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60800:2021

https://standards.iteh.ai/catalog/standards/iec/fc6hf34d-a2ce-4e24-8885-19a3f89d6259/iec-60800-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HEATING CABLES WITH A RATED VOLTAGE OF UP TO AND INCLUDING 300/500 V FOR COMFORT HEATING AND PREVENTION OF ICE FORMATION

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60800:2009. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60800 has been prepared by IEC technical committee 20: Electric cables. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) modification of the title: "up to and including", has been introduced;
- b) update of IEC 60811 references;
- c) introduction of a test for mechanical properties of sheaths after the water immersion and temperature cycling test;
- d) introduction of a weathering and UV resistance test according to ISO 4892-2:2013, Annex A.

The text of this International Standard is based on the following documents:

Draft	Report on voting
20/1972/FDIS	20/1991/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document is intended to provide a comprehensive overview of the essential requirements and testing appropriate to electrical resistance heating cables used for comfort heating and prevention of ice formation. While some of this work already exists in national standards or international standards, this document has collated much of this existing work.

This document provides a means to verify the electrical, thermal and mechanical durability of resistive heating cables, so that in normal use their performance is without danger to the user or surroundings. Compliance is checked by carrying out all the tests specified in this document.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60800:2021

https://standards.iteh.ai/catalog/standards/iec/fc6hf34d-a2ce-4e24-8885-19a3f89d6259/iec-60800-2021

HEATING CABLES WITH A RATED VOLTAGE OF UP TO AND INCLUDING 300/500 V FOR COMFORT HEATING AND PREVENTION OF ICE FORMATION

1 Scope and object

This document is applicable to, and specifies requirements for resistive heating cables for low temperature applications such as comfort heating and the prevention of ice formation. These heating cables and heating cable sets may can comprise either factory fabricated assembled or field (work-site) assembled units, and are heating cables assembled in accordance with manufacturer's instructions.

Bare conductors and protected conductors to be supplied at voltages equal to, or less than, 50 V are excluded from the scope of this document.

NOTE Terminations and gland fittings are outside the scope of this standard.

Typical applications include, but are not limited to:

- surface heating installed in or under surfaces;
- direct and storage heating; I I Ch Standards
- snow melting and frost protection of roofs, gutters, pipes, etc.

Heating cables Electrical resistance trace heating systems for industrial and commercial applications are specified in the IEC 62395 series [1]¹ and for explosive atmospheres applications in the IEC/IEEE 60079-30 series [2], as are mineral insulated heating cables.

Applications in which the operating sheath temperature exceeds 100 °C are outside the scope of this document.

The object of this document is to ensure that electrical resistance heating cables operate safely under their normal defined conditions of use. This is achieved by:

- employing heating cables of the appropriate construction that meet the test criteria detailed in this document;
- including, for heating cables with an electrical protective component, a metallic braid, concentric wires or sheath, or other suitable electrically conductive material for protective purposes in case of fault;
- ensuring that the heating cables operate at safe temperatures with respect to the materials used in the construction of the cables and their installations according to national regulations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Numbers in square brackets refer to the bibliography.

IEC 60050-461, International Electrotechnical Vocabulary (IEV) – Part 461: Electric cables (available at http://www.electropedia.org)

IEC 60228, Conductors of insulated cables

IEC 60332-1-1, Tests on electric and optical fibre cables under fire conditions – Part 1-1: Test for vertical flame propagation for a single insulated wire or cable – Apparatus

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW premixed flame

IEC 60364-7-701, Low-voltage electrical installations – Part 7-701: Requirements for special installations or locations – Locations containing a bath or shower

IEC 60364-7-753, Low-voltage electrical installations – Part 7-753: Requirements for special installations or locations – Heating cables and embedded heating systems

IEC 62230, Electric cables – Spark test method

IEC 60811-1-1, Common test methods for insulating and sheathing materials of electric cables and optical cables – Part 1-1: Methods for general application – Measurement of thickness and overall dimensions – Tests for determining the mechanical properties

IEC 60811-1-2:1985, Common test methods for insulating and sheathing materials of electric and optical cables—Part 1-2: Methods for general application—Thermal ageing methods—Amendment 1 (1989)—Amendment 2 (2000)

IEC 60811-1-3, Common test methods for insulating and sheathing materials of electric and optical cables – Part 1-3: General application – Methods for determining the density – Water absorption tests – Shrinkage test

IEC 60811-1-4, Common test methods for insulating and sheathing materials of electric and optical cables - Part 1-4: Methods for general application - Tests at low temperature

IEC 60811-2-1, Common test methods for insulating and sheathing materials of electric and optical cables—Part 2-1: Methods specific to elastomeric compounds—Ozone resistance, hot set and mineral oil immersion tests

IEC 60811-3-1, Common test methods for insulating and sheathing materials of electric and optical cables — Part 3-1: Methods specific to PVC compounds — Pressure test at high temperature — Tests for resistance to cracking

IEC 60811-201, Electric and optical fibre cables – Test methods for non-metallic materials – Part 201: General tests – Measurement of insulation thickness

IEC 60811-202, Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath

IEC 60811-401, Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in air oven

IEC 60811-501, Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds

IEC 60811-502, Electric and optical fibre cables – Test methods for non-metallic materials-Part 502: Mechanical tests – Shrinkage test for insulations

IEC 60811-503, Electric and optical fibre cables – Test methods for non-metallic materials – Part 503: Mechanical tests – Shrinkage test for sheaths

IEC 60811-506, Electric and optical fibre cables – Test methods for non-metallic materials – Part 506: Mechanical tests – Impact test at low temperature for insulations and sheaths

IEC 60811-507, Electric and optical fibre cables – Test methods for non-metallic materials – Part 507: Mechanical tests – Hot set test for cross-linked materials

IEC 60811-508, Electric and optical fibre cables – Test methods for non-metallic materials – Part 508: Mechanical tests – Pressure test at high temperature for insulation and sheaths

IEC 60811-509, Electric and optical fibre cables – Test methods for non-metallic materials – Part 509: Mechanical tests – Test for resistance of insulations and sheaths to cracking (heat shock test)

IEC 62395-1:20062013, Electrical resistance trace heating systems for industrial and commercial applications – Part 1: General and testing requirements

ISO 4892-3:20062016, Plastics – Methods of exposure to laboratory light sources – Part 3: Fluorescent UV lamps

3 Terms and definitions S://standards.iteh.ai)

For the purposes of this document, the terms and definitions given in IEC 60050-461 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

armouring

mechanical reinforcement of the heating cable

Note 1 to entry: The reinforcement can be made of one or more layers of steel wires or braid, or of a metallic sheath or other suitable material.

3.2

cold lead

electrically insulated conductor or conductors used to connect a heating cable to the branch circuit and designed so that it does not produce significant heat

3.3

connection splice

sealed splice, connecting the heating cable to the cold lead, or an identical heating cable

3.4

earthing conductor

uninsulated conductor (drain wire) which is in good electric contact with the electrical screen along practically the whole length

3.5

electrically conductive screen

metallic braid, concentric wires, metallic sheath, or alternative covering with sufficient conductivity so that, when bonded to ground, will cause a residual current device (RCD) to operate under fault conditions

3.6

end termination

sealed termination, which may be heat producing, connected to the heating cable at the end opposite to that where the power is supplied

3.7

factory assembled unit or heating cable set

heating cable, including the necessary integral components, set (unit) supplied with components, which are assembled by the manufacturer

3.8

field assembled unit or set heating cable

heating cable supplied in bulk, with the integral components to be assembled at the work site during installation

3.9

heating cable

cable, with or without an electrically conductive screen, metallic or equivalent, sheath or armour intended for emitting heat for heating purposes

3.10

heating cable set

heating cable with suitable power connection and end termination included

3.11

heating conductor

part of a serial heating cable in which the electrical energy is transformed into heat

ic-60800-2021

3.12

insulation

material which insulates each conductor from other conductors or from conducting parts at earth potential

3.13

integral components

factory-fabricated assembled or field-assembled electrical terminations and connections, such as heat shrink terminations, moulded end seals or splices, which conform to the general shape of the heating cable and are exposed to the same environments as the heating cable

3.14

linear power density

power output in watts per linear metre for the heating cable and heating cable sets

3.15

operating conductor temperature

highest allowable continuous temperature of the cable conductor

3.16

operating surface temperature

highest allowable continuous temperature of the cable surface

3.17

operating voltage

actual voltage applied to the heating cable when in service

3.18

rated temperature

temperature assigned to any insulated and sheathed cable which does not result in either the insulation or the sheath being operated in excess of the appropriate operating surface temperature

3.14

maximum sheath temperature

maximum temperature of the outermost covering of a heating cable

3.15

nominal voltage

actual voltage applied to the heating cable when in service

3.16

parallel heating cable

heating elements electrically connected in parallel, with the heating element either continuous or in discrete units or zones, such that the watt density per unit length is not significantly changed with any change in circuit length

3.17

rated resistance of individual conductor(s)

resistance at 20 °C of 1 m of cable conductor

Note 1 to entry: Most heating cables contain more than one conductor and the resistance is measured for all conductors.

3.18

rated voltage

IEC 60800:2021

highest allowable voltage between the conductors in a twin and multi conductor cable, or between one conductor and an electrical conductive screen, or between the two ends of a single core cable, or earth in unscreened cables

reference voltage for which the heating cable is designed

Note 1 to entry: The rated voltage is expressed by the combination of two values U_0/U , expressed in volts:

- U_0 being the RMS value between any insulated conductor and "earth" (metal covering of the cable or the surrounding medium);
- U being the RMS value between any two-phase conductors of a multicore cable or of a system of single-core cables.

Note 2 to entry: See IEC 62440:2008, 5.2 [3].

3.19

routine test

test made by the manufacturer on each manufactured length of cable to check that each length meets the specified requirements

3.20

sample test

test made by the manufacturer on samples of completed cable or components taken from a complete cable, at specified frequency, so as to verify that the finished product meets the specified requirements

3.21

sheath

uniform and continuous tubular covering, metallic or non-metallic, enclosing the insulated conductor(s), used for mechanical protection and to protect the cable against influences from the surroundings (corrosion, moisture etc.)

3.22

type test

test made before supplying, on a general commercial basis, a type of cable covered by this document, in order to demonstrate satisfactory performance characteristics to meet the intended application

Note 1 to entry: These Type tests are of such a nature that, after they have been made, they need not be repeated, unless changes are made in the cable materials or design or manufacturing process which might change the performance characteristics.

4 Mechanical classification

The heating cables in this document have been divided into two classes which indicate their ability to withstand mechanical forces during and after installation. These classes are as follows:

- mechanical class M1: for heating cables intended for installation with low risk of mechanical damage;
- mechanical class M2: for heating cables intended for installation with higher risk of mechanical damage.

The class of any heating cable is determined by its performance as measured against the requirements in 8.2.7, 8.2.8 and 8.2.14.

NOTE 1 Mechanical class M1: for heating cables intended for use in applications with low risk of mechanical damage, as for example installed the installation on even surfaces like flat, smooth sub-floors of concrete or wooden materials or thermal insulations, embedded in screeds with no sharp objects, etc.

NOTE 2 Mechanical class M2: for heating cables intended for use in applications with higher risk of mechanical damage, such as the installation on steel reinforcing grids, direct embedding in soil, in concrete with sharp objects, on roofs and gutters, etc.

5 Requirements for marking

The product shall be marked identified by printing, embossing or indenting on the sheath or on a label attached to the product or on a component inside the heating cable.

NOTE 1 Embossing is shall not recommended be used on the insulation.

A label shall be attached to the product in a permanent way and be clearly detectable to the electrical installer.

NOTE 2—The label should preferably shall be attached to the part of the product which is clearly visible when unpacking the product ready for installation.

The marking shall at least contain:

- the identification of the manufacturer by name and/or a symbol;
- the type reference;
- the resistance per metre of heating cable at 20°C in ohms per metre—if for single or twin conductor series resistive heating cables, or and for a parallel heating cable, the power output in watts per metre at a reference temperature. For series resistive cables with more than two conductors the resistance of each conductor shall be clearly marked. This is not required for heating cable sets;