

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibre cables –
Part 2-22: Indoor cables – Detail specification for multi-simplex breakout optical cables for use in terminated breakout cable assemblies

Câbles à fibres optiques –
Partie 2-22: Câbles intérieurs – Spécification particulière pour les câbles optiques épanouis simplex multiples destinés à être utilisés comme câbles assemblés épanouis équipés



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibre cables –
Part 2-22: Indoor cables – Detail specification for multi-simplex breakout optical cables for use in terminated breakout cable assemblies

Câbles à fibres optiques –
Partie 2-22: Câbles intérieurs – Spécification particulière pour les câbles optiques épanouis simplex multiples destinés à être utilisés comme câbles assemblés épanouis équipés

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.10

ISBN 978-2-8322-6710-3

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	6
4 General	6
5 Construction	6
5.1 General.....	6
5.2 Optical fibres	7
5.3 Simplex optical fibre cables	7
5.4 Strength and anti-buckling members	7
5.5 Ripcord.....	7
5.6 Cable sheath	7
5.7 Sheath marking.....	7
5.8 Examples of cable constructions	7
6 Tests	7
6.1 General.....	7
6.2 Dimensions	8
6.3 Mechanical requirements	8
6.3.1 General	8
6.3.2 Bend.....	8
6.4 Environmental requirements – Temperature cycling	9
7 Transmission requirements.....	9
8 Fire performance	10
Annex A (normative) Cable sample preparation for bend and temperature cycling test.....	11
Annex B (informative) Examples of cable constructions	12
Bibliography.....	13
Figure A.1 – Cable sample preparation and lengths	11
Figure B.1 – Example of a cross-section of a six-fibre breakout cable	12
Figure B.2 – Example of a cross-section of a 24-fibre breakout cable	12
Table 1 – Preferred low and high temperatures	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –**Part 2-22: Indoor cables –
Detail specification for multi-simplex breakout
optical cables for use in terminated breakout cable assemblies****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60794-2-22 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) changed partly the wording in the title and the scope to align with IEC 60794-2-50, IEC 60794-2-23 and IEC 60794-2-24;
- b) added IEC 60793-1-40, IEC 60793-1-46 and IEC 60794-1-2 to the normative references;
- c) deleted reference to IEC 60794-2-51;
- d) added the definition of terminated breakout cable assembly;

- e) changed the number of bend cycles from 10 to 3 to harmonise with IEC 60794-2-50;
- f) changed test parameters for temperature cycling to harmonise with IEC 60794-2-50;
- g) added maximum attenuation requirements after temperature cycling;
- h) replaced the text for the fire performance with an improved description.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86A/2285/FDIS	86A/2317/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRE CABLES –

Part 2-22: Indoor cables – Detail specification for multi-simplex breakout optical cables for use in terminated breakout cable assemblies

1 Scope

This part of IEC 60794 is a detail specification and specifies breakout optical cables with multiple simplex optical fibre cables for use in terminated breakout cable assemblies.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1-20, *Optical fibres – Part 1-20: Measurement methods and test procedures – Fibre geometry*

IEC 60793-1-21, *Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry*

IEC 60793-1-40, *Optical fibres – Part 1-40: Attenuation measurement methods*
<https://standards.iec.ch/catalog/standards/sist/705dd04c-5658-440c-9714-4cc7b69f111c/iec-60794-2-22-2023>

IEC 60793-1-46, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60793-2-10, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance*

IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods*

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods*

IEC 60794-2, *Optical fibre cables – Part 2: Indoor cables – Sectional specification*

IEC 60794-2-20, *Optical fibre cables – Part 2-20: Indoor cables – Family specification for multi-fibre optical cables*

IEC 60794-2-50, *Optical fibre cables – Part 2-50: Indoor cables – Family specification for simplex and duplex cables for use in terminated cable assemblies*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath*

IEC 60811-203, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60794-1-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

multi-simplex breakout cable

cable consisting of multiple simplex optical fibre cables, stranded together under a common sheath, which may be stranded in one layer or multi-layers or bundled to subunits around a central member as necessary

3.1.2

simplex optical fibre cable

cable including a primary or secondary coated fibre that is surrounded with either metallic or non-metallic strength members within a sheath of suitable material

3.1.3

terminated breakout cable assembly

breakout cable terminated with connectors

4 General

The requirements of the sectional specification IEC 60794-2 are applicable to cables covered by this document.

The requirements of the family specification IEC 60794-2-20 are applicable to breakout cables to be installed without terminated connectors.

Fan-out kits used for cable systems are not covered by this document.

5 Construction

5.1 General

In addition to the constructional requirements in IEC 60794-2 and IEC 60794-2-20, the considerations in Clause 5 apply to multi-simplex breakout cables for use in terminated breakout cable assemblies.

It is not the intention of this document to specify the finished terminated breakout cable assembly complete with terminations.

There shall be no fibre splice in any delivery length. It shall be possible to identify each individual fibre throughout the length of the cable.

5.2 Optical fibres

Multimode or single-mode optical fibres shall meet the requirements of IEC 60793-2-10 sub-categories A1-OM1 or A1-OM2 to A1-OM5 or IEC 60793-2-50 class B.

5.3 Simplex optical fibre cables

The simplex optical fibre cables shall meet the requirements of the family specification IEC 60794-2-50. The buffer type, the buffer diameter and simplex optical fibre cable diameter shall be according to the relevant specification or agreed between customer and supplier.

5.4 Strength and anti-buckling members

The cable shall be designed with sufficient strength members to meet the requirements of this document.

The strength and/or anti-buckling members may be either metallic or non-metallic and may be located in the cable core and/or under the sheath and/or in the sheath.

5.5 Ripcord

If required, a ripcord may be provided beneath the cable sheath. The functionality of the ripcord shall be tested according to IEC 60794-1-21, method E25.

5.6 Cable sheath

The cable shall have an overall protective sheath. The cable diameter shall be agreed between customer and supplier.

5.7 Sheath marking

If required, the cable shall be marked as agreed upon between the customer and the supplier.

5.8 Examples of cable constructions

Examples of typical cable constructions are shown in Annex B. Other configurations (e.g. multi-layer constructions) are not precluded if they meet the mechanical, environmental and transmission requirements given in this document.

6 Tests

6.1 General

Compliance with the specification requirements shall be verified by carrying out tests selected from Clause 6. It is not intended that all tests be carried out in all cases. The tests to be applied and the frequency of testing need to be agreed upon between the customer and the supplier.

As a general requirement for the tests specified in this document, the spirit is to keep "no change in attenuation" criteria at the end of each evaluation, although the parameters specified in this document may be affected by measurement uncertainty arising either from measurement errors or calibration errors. The optical total uncertainty of measurement for this document shall be $\pm 0,05$ dB for single-mode fibres and $\pm 0,2$ dB for multimode fibres. Any measured value within this range shall be considered as "no change in attenuation".

Single-mode cables shall be measured at 1 550 nm and multimode cables at 1 300 nm. Measurement at other wavelengths may be agreed between the customer and the supplier. Measurements of attenuation shall be carried out according to IEC 60793-1-40. Change in attenuation measurements shall be carried out according to IEC 60793-1-46. The maximum change in attenuation refers to the \pm deviation from the original value at ambient temperature before the test.

NOTE The optimized wavelength for multimode fibres A1-OM3 and A1-OM4 is 850 nm and for A1-OM5 fibre, the targeted operational wavelength range is in the vicinity of 850 nm to 950 nm.

If cable loops are used within a test to fix the ends of a cable, the loop diameter shall be equal or greater than the specified minimum cable bend diameter to avoid cable damage and excessive mode filtering in multimode fibre.

Unless otherwise specified, all tests shall be carried out at expanded test conditions as specified in IEC 60794-1-2.

6.2 Dimensions

The fibre dimensions and tolerances shall be verified in accordance with IEC 60793-1-20 or IEC 60793-1-21. The diameter of the buffer, simplex optical fibre cable and of the cable, as well as the thickness of the sheath, shall be measured in accordance with the methods of IEC 60811-202 and IEC 60811-203.

6.3 Mechanical requirements

6.3.1 General

The cable shall fulfil the mechanical requirements of tensile, crush, impact and repeated bending according to IEC 60794-2-20. The specific requirements for this cable type are defined in 6.3.

6.3.2 Bend

Method:	IEC 60794-1-21, E11A
Mandrel diameter:	20 times cable diameter
Number of turns:	6
Number of cycles:	3
Cable sample:	See Annex A for details.
Prior to bending:	At both ends of the sample, all the components of each simplex optical fibre cable shall be fixed together, for example with clamps or glue. The simplex optical fibre cables shall not be fixed to the cable sheath and to each other. See Annex A.
Bend location:	The section in the middle of the breakout cable length shall be bent.
Requirements for cabled single-mode fibres:	Maximum attenuation change of 0,20 dB during the test. No change in attenuation after the test.
Requirements for cabled multimode fibres:	Maximum attenuation change of 0,4 dB during the test. No change in attenuation after the test.

6.4 Environmental requirements – Temperature cycling

Method:	IEC 60794-1-22, F12
Cable sample:	The cable sample shall be prepared as shown in Annex A.
Prior to temperature cycling:	At both ends of the length of the cable sample, all components of each simplex optical fibre cable shall be fixed together, for example with clamps or glue. The simplex optical fibre cables shall not be fixed to the cable sheath and to each other. See Annex A.
Temperatures:	For indoor breakout cables, -10 °C and $+60\text{ °C}$ are the recommended low and high temperatures. Specific operating temperatures can be agreed between customer and supplier. Table 1 gives the preferred operating temperatures.

Table 1 – Preferred low and high temperatures

Low temperature T_A °C	High temperature T_B °C	Sources of temperatures (informative)		Remark
		Performance categories of connectors, components and protective housings ^a	Environmental classification of customer premises cabling ^b	
-10	+60	C	$M_x I_x C_1 E_x$	Recommended
-10	+70	C^{HD}	-	
-25	+70	OP	$M_x I_x C_2 E_x$	
-25	+85	OP^{HD}	-	

A suitable operating service environment (performance category) or environmental classification should be selected according to the application. A complete list of operating service environments can be found in IEC 60794-1-1.

^a Included in IEC 61753-1. The abbreviations represent:

C: indoor controlled environment;

OP: outdoor protected environment;

HD: necessary extended upper temperature due to additional dissipation by active electronics.

^b Included in ISO/IEC 11801-1. For an introduction to the MICE environmental classification system, use ISO/IEC TR 29106. The abbreviation MICE represents: mechanical, ingress, climatic, electromagnetic.

Soak time t_1 :	1 h
Number of cycles:	5
Requirements for cabled single-mode fibres:	Maximum attenuation change of 0,50 dB during the test. No change in attenuation after test.
Requirements for cabled multimode fibres:	Maximum attenuation change of 0,5 dB dB during the test. No change in attenuation after test.

7 Transmission requirements

The transmission requirements shall be in accordance with IEC 60793-2-10 or IEC 60793-2-50 and shall be agreed upon between the customer and the supplier. The maximum cable attenuation shall comply with IEC 60794-1-1.

8 Fire performance

All cables according to this document shall pass fire performance specifications. The requirements may differ in different regions (e.g. North America, EU). But they also can differ from country to country.

NOTE 1 IEC TR 62222 provides guidance and recommendations for the requirements and test methods for the fire performance of communication cables when installed in buildings. The recommendations relate to typical applications and installation practices, and an assessment of the fire hazards presented. Account is also taken of applicable legislation and regulation.

IEC TR 62222 references several IEC fire performance test methods and also other test methods that can be required by local or national legislation and regulation. It is important that the tests to be applied fulfil the national legislation and regulation and the specific requirements by its intended use.

Products placed on the EU or UK market should determine whether harmonised EN 50575 is applicable after checking with local regulations.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 60794-2-22:2023](https://standards.iteh.ai/catalog/standards/sist/705dd64c-505b-4a0c-9714-4cc7b69f111c/iec-60794-2-22-2023)

<https://standards.iteh.ai/catalog/standards/sist/705dd64c-505b-4a0c-9714-4cc7b69f111c/iec-60794-2-22-2023>