

Designation: D6333 - 17 D6333 - 23

Standard Practice for Collection of Dislodgeable Pesticide Residues from Floors¹

This standard is issued under the fixed designation D6333; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

- 1.1 This practice covers a procedure for collection of dislodgeable pesticide residues from indoor floor surfaces.
- 1.2 This practice and the sampling methodology described are applicable to bare floors or covered floor surfaces, for example, carpeting and vinyl flooring.
- 1.3 This practice and the sampling methodology described are applicable to all pesticides listed in Practice D4861 whether applied directly to the floor surface or transported there by migration within the room or tracked in from outdoors.
- 1.4 Floor surfaces for which this practice has been successfully applied include nylon plush carpeting, polypropylene level-loop carpeting, and vinyl flooring.
- 1.5 Sample analysis will be dependent upon the nature of the pesticides targeted and is beyond the scope of this practice; however, the analytical procedures discussed in Practice D4861 are applicable to this practice.
- 1.6 The values stated in SI units are to be regarded as the standard. No other units of measurement are included in this standard.
- 1.7 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health safety, health, and environmental practices and determine the applicability of regulatory limitations prior to its use.
- 1.8 This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Referenced Documents

2.1 ASTM Standards:²

D1193 Specification for Reagent Water

D1356 Terminology Relating to Sampling and Analysis of Atmospheres

D4861 Practice for Sampling and Selection of Analytical Techniques for Pesticides and Polychlorinated Biphenyls in Air

E1 Specification for ASTM Liquid-in-Glass Thermometers

E337 Test Method for Measuring Humidity with a Psychrometer (the Measurement of Wet- and Dry-Bulb Temperatures)

¹ This practice is under the jurisdiction of ASTM Committee D22 on Air Quality and is the direct responsibility of Subcommittee D22.05 on Indoor Air. Current edition approved March 1, 2017Sept. 1, 2023. Published March 2017September 2023. Originally approved in 1998. Last previous edition approved in 20192017 as D6333 – 10.D6333 – 17. DOI: 10.1520/D6333-17.10.1520/D6333-23.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.



3. Terminology

- 3.1 Definitions—For definitions of terms used in this practice, refer to Terminology D1356.
- 3.1.1 *dislodgeable <u>residue_residue, n_</u>*that part of the residue of a chemical deposited on a solid surface that may be transferred by direct contact to human skin or clothing (sometimes called *transferable residue*).
- 3.1.2 *sampling traverse—traverse*, *n*—the distance from the starting point to the end point over which the sampling media contacts the floor surface for collection of a single sample.
- 3.1.3 *transfer coefficient*—<u>coefficient</u>, <u>n</u>—the ratio of the amount of pesticide residue collected by the sampling media to the area of the surface contacted by the media during a single sampling traverse.
- 3.1.4 *transfer efficiency—efficiency, n*—the ratio of the transfer coefficient to the pesticide surface loading determined by analysis of deposition coupons placed strategically on the test surface before the pesticide application.

4. Summary of Practice

- 4.1 The sampling method described in this practice is taken from published work (1-4).³
- 4.2 Dislodgeable pesticide residues from floor surfaces are collected by transfer to an annular ring of polyurethane foam (PUF), which is rolled across the floor at a constant speed and applied pressure.
- 4.3 The PUF sampling ring is slipped over a cylindrical metal axle that functions as the front wheel of the PUF roller apparatus. The apparatus is typically constructed of aluminum and consists of a frame with two permanent rear wheels and the detachable axle cylinder on the front.
- 4.4 Weights are attached to the roller frame to apply the desired downward force on the PUF roller ring (sampling pressure). A total weight of 3.88 kg provides a sampling pressure of 8300 Pa, corresponding approximately to that of a 9 kg 9 kg child crawling or walking.
- 4.5 A handle is connected at the rear of the roller frame to push or pull the device across the floor surface.

https://standards.iteh.ai/catalog/standards/sist/158h5418_f8a9_46c6_9871_3cdhace73ae0/astm_d6333_73

- 4.6 A template or similar measuring device is used to identify the area to be sampled. The axle cylinder is fitted with a clean PUF ring, and the roller is then pushed at a constant rate of approximately 10 cm/s over a distance of 1.0 m and then immediately pulled in the reverse direction back over the same sampling area at the same rate of speed, ending at the original starting position.
- 4.7 The PUF ring is removed from the detached axle cylinder and placed in a sealed container for transport to the laboratory for analysis.
- 4.8 The PUF ring is extracted and analyzed using specific analytical procedures for the pesticides of interest. Typical methods involve Soxhlet extraction with analysis of extracts by gas chromatography/mass spectrometry (GC/MS), gas chromatography/ electron capture detection (GC/ECD), or other techniques noted in Practice D4861.

5. Significance and Use

- 5.1 This practice may be used to estimate the potential for human exposure to pesticide residues that may be dislodged from residential floor surfaces by dermal contact. The sampling device employed is designed to approximately replicate the pressure applied by a 9 kg child crawling or walking on the floor.
- 5.2 Laboratory tests and field studies have shown that the transfer coefficient of the sampling device for collection of dried pesticide residues from nylon plush carpets is two to three times higher than that of a dry hand (palm only) pressed ten times at 7300 Pa over the same area of carpet (2, 4, 5).

³ The boldface numbers in parentheses refer to the list of references at the end of this standard.

- 5.3 This practice has been found suitable for use on plush and level loop carpets and vinyl flooring (2, 3).
- 5.4 This practice does not describe procedures for evaluation of the safety of floor surfaces or the potential for human exposure to dislodgeable pesticide residues. It is the user's responsibility to evaluate the data collected by this practice and make such determinations in the light consideration of other available information.

6. Interferences

- 6.1 There are no known interferences to the collection of dislodgeable pesticide residues from floors using this practice. The presence of excessive moisture levels in carpeting, as may be the case shortly after a wet cleaning operation, may affect the dislodgeability of residues, possibly yielding higher than normal results.
- 6.2 Analytical interferences may be caused by contaminants in the sampling medium, solvents, and reagents and on glassware and other sampling or sample processing hardware that result in discrete artifacts and elevated baselines, or both, in the detector profiles. For potential analytical interferences, refer to Practice D4861.

7. Apparatus

7.1 *PUF Roller Sampler*, (as shown in Fig. 1) may be constructed by a machinist using primarily aluminum materials. The typical apparatus consists of a frame (12.4 by 25.4 cm) (12.4 cm by 25.4 cm) that is attached to a rear axle that holds a swivel joint in the center for attaching the handle and has two aluminum wheels (2.5-cm(2.5 cm) wide by 10.2-cm10.2 cm diameter). The distance between the outside of the two wheels is 21.6 cm and between the inside of the wheels is 16.5 cm. An aluminum cylinder (7.6-cm(7.6 cm) long by 4.3-cm4.3 cm) diameter) is attached to the front of the sampler frame by 6-mm6 mm diameter hex head axle bolts on the cylinder that fit into slots on the frame. This cylinder serves as the front axle and also-holds the PUF sampling medium (see 7.2). The front axle cylinder is secured in the slots by spring steel retaining clips that permit easy attachment and removal of the cylinder. The handle for the sampler is two pieces that screw together (102-cm(102 cm) long by 1.3-cm1.3 cm diameter, overall) and then screw into the swivel joint on the rear axle. Two stainless steel blocks, each measuring 12.7 by 7.3 by 2.5 cm 12.7 cm by 7.3 cm by 2.5 cm and having a combined weight of 3.88 kg, 3.88 kg, are attached to the center of the frame through holes that fit over 3-mm3 mm diameter threaded posts on either side of the frame. The weights are secured to the frame with hand-tightened knurled nuts.

Note 1—Although the use of stainless steel to construct the weights is not required (other materials of similar density will suffice), the ease of cleaning




FIG. 1 PUF Roller: A.(A) In Position for Sampling; B.(B) Axle Cylinder/Frame Assembly

and resistance to corrosion make this metal very useful.

7.2 *PUF Sampling Medium*—The sampling medium consists of an annular plug cut from a sheet of medium density $(0.029 \text{ g g/em/cm}^3)$ open-cell, polyether-type polyurethane foam, 7.6-em7.6 cm thick.

Note 2—This foam is the type used commercially in upholstery and is widely used for air sampling. It is the same type as that described in Practice D4861, but has a higher density.

- 7.2.1 Cut the foam sheet stock with a high-speed cutting die lubricated with distilled water to produce an annular ring 8.9-cm8.9 cm O.D. by 4.2-cm4.2 cm I.D. Alternatively, the PUF sheet stock may be immersed in distilled water and compressed to achieve saturation prior to cutting.
 - 7.2.2 After cutting, immerse the rings in pesticide grade acetone and compress to remove most of the distilled water. Repeat the process.
 - 7.2.3 Extract the rings with acetone in a Soxhlet extractor for 24 h at 4 24 h at 4 cycles/h to 66 cycles eyeles/h, /h, followed by a second extraction with 5 % diethyl ether in *n*-hexane for an additional 14 to 24 h at 4 14 h to 24 h at 4 cycles/h to 66 cycles eyeles/h. /h. A final 24-h24 h extraction with acetone is recommended to ensure that the PUF ring retains its shape.
 - 7.2.4 Upon completion of the Soxhlet extractions, transfer the PUF rings with solvent-rinsed tweezers into an open, pre-cleaned container (refer to Practice D4861 for cleaning).
- 7.2.5 Place containers with PUF rings inside a vacuum drying oven and dry for 16 h under purified zero grade nitrogen.
 - 7.2.6 Place the dried rings in clean, sealed containers for storage, preferably in an area protected from prolonged exposure to light.
 - 7.3 *Guide Bar*—A flat bar or ruler approximately 1.4-m1.4 m long can be used to guide the sampler during a traverse over the floor surface. For example, an aluminum bar 2.5-em2.5 cm wide and 6-mm6 mm thick may be used in this application. The bar is clearly marked at the starting point and at 10-cm10 cm intervals along its length up to and including the ending point at the 1.0-m1.0 m mark. The starting point is marked on the bar about 34 cm from one end so that the wheels of the sampler will contact the bar when the front of the sampler is in place to begin a sampling traverse.
 - 7.3.1 Alternatively, a template may be constructed to serve as a guide for sampling. An example of such a template that has been found useful may be constructed from two 168-em168 cm long right-angled side bars made from extruded aluminum or other suitable material with each side of the L-shaped bar having a width of about 2.5 cm. The two angled sidebars are connected at each end with a 2.5-em2.5 cm wide flat bar that is 21.5-em21.5 cm long, thereby resulting in two tracks that will accommodate the rear wheels of the PUF roller with only a slight tolerance. The thickness of the side and end bars is approximately 0.3 cm. 0.3 cm. The vertical height of the side bars should be sufficient to keep the wheels on the track, for example 2.5 cm. The carpet surface is exposed through a central opening 163 by 16.5 cm 163 cm by 16.5 cm in dimension. The template is clearly marked at the starting point and at 10-em10 cm intervals along its length up to and including the ending point at the 1.0-m1.0 m mark. The starting point is marked on the template about 34 cm from one end so that the wheels of the sampler will remain upon the tracks with some room to spare when the front of the sampler is in position to begin a sample traverse.
- 7.4 Starting Platform—A thin (1.6-mm)(1.6 mm) aluminum sheet (33 by 25.4 cm) (33 cm by 25.4 cm) to be used as a platform to prevent contact of the PUF ring with the surface to be sampled before starting a sampling traverse.
 - 7.5 Other Equipment:
- 7.5.1 *Tongs*, large (23-em(23 cm long), scissor type, stainless steel tongs, or similar implements, for installing and removing the PUF rings from the sampler apparatus.
 - 7.5.2 *Gloves*—Protective gloves, powder-free nitrile, latex, or polyvinyl acetate, are required to guard against potentially hazardous exposures and to minimize risk of cross contamination between sampler apparatus and sampling media.
- 7.5.3 *Squeeze Bottle*—A plastic (polytetrafluroethylene) squeeze bottle, 250–500-mL 250 mL to 500 mL volume, is filled with solvent and is used to rinse the sampler apparatus that contacts the sampling media and the tongs used to install and remove the media.