

INTERNATIONAL ELECTROTECHNICAL COMMISSION
COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

IEC 61855
Edition 2.0 2022-08

Household and similar use electrical hair care
appliances – Methods for
measuring the performance

IEC 61855
Édition 2.0 2022-08

Appareils électriques destinés aux soins des
cheveux pour usages domestiques
et analogues – Méthodes de mesure de
l'aptitude à la fonction

C O R R I G E N D U M 1

Corrections to the French version appear after the English text.

Les corrections à la version française sont données après le texte anglais.

Replace Subclause 5.6.4 with the following:

5.6.4 Determination of the drying rate

The drying rate D_R is determined from the mass of water evaporated and calculated from Formula (6).

$$D_R = m_1 - m_2 \quad (6)$$

where

m_1 is the mass of water measured before drying;

m_2 is the mass of water measured after 1 min of drying and 5 s of stabilizing time.

The measurement is carried out three times. The mean drying rate is calculated as the average value of these three measurements.

The drying rate is expressed in g/min, rounded off to one decimal place.