



# SLOVENSKI STANDARD SIST EN ISO 9100-9:2005

01-marec-2005

---

**Steklena embalaža – Grla za vakuumsko zapiranje - 9. del: 63, 66 in 70, globoko  
(ISO 9100-9:2005)**

Glass containers - Vacuum lug finishes - Part 9: 63, 66 and 70 deep (ISO 9100-9:2005)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen - Teil 9: 63, 66 und 70 deep (ISO 9100-9:2005)

**iTeh STANDARD PREVIEW**

Réipients en verre - Bagues a crans pour bouchage sous vide - Partie 9: 63, 66 et 70  
deep (ISO 9100-9:2005)

[SIST EN ISO 9100-9:2005](https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-c6c45b16-e21/sist-en-iso-9100-9-2005)

**Ta slovenski standard je istoveten z: EN ISO 9100-9:2005**

---

**ICS:**

55.100      Steklenice. Lonci. Kozarci      Bottles. Pots. Jars

**SIST EN ISO 9100-9:2005**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 9100-9:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 9100-9**

January 2005

ICS 55.100

English version

**Glass containers - Vacuum lug finishes - Part 9: 63, 66 and 70  
deep (ISO 9100-9:2005)**

Réipients en verre - Bagues à crans pour bouchage sous  
vide - Partie 9: 63, 66 et 70 deep (ISO 9100-9:2005)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen -  
Teil 9: 63, 66 und 70 deep (ISO 9100-9:2005)

This European Standard was approved by CEN on 23 September 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 9100-9:2005](https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005)

[https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-  
ebc45b164e21/sist-en-iso-9100-9-2005](https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005)



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

## Contents

	Page
Foreword.....	3
1 Scope .....	4
2 Normative references .....	4
3 Dimensions.....	4
Bibliography .....	8

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 9100-9:2005](https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005)

[https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-  
ebc45b164e21/sist-en-iso-9100-9-2005](https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005)

## Foreword

This document (EN ISO 9100-9:2005) has been prepared by Technical Committee CEN/TC 261 "Packaging", the secretariat of which is held by AFNOR, in collaboration with Technical Committee ISO/TC 63 "Glass containers".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2005, and conflicting national standards shall be withdrawn at the latest by July 2005.

Efficient packaging is of great importance for the distribution and the protection of goods. Insufficient or inappropriate packaging can lead to damage or wastage of the contents of the pack.

It is based on CE.T.I.E (International Technical Centre for Bottling and Packaging) <sup>1)</sup> data sheet GME 20-07 : 1995.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 9100-9:2005](https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005)

<https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005>

---

1) Centre Technique International de l'Embouteillage (CETIE), 3, rue La Boétie, 75008 Paris, France, [www.cetie.org](http://www.cetie.org)

## EN ISO 9100-9:2005 (E)

## 1 Scope

This document specifies the dimensions of vacuum lug finishes with nominal sizes of 63, 66 and 70 mm deep for wide-mouth glass containers.

## 2 Normative references

Not applicable.

## 3 Dimensions

3.1 The design and dimension of the finish shall be as shown in Figures 1 to 3 and Table 1.

3.2 Details which are not specified shall be selected in accordance with the application. For general tolerances see EN 22768-1.

Dimensions in millimetres





Figure 1 — Cutter profile

Dimensions in millimetres

**Key**

- a) Parting line
- b) See Figure 3
- c) In order to provide a proper cap removal, the theoretical cam-off point (X) shall be on the upper flank of the thread.

**Figure 2 — Thread construction and enlarged view sections B-B and C-C**





Table 1 — Dimensions

Type	Diameter E (mm)	Diameter T (mm)	Diameter C (mm)	Cutter $\alpha^a$	Leads	Thread parameters		
						$\beta$	Pitch (mm)	T.P.I. <sup>b)</sup>
63	58,90 ± 0,45	62,05 ± 0,45	52,35	5°06'	4	5°06'	16,95	1 ½
66	61,80 ± 0,45	64,95 ± 0,45	55,25	4°52'	4	4°52'	16,95	1 ½
70	65,80 ± 0,45	68,95 ± 0,45	59,25	4°35'	4	4°35'	16,95	1 ½

<sup>a)</sup> The cutter inclination at  $\alpha$ -angle shall be maintained for all cuts. The start and end of the leads correspond to the cut-in profile as defined by the cutter diameter, except where ruffles are required to permit mould opening.

<sup>b)</sup> Threads per inch

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 9100-9:2005

<https://standards.iteh.ai/catalog/standards/sist/a005bbb7-e6f7-48d4-ab54-ebc45b164e21/sist-en-iso-9100-9-2005>