



SLOVENSKI STANDARD
SIST EN ISO 9100-10:2005
01-marec-2005

Steklena embalaža – Grla za vakuumsko zapiranje - 10. del: 77, standardno (ISO 9100-10:2005)

Glass containers - Vacuum lug finishes - Part 10: 77 regular (ISO 9100-10:2005)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen - Teil 10: 77 regular (ISO 9100-10:2005)

iTeh STANDARD PREVIEW

Réipients en verre - Bagues a crans pour bouchage sous vide - Partie 10: 77 regular (ISO 9100-10:2005)

[SIST EN ISO 9100-10:2005](https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7dc414/sist-en-iso-9100-10-2005)

Ta slovenski standard je istoveten z: EN ISO 9100-10:2005

ICS:

55.100 Steklenice. Lonci. Kozarci Bottles. Pots. Jars

SIST EN ISO 9100-10:2005

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9100-10:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 9100-10

January 2005

ICS 55.100

English version

**Glass containers - Vacuum lug finishes - Part 10: 77 regular
(ISO 9100-10:2005)**

Réipients en verre - Bagues à crans pour bouchage sous
vide - Partie 10: 77 regular (ISO 9100-10:2005)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen -
Teil 10: 77 regular (ISO 9100-10:2005)

This European Standard was approved by CEN on 23 September 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 9100-10:2005](https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005)

<https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Dimensions	4
Bibliography	8

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 9100-10:2005
https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005](https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005)

Foreword

This document (EN ISO 9100-10:2005) has been prepared by Technical Committee CEN/TC 261 "Packaging", the secretariat of which is held by AFNOR, in collaboration with Technical Committee ISO/TC 63 "Glass containers".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2005, and conflicting national standards shall be withdrawn at the latest by July 2005.

Efficient packaging is of great importance for the distribution and the protection of goods. Insufficient or inappropriate packaging can lead to damage or wastage of the contents of the pack.

It is based on CE.T.I.E (International Technical Centre for Bottling and Packaging) ¹⁾ data sheet GME 20-08 : 1995.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9100-10:2005](https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005)

<https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005>

1) Centre Technique International de l'Emboutillage (CETIE), 3, rue La Boétie, 75008 Paris, France, www.cetie.org

EN ISO 9100-10:2005 (E)

1 Scope

This document specifies the dimensions of a vacuum lug finish with a nominal size of 77 mm regular for wide-mouth glass containers.

2 Normative references

Not applicable.

3 Dimensions

3.1 The design and dimension of the finish shall be as shown in Figures 1 to 3 and Table 1.

3.2 Details which are not specified shall be selected in accordance with the application. For general tolerances see EN 22768-1.

Dimensions in millimetres





Figure 1 — Cutter profile


Dimensions in millimetres



iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 9100-10:2005


<https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005>



Key

- a) Parting line
- b) See Figure 3

Figure 2 — Thread construction



Key

- The sealing surface shall be free of checks, dips, crizzles and other defects which may affect proper functioning.
- Proper system functioning calls for keeping the ovality in the finish diameters to a minimum. E and T diameters should be concentric in relation to one another.
- Cross-hatched areas of C diameter and H height show the closure position. Glass shall clear cap limits shown. The contour below the H dimension as well as the design of a possible bead are optional. Sufficient free space shall be provided between the bead and the cross-hatched area.

Figure 3 — Enlarged view section A-A

Table 1 — Dimensions

Type	Diameter E (mm)	Diameter T (mm)	Diameter C (mm)	Cutter α^a	Leads	Thread parameters			Thread parameters		
						β	Pitch (mm)	T.P.I. ^{b)}	β_1	Pitch (mm)	T.P.I. ^{b)}
77	72,50 ± 0,45	75,65 ± 0,45	65,95	4°59'	6	4°59'	20,30	1 ¼	8°17'	33,90	¾

^{a)} The cutter inclination at α -angle shall be maintained for all cuts. The start and end of the leads correspond to the cut-in profile as defined by the cutter diameter, except where ruffles are required to permit mould opening.

^{b)} Threads per inch

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 9100-10:2005](https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005)

<https://standards.iteh.ai/catalog/standards/sist/2ea94662-b6e6-451b-970f-6477dc7de414/sist-en-iso-9100-10-2005>