

INTERNATIONAL STANDARD

ISO
8901

First edition
1987-06-01



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION
ORGANISATION INTERNATIONALE DE NORMALISATION
МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

**Oil of bitter orange petitgrain (*Citrus aurantium*
Linnaeus ssp. *aurantium*)**

Huile essentielle de petitgrain bigaradier (Citrus aurantium Linnaeus ssp. aurantium)

(standards.iteh.ai)

ISO 8901:1987

<https://standards.iteh.ai/catalog/standards/sist/2454f0b6-daef-4cb0-8632-70a0cdd815d9/iso-8901-1987>

Reference number
ISO 8901 : 1987 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8901 was prepared by Technical Committee ISO/TC 54, *Essential oils*.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

Oil of bitter orange petitgrain (*Citrus aurantium* Linnaeus ssp. *aurantium*)

1 Scope and field of application

This International Standard specifies certain characteristics of oil of bitter orange petitgrain (*Citrus aurantium* Linnaeus ssp. *aurantium*), with a view to facilitating the assessment of its quality.

2 References

ISO/R 210, *Essential oils — Packing*.

ISO/R 211, *Essential oils — Labelling and marking of containers*.

ISO 212, *Essential oils — Sampling*.

ISO 279, *Essential oils — Determination of relative density at 20 °C (Reference method)*.

ISO 280, *Essential oils — Determination of refractive index*.

ISO 592, *Essential oils — Determination of optical rotation*.

ISO 709, *Essential oils — Determination of ester value*.

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*.

ISO 1242, *Essential oils — Determination of the acid value*.

ISO 3794, *Essential oils (containing tertiary alcohols) — Estimation of free alcohols content by determination of ester value after acetylation*.

3 Definition

oil of bitter orange petitgrain: The oil obtained by steam distillation of the leaves, twigs and small green fruits of *Citrus aurantium* Linnaeus ssp. *aurantium*.

4 Requirements

4.1 Appearance

Clear liquid.

4.2 Colour

Pale yellow to amber-yellow, with a slight blue fluorescence.

4.3 Odour

Characteristic, ethereal and pleasant.

4.4 Relative density at 20/20 °C

Minimum: 0,888.

Maximum: 0,898.

4.5 Refractive index at 20 °C

Minimum: 1,456 0.

Maximum: 1,472 0.

4.6 Optical rotation at 20 °C

Between -6° and $+1^{\circ}$.

4.7 Miscibility with 70 % (V/V) ethanol at 20 °C

Not more than 1,5 to 5 volumes of 70 % (V/V) ethanol at 20 °C shall be required to give a clear solution with 1 volume of essential oil.

4.8 Acid value

Maximum: 2,0.

4.9 Ester value

Minimum: 140.

Maximum: 217.

4.10 Establishment of chromatographic profile

See annex.

4.11 Flash point

75 °C (as an indication only).

5 Sampling

See ISO 212.

Minimum volume of the final sample: 50 ml. This volume is enough to carry out all the tests specified in this International Standard at least once.

6 Methods of test

6.1 Relative density at 20/20 °C

See ISO 279.

6.2 Refractive index at 20 °C

See ISO 280.

6.3 Optical rotation at 20 °C

See ISO 592.

6.4 Miscibility with 70 % (V/V) ethanol at 20 °C

See ISO 875.

6.5 Acid value

See ISO 1242.

6.6 Ester value

See ISO 709.

6.7 Establishment of chromatographic profile

See annex.

6.8 Flash point

To be completed later.

7 Packing, labelling and marking

7 Packing, labelling and marking

See ISO/R 210 and ISO/R 211.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/2454f0b6-daef-4cb0-8632-70a0cdd815d9/iso-8901-1987>
ISO 8901:1987

Annex

Typical chromatograms

(This annex does not form an integral part of the standard.)

iTeh STANDARD PREVIEW (standards.itech.ai)

Sample: oil of bitter orange petitgrain, Italy;

Column: fused silica capillary, length 50 m, internal diameter 0,3 mm

Stationary phase: polyethylene glycol 20 000

ISO 8901:1987

Oven temperature: temperature programme: initial temperature 70 °C, 454f0b6-dacf-4cb0-8632-70a0cdd815d9/iso-8901-1987
then 2 °C/min up to 180 °C

Injection temperature: 200 °C

Detection temperature: 230 °C


Volume injected: 0,01 µl

Detector: flame ionization

Carrier gas: helium

Carrier gas flow rate: 1,3 ml/min

Split ratio: 1/100



Sample : oil of bitter orange petitgrain, Spain :

Column: fused silica capillary, length 50 m, internal diameter 0,3 mm
Stationary phase: polyethylene glycol 20 000
Oven temperature: temperature programme: initial temperature 70 °C, then 2 °C/min up to 180 °C
Injection temperature: 200 °C
Detection temperature: 230 °C
Volume injected: 0,01 µl
Detector: flame ionization
Carrier gas: helium
Carrier gas flow rate: 1,3 ml/min
Split ratio: 1/100

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 8901:1987
<https://standards.iteh.ai/catalog/standards/sist/2454f0b6-dae4cb0-8632-70a0cdd815d9/iso-8901-1987>



iTeh STANDARD PREVIEW (standards.iteh.ai)

This page intentionally left blank

ISO 8901:1987

<https://standards.iteh.ai/catalog/standards/sist/2454f0b6-daef-4cb0-8632-70a0cdd815d9/iso-8901-1987>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 8901:1987

<https://standards.iteh.ai/catalog/standards/sist/2454f0b6-daef-4cb0-8632-70a0cdd815d9/iso-8901-1987>

UDC 665.526.454

Descriptors : essential oils, bigarade, petitgrain, specifications.

Price based on 4 pages
