IEC 61300-3-34

Edition 3.0 2009-01

INTERNATIONAL STANDARD

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –
Part 3-34: Examinations and measurements – Attenuation of random mated connectors

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

IEC 61300-3-34

Edition 3.0 2009-01

INTERNATIONAL STANDARD

Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –
Part 3-34: Examinations and measurements – Attenuation of random mated connectors

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE M

ICS 33.180.20

ISBN 978-2-88910-499-4

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 3-34: Examinations and measurements – Attenuation of random mated connectors

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61300-3-34 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components of IEC technical committee 86: Fibre optics.

This third edition cancels and replaces the second edition published in 2001. It constitutes a technical revision. Changes from the previous edition of the document are to reconsider launch conditions for multimode fibres.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/2767/FDIS	86B/2800/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61300 series, published under the general title, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 3-34: Examinations and measurements – Attenuation of random mated connectors

1 Scope

This part of IEC 61300 describes the procedure required to measure the statistical distribution and mean attenuation for random mated optical connectors.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-3-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination*

3 General description

3.1 Test methods

Two test methods are described for measuring the attenuation of random mated optical connectors. Both provide an estimate of the expected average performance that a group of patchcords (including adaptors, if applicable) selected from a batch will exhibit when utilised in an optical system. The patchcords, and any adaptors, must be chosen at random to ensure that the measurements provide a statistically unbiased estimate.

Method 1 describes the procedure based on the use of 10 patchcords (20 optical connectors) and 10 adaptors. In this case all of the plugs are sequentially used as “reference” plugs and all of the remaining plugs are tested against them. The result is based on 360 measurements as indicated in the test matrix shown in Figure 3.

Method 1 is intended to be part of a design approval exercise that may involve one or more suppliers. Once approval is achieved, Method 2 would be relied on to maintain process control. However, in the event of a dispute, Method 1 shall act as the reference measurement method.

Method 2 describes a procedure based on the measurement of 15 patchcords.

Five patchcords are selected as “reference” patchcords, with one plug on each of the patchcords being nominated as a “reference” plug. All plugs of the remaining 10 patchcords are then tested against each of the five “reference” plugs. This produces 100 measurements as indicated in the test matrix shown in Figure 6.

It is recognised that the number of measurements required by Method 1 may be excessive for day-to-day routine checking of either in-house or supplier produced products. In this case, as indicated above, Method 2 may be used as an alternative option.

NOTE In this measurement method, the terms “reference” plug or “reference” patchcord are used to define those components chosen at random from a batch, against which a number of comparative measurements are made. It is not intended that the terms should imply specially chosen or manufactured components, such as those used, for example, in screen testing.

3.2 Precautions

The following test requirements shall be met:

3.2.1

Precautions shall be taken to ensure that the cladding modes do not affect the measurement. Cladding modes shall be stripped as a function of the fibre coating.

3.2.2

Precautions shall be taken to ensure the position of the fibres in the test remains fixed between the measurement of P_1 and P_2 to avoid changes in attenuation due to bending losses.

3.2.3

The stability performance of the test equipment shall be ≤0,05 dB or 10 % of the attenuation to be measured, whichever is the lower value. The stability shall be maintained over the measurement time and operational temperature range. The required measurement resolution shall be 0,01 dB for both multimode and singlemode.

3.2.4

To achieve consistent results, clean and inspect all connectors and adaptors prior to measurement. Visual examination shall be undertaken in accordance with IEC 61300-3-1.

3.2.5

The power in the fibre shall be at a level that does not generate non-linear scattering effects.

4 Apparatus

4.1 Source (S)

The source consists of an optical emitter, the means to connect to it and associated drive electronics. In addition to meeting the stability and power level requirements, the source shall have the following characteristics:

Centre wavelength: as detailed in the performance and product standard;

Spectral width: filtered LED ≤150 nm FWHM;

Spectral width: LD <10 nm FWHM.

For multimode fibres, broadband sources such as an LED shall be used.

For singlemode fibres either an LED or LD may be used.

NOTE The interference of modes from a coherent source will create speckle patterns in multimode fibres. These speckle patterns give rise to speckle or modal noise and are observed as power fluctuations, since their characteristic times are longer than the resolution time of the detector. As a result, it may be impossible to achieve stable launch conditions using coherent sources for multimode measurements. Consequently, lasers, including OTDR sources, should be avoided in favour of LED's or other incoherent sources for measuring multimode components.

4.2 Launch conditions (E)

The launch condition shall be specified in accordance with Annex B of IEC 61300-1.

4.3 Detector (D)

The detector consists of an optical detector, the means to connect to it and associated electronics. The connection to the detector will be an adaptor that accepts a connector plug of the appropriate design. The detector shall capture all light emitted by the connector plug.

In addition to meeting the stability and resolution requirements, the detector shall have the following characteristics:

Linearity: multimode ≤ ±0,25 dB (over –5 dBm to –60 dBm);

singlemode ≤ ±0,1 dB (over –5 dBm to –60 dBm).

NOTE The power meter linearity shall be referenced to a power level of –23 dBm at the operational wavelength.

Where the connection to the detector is broken between the measurement of P_1 and P_2, the measurement repeatability shall be within 0,05 dB or 10 % of the attenuation to be measured, whichever is the lower value. A large sensitive area detector may be used to achieve this.

The precise characteristics of the detector shall be compatible with the measurement requirements. The dynamic range of the power meter shall be capable of measuring the power level exiting from the DUT at the wavelength being measured.

5 Procedure

5.1 Method 1

5.1.1

Randomly choose 10 patchcords for testing. Label the plugs under test sequentially from 1a through to 10b (i.e. 1a – 1b, 2a – 2b, 3a – 3b.....10a – 10b).

5.1.2

Randomly choose 10 adaptors. Label each adaptor sequentially 1 through 10.

5.1.3

Insert patchcord 1a – 1b into the measurement system as shown in Figure 1. Using plug 1a as the “reference” plug, measure the power P_1.