



**SLOVENSKI STANDARD**  
**SIST EN ISO 1741:1998**

**01-november-1998**

---

**Dekstroza - Določevanje izgube mase pri sušenju - Metoda sušenja v vakuumski sušilni peči (ISO 1741:1980)**

Dextrose - Determination of loss in mass on drying - Vacuum oven method (ISO 1741:1980)

Dextrose - Bestimmung des Masseverlustes durch Trocknen - Vakuumschrank-Verfahren (ISO 1741:1980)

Dextrose cristallisé - Détermination de la perte de masse a la dessiccation - Méthode par étuvage sous pression réduite (ISO 1741:1980)

<https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998>

**Ta slovenski standard je istoveten z: EN ISO 1741:1994**

---

**ICS:**

67.180.20 Škrob in izdelki iz njega Starch and derived products

**SIST EN ISO 1741:1998**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 1741:1998](#)

<https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998>

EUROPEAN STANDARD

EN ISO 1741

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 1994

UDC 664.162:543.81

Descriptors: carbohydrates, glucose, tests, determination, mass losses, dehydration analysis, stoves (chemistry), low pressure tests

English version

### Dextrose - Determination of loss in mass on drying - Vacuum oven method (ISO 1741:1980)

Dextrose cristallisé - Détermination de la perte de masse à la dessiccation - Méthode par étuvage sous pression réduite (ISO 1741:1980)

Dextrose - Bestimmung des Masseverlustes durch Trocknen - Vakuumschrank-Verfahren (ISO 1741:1980)

**STANDARD PREVIEW**  
(standards.iteh.ai)

SIST EN ISO 1741:1998

<https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998>

This European Standard was approved by CEN on 1994-08-22. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

## CEN

European Committee for Standardization  
Comité Européen de Normalisation  
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Page 2  
EN ISO 1741:1994

## Foreword

The text of the International Standard ISO 1741:1980, prepared by ISO/TC 93 "Starch", was submitted to the formal vote and was approved by CEN as EN ISO 1741:1994 on 1994-08-22 without any modifications.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 1995, and conflicting national standards shall be withdrawn at the latest by February 1995.

According to the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, United Kingdom.

## Endorsement notice

The text of the International Standard ISO 1741:1980 was approved by CEN as a European Standard without any modification.

**ITEH STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 1741:1998

<https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998>

---

# International Standard



# 1741

---

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

---

## Dextrose — Determination of loss in mass on drying — Vacuum oven method

*Dextrose cristallisé — Détermination de la perte de masse à la dessiccation — Méthode par étuvage sous pression réduite*

First edition — 1980-08-01

**ITeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 1741:1998](https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998)

<https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998>

---

UDC 664.162 : 543.81

Ref. No. ISO 1741-1980 (E)

**Descriptors** : carbohydrates, glucose, tests, determination, mass losses, dehydration analysis, stoves (chemistry), low pressure tests.

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1741 was developed by Technical Committee ISO/TC 93, *Starch (including derivatives and by-products)*, and was circulated to the member bodies in May 1979.

It has been approved by the member bodies of the following countries:

Australia	Kenya	South Africa, Rep. of
Chile	Libyan Arab Jamahiriya	Spain
France	Netherlands	USA
Germany, F. R.	Poland	USSR
Israel	Romania	Yugoslavia

The member body of the following country expressed disapproval of the document on technical grounds :

United Kingdom

This International Standard cancels and replaces ISO Recommendation R 1741-1970, of which it constitutes a technical revision.

# Dextrose — Determination of loss in mass on drying — Vacuum oven method

## 1 Scope and field of application

This International Standard specifies a vacuum oven method for the determination of the loss in mass on drying of dextrose.

The method is applicable to anhydrous dextrose and to dextrose monohydrate.

## 2 Principle

Drying of the test portion in a vacuum oven at 100 °C, at a pressure not exceeding 135 mbar\*.

## 3 Apparatus

### 3.1 Analytical balance.

**3.2 Dish**, of metal (inert under the test conditions) or of glass, of diameter approximately 50 mm, provided with a closely fitting lid.

**3.3 Electrically heated vacuum oven**, capable of being maintained at  $100 \pm 1$  °C, equipped with a calibrated thermometer and an absolute pressure gauge.

The drying oven shall provide uniform heat distribution and shall maintain the reduced pressure for several hours after the vacuum pump is turned off. The oven shelves shall be so constructed and fitted as to ensure good heat transfer to the dishes.

**3.4 Vacuum pump**, suitable for reducing the pressure in the oven to 135 mbar or less.

**3.5 Drying train**, consisting of a drying column filled with dried silica gel; the column is connected in series to a gas scrubber containing concentrated sulphuric acid, which is in turn connected to the air inlet of the drying oven.

**3.6 Desiccator**, containing an efficient desiccant.

## 4 Procedure

### 4.1 Preparation of the test sample

Mix the sample thoroughly and rapidly by stirring with a spatula in the sample container. If the sample container is too small for this purpose, transfer the entire sample to another pre-dried container of a suitable size to facilitate mixing.

### 4.2 Preparation of the dish

Place the open dish (3.2) and its lid in the oven (3.3), controlled at 100 °C for 1 h. Allow to cool to room temperature in the desiccator (3.6) and weigh to the nearest 0,000 2 g.

### 4.3 Test portion

Place about 10 g of anhydrous dextrose or about 5 g of dextrose monohydrate, in the dish (3.2), fit the lid and weigh to the nearest 0,000 2 g.

### 4.4 Determination

Place the covered dish (3.2) containing the test portion (4.3) in the oven (3.3) maintained at  $100 \pm 1$  °C, remove the lid and leave it in the oven. Leave at the test temperature for 4 h, maintaining the pressure in the oven at not more than 135 mbar. During drying, draw a slow stream of air through the drying train (3.5) into the oven.

After 4 h, shut off the vacuum pump (3.4) and allow air to slowly enter the oven through the drying train until atmospheric pressure is obtained. Before withdrawing the dish from the oven, fit the cover. Place the covered dish in the desiccator (3.6), allow to cool to room temperature, and weigh to the nearest 0,000 2 g.

Do not put more than four dishes in the desiccator (3.6) at the same time.

Carry out two determinations on the same test sample (4.1).

NOTE — If, during or after the test, the material develops a more or less pronounced yellow colour, repeat the test at a lower temperature, and state this in the test report.

\* 1 mbar = 0,1 kPa

## ISO 1741-1980 (E)

**5 Expression of results**

The loss in mass on drying, expressed as a percentage by mass of the product as received, is equal to

$$(m_1 - m_2) \times \frac{100}{m_1 - m_0}$$

where

$m_0$  is the mass, in grams, of the dish and cover (4.2);

$m_1$  is the mass, in grams, of the dish and cover and the test portion before drying (4.3);

$m_2$  is the mass, in grams, of the dish and cover and the test portion after drying (4.4).

Take as the result the arithmetic mean of the two determinations.

**6 Test report**

The test report shall indicate the method used and the result obtained. It shall also mention all operating conditions not specified in this International Standard, or regarded as optional, as well as any circumstances that may have influenced the result.

The report shall include all details required for complete identification of the sample.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 1741:1998](https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998)

<https://standards.iteh.ai/catalog/standards/sist/245eab2f-eac5-4864-b12a-586252ab99a2/sist-en-iso-1741-1998>