

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibre cables –
Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables
for rapid/multiple deployment

Câbles à fibres optiques –
Partie 3-70: Câbles extérieurs – Spécification de famille pour câbles à fibres
optiques extérieurs pour déploiement rapide/multiple



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibre cables – **STANDARD PREVIEW**
Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables
for rapid/multiple deployment

Câbles à fibres optiques –
Partie 3-70: Câbles extérieurs – **IEC 60794-3-70:2016**
Spécification de famille pour câbles à fibres
optiques extérieurs pour déploiement rapide/multiple

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.01 ; 33.180.10

ISBN 978-2-8322-3156-2

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 General requirements	5
4 Specification for outdoor optical fibre cables for rapid/multiple deployment	6
4.1 Construction	6
4.1.1 General	6
4.1.2 Rapid/multiple deployment optical fibre cables.....	6
4.2 Optical fibres.....	7
4.3 Secondary coating	7
4.4 Outer sheath.....	7
4.5 Mechanical and environmental tests	7
5 Testing of rapid/multiple deployment optical fibre cables	7
5.1 General.....	7
5.2 Applicable tests.....	8
5.3 Tensile performance.....	8
5.4 Abrasion	9
5.5 Crush.....	9
5.6 Impact	9
5.7 Ribbon strippability.....	10
5.8 Repeated bending.....	10
5.9 Torsion	10
5.10 Flexing.....	10
5.11 Kink.....	11
5.12 Bend.....	11
5.13 Bending under tension.....	11
5.14 Temperature cycling.....	11
5.15 Water penetration	12
5.16 Ageing	12
5.17 UV resistance	12
5.18 External freezing.....	12
5.19 Fibre ribbon separability.....	13
5.20 Tube kinking	13
Annex A (normative) Blank detail specification and minimum requirements	14
Bibliography	15
Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable	8
Table A.1 – Cable description	14

iTeh STANDARD PREVIEW

(standards.iteh.ai)

IEC 60794-3-70:2016

<https://standards.iteh.ai/catalog/standards/sist/60ad0bc7-d47c-4fab-88cd-216c2956da22/iec-60794-3-70-2016>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

**Part 3-70: Outdoor cables –
Family specification for outdoor optical
fibre cables for rapid/multiple deployment**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-3-70 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This International Standard is to be used in conjunction with IEC 60794-1-1, IEC 60794-1-2 and IEC 60794-3.

The text of this standard is based on the following documents:

FDIS	Report on voting
86A/1692/FDIS	86A/1708/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60794-3-70:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/60ad0bc7-d47c-4fab-8f6d-216c2956da22/iec-60794-3-70-2016>

OPTICAL FIBRE CABLES –

Part 3-70: Outdoor cables – Family specification for outdoor optical fibre cables for rapid/multiple deployment

1 Scope

This part of IEC 60794 is a family specification that covers outdoor optical fibre cables intended for rugged terrestrial rapid/multiple deployment. These cables, with enhanced mechanical, environmental and ingress performance may be used wherever a rapid or multiple deployment is relevant (e.g. mobile broadcast units, emergency rescue services, outdoor motion-robotics, etc.).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-10:2011, *Optical fibres – Part 2-10: Product specifications – Sectional specification for category A1 multimode fibres*

IEC 60793-2-50:2012, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Cross reference table for optical cable test procedures*

IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods*

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods*

IEC 60794-1-23, *Optical fibre cables – Part 1-23: Generic specification – Basic optical cable test procedures – Cable element test methods*

IEC 60794-3, *Optical fibre cables – Part 3: Outdoor cables – Sectional specification*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

3 General requirements

The cable shall comply with the sectional specification, IEC 60794-3, and meet the requirements which are defined in it.

The optical fibre contained in cables covered by this standard shall comply with one of the following standards, and meet the normative requirements defined within them as applicable:

- IEC 60793-2-50:2012, Annex A (Single-mode fibre category B1.1);
- IEC 60793-2-50:2012, Annex C (Single-mode fibre category B1.3);
- IEC 60793-2-50:2012, Annex G (Single-mode fibre sub-categories B6_a1 and B6_a2);
- IEC 60793-2-10:2011, Annex A (Multimode fibre sub-category A1a, 50 µm core diameter);
- IEC 60793-2-10:2011, Annex B (Multimode fibre sub-category A1b, 62,5 µm core diameter).

To enable compatibility with ISO/IEC 11801 and ISO/IEC 24702, optical performance level requirements are presented in terms of the performance classification codes as follows:

- OS1 Single-mode fibre, B1.1, B1.3, B6_a1 or B6_a2
- OS2 Single-mode fibre, B1.3, B6_a1 or B6_a2
- OM1 Multimode fibre, A1a or A1b
- OM2 Multimode fibre, A1a or A1b
- OM3 Multimode fibre, A1a.2
- OM4 Multimode fibre, A1a.3

NOTE These codes are informative from the perspective of the requirements defined in this detailed specification.

4 Specification for outdoor optical fibre cables for rapid/multiple deployment

4.1 Construction

4.1.1 General

In addition to the construction requirements of IEC 60794-3, where applicable, the following considerations apply to outdoor optical fibre cables for rapid/multiple deployment.

Rapid/multiple deployment optical fibre cables are designed to be used in un-protected outdoor terrestrial environments thereby requiring enhanced mechanical, environmental and ingress performance.

4.1.2 Rapid/multiple deployment optical fibre cables

Rapid/multiple deployment optical fibre cables are suitable for use by manual or mechanically assisted deployment. They are differentiated from other outdoor optical fibre cables due to:

- repeated deployment/installation;
- unprotected working environment;
- often stored in relatively small diameter drums;
- uncontrolled or non-regulated cable route.

All the above, as well as additional factors require these cables to have enhanced mechanical (i.e. tensile, crush, bend radius, torsion, abrasion, kink, memory) environmental (i.e. temperature, UV resistance, cold-bend) and ingress (i.e. fuel, solvent and oil resistance, waterblocking) performance over the cable's lifetime. These are to be incorporated into the cable's design.

4.2 Optical fibres

For the purposes of this standard, supported optical fibres are those detailed in Clause 3. There shall be no fibre splice in a delivered length unless otherwise agreed by customer and supplier.

It shall be possible to identify each individual fibre throughout the length of the cable.

Transmission performance of the cabled optical fibres shall be in accordance with IEC 60794-1-1.

4.3 Secondary coating

Although the different recognized secondary coatings detailed in IEC 60794-3 (tight buffer, tube, ribbon, slotted core etc.) are supported by this standard, the type of secondary coating, materials and dimensions shall be as required by the cable detail specification.

NOTE Both laboratory testing as well as field use have demonstrated the tight buffer to be most optimized to meet all the relevant performance test requirements detailed in Clause 5 of this standard.

4.4 Outer sheath

The cable shall have a seamless sheath made of a UV-stabilised weather-resistant polymeric compound, unless otherwise agreed between the customer and supplier.

The sheath thickness and cable overall diameter and its variations shall take into account the operating conditions and shall be determined by agreement between the customer and supplier.

4.5 Mechanical and environmental tests

Based on the expected operating conditions over the life of the product, including the mechanical loads exerted on the product during deployment and operation, the following sections specify product performance for rapid/multiple deployment optical fibre cables. Unless otherwise specified, the installation temperature range shall be: -40 °C to +70 °C.

5 Testing of rapid/multiple deployment optical fibre cables

5.1 General

Some of the tests detailed in Table 1 below may not be applicable to certain cable designs and intended applications. For further guidance on the applicability of test methods and frequency of testing, see IEC 60794-1-1.

Tests on single-mode fibre cables are typically carried out at 1 550 nm. Multimode fibre cables are typically tested at 1 300 nm. Measurements at other wavelengths or range of wavelengths can be agreed upon between the customer and supplier.

5.2 Applicable tests

See Table 1.

Table 1 – Tests applicable for mechanical and environmental performance of a rapid/multiple deployment optical fibre cable

Characteristic	Family Requirement	Test Method	Remark
Tensile performance	5.3	IEC 60794-1-21 Method E1	
Abrasion	5.4	IEC 60794-1-21 Method E2A	
Crush	5.5	IEC 60794-1-21 Method E3	
Impact	5.6	IEC 60794-1-21 Method E4	
Ribbon stripping	5.7	IEC 60794-1-21 Method E5B	if ribbons are used
Repeated bending	5.8	IEC 60794-1-21 Method E6	
Torsion	5.9	IEC 60794-1-21 Method E7	
Flexing	5.10	IEC 60794-1-21 Method E8	
Kink	5.11	IEC 60794-1-21 Method E10	
Bend	5.12	IEC 60794-1-21 Method E11A	
Bending under Tension	5.13	IEC 60794-1-21 Method E18A	
Temperature cycling	5.14	IEC 60794-1-22 Method F1	
Water penetration	5.15	IEC 60794-1-22 Method F5B	
Ageing	5.16	IEC 60794-1-22 Method F9	
UV resistance	5.17	IEC 60794-1-22 Method F14	
External freezing	5.18	IEC 60794-1-22 Method F15	
Separability of individual fibres from ribbon	5.19	IEC 60794-1-23 Method G5	if ribbons are used
Tube kinking	5.20	IEC 60794-1-23 Method G7	if loose tubes are used
Fuel solvent resistance			IEC 60811-404 may be applicable

5.3 Tensile performance

a) Family requirements

For some of the parameters specified, the objective is a level of strain that will not compromise fibre mechanical reliability. For 1 % proof-tested fibres, the fibre strain under long term tensile load (T_L) shall not exceed 20 % of this fibre proof strain (equal to absolute 0,2 %

strain) and there shall be no change in attenuation during the test. Under short term tensile load (T_M) the fibre strain shall not exceed 60% of the fibre proof strain and the attenuation change during test shall be measured and recorded. Other criteria may be agreed between the customer and the supplier. For fibres proof tested at higher levels the safe long-term load will not scale linearly with proof strain, so a lower percentage of the proof strain is applicable. For greater than 1 % up to 2 % proof-tested fibres, fibre strain at T_L shall be limited to 17 % of the proof-test strain (equal to absolute 0,34 % strain for 2 % proof tested fibres).

b) Test conditions

Method: IEC 60794-1-21, Method E1

Tensile short-term load on cable: 2 700 N or 1 × the weight of 1,0 km length of cable in N, the larger of the two.

NOTE Other tensile loads can be agreed between customer and supplier.

5.4 Abrasion

a) Family requirements

There shall be no perforation of the sheath after performing 100 cycles. Other criteria may be agreed between customer and supplier.

b) Test conditions

Method: IEC 60794-1-21, Method E2A

Applied force: 7 N

Diameter of needle: 0,5 mm

STANDARD PREVIEW
(standards.iteh.ai)

5.5 Crush

a) Family requirements

[IEC 60794-3-70:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/60ad0bc7-d47c-4fab-8f6d-10a2936a2e/iec-60794-3-70-2016>

After removal of the short-term load there shall be no change in attenuation. Under visual examination, there shall be no damage to the sheath or to the cable elements. The imprint of the plate or mandrel on the cable is not considered mechanical damage.

b) Test conditions

Method: IEC 60794-1-21, Method E3A

Short-term Load (plate/plate): 8 000 N

Duration of load: 1 min

NOTE Other compression loads can be agreed between customer and supplier.

5.6 Impact

a) Family requirements

Under visual examination without magnification there shall be no damage to the sheath or to the cable elements. The imprint of the striking surface on the sheath is not considered mechanical damage.

b) Test conditions

Method: IEC 60794-1-21, Method E4

Number of impacts: One in 3 different places spaced not less than 500 mm apart

Striking surface curvature radius: 300 mm

Impact energy: 22 J

NOTE Other impact energies greater than 10 J can be agreed between customer and supplier.

5.7 Ribbon strippability

a) Family requirements

At least 25 mm of the ribbon matrix and the fibres' protective coatings shall be removable with commercially available stripping tools with no fibre breakage. Any remaining coating residue shall be readily removable using isopropyl alcohol wipes.

b) Test conditions

Method: IEC 60794-1-21, Method E5B

5.8 Repeated bending

a) Family requirements

Under visual examination without magnification there shall be no damage to the sheath and to the cable elements.

There shall be no change in attenuation after the test.

b) Test conditions

Method: IEC 60794-1-21, Method E6

Bending diameter: $10 \times d$

Load: Adequate to ensure uniform contact with the mandrel

Number of cycles: 10 000

STANDARD PREVIEW
(standards.iteh.ai)

5.9 Torsion

a) Family requirements

IEC 60794-3-70:2016

Under visual examination without magnification there shall be no damage to the sheath or to the cable elements.

<https://standards.iteh.ai/catalog/standards/sist/60ad0bc7-d47c-4fab-8f6d-216c2956da22/iec-60794-3-70-2016>

There shall be no change in attenuation after the test.

b) Test conditions

Method: IEC 60794-1-21, Method E7

Length under test: $125 \times d$

Number of cycles: 1 000

NOTE Other lengths can be agreed between customer and supplier.

5.10 Flexing

a) Family requirements

Under visual examination without magnification there shall be no damage to the sheath or to the cable elements.

There shall be no change in attenuation after the test.

b) Test conditions

Method: IEC 60794-1-21, Method E8

Number of cycles: 10 000

Diameter of pulleys A and B: $20 \times d$

Carriage speed: 1,0 m/s

Mass of weights: Adequate enough to ensure uniform contact with pulleys