

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Optical fibre cables –  
Part 4: Sectional specification – Aerial optical cables along electrical power lines  
(standards.iteh.ai)

Câbles à fibres optiques –  
Partie 4: Spécification intermédiaire – Câbles optiques aériens le long des lignes  
électriques de transport d'énergie





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

---

**Optical fibre cables –** **STANDARD PREVIEW**  
**Part 4: Sectional specification – Aerial optical cables along electrical power lines**  
(standards.iteh.ai)

**Câbles à fibres optiques –**  
**Partie 4: Spécification intermédiaire – Câbles optiques aériens le long des lignes**  
**électriques de transport d'énergie**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 33.180.10

ISBN 978-2-8322-5782-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**  
**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms, definitions, symbols and abbreviated terms.....	8
4 Optical fibre.....	8
4.1 General.....	8
4.2 Attenuation .....	8
4.2.1 Attenuation coefficient .....	8
4.2.2 Attenuation uniformity-attenuation discontinuities .....	8
4.3 Cut-off wavelength of cabled fibre.....	8
4.4 Fibre colouring.....	8
4.5 Polarization mode dispersion (PMD) .....	8
5 Cable element .....	8
5.1 General.....	8
5.2 Slotted core .....	9
5.3 Polymeric tube .....	9
5.4 Ribbon .....	10
5.5 Metallic tube.....	10
5.5.1 General .....	10
5.5.2 Metallic tube on the optical core .....	10
5.5.3 Fibres directly located in a metallic tube .....	10
6 Optical fibre cable construction.....	10
6.1 General.....	10
6.2 Lay-up of the cable elements .....	11
6.3 Cable core filling.....	11
6.4 Strength members .....	11
6.4.1 General .....	11
6.4.2 OPGW, OPPC and MASS.....	11
6.4.3 ADSS and OPAC .....	12
6.5 Cable sheath (ADSS and OPAC) .....	12
6.5.1 Inner sheath .....	12
6.5.2 Outer sheath.....	12
6.6 Sheath marking.....	13
7 Characterization of cable elements .....	13
8 Design characteristics .....	14
9 Optical fibre cable tests .....	14
9.1 General.....	14
9.2 Tensile performance .....	16
9.3 Stress-strain test on metallic cables.....	16
9.4 Sheave test.....	16
9.5 Short-circuit .....	16
9.6 Lightning test .....	16
9.7 Ageing .....	16
9.8 Fibre coating compatibility .....	17
9.9 Hydrogen gas .....	17

9.10	Aeolian vibration .....	17
9.11	Creep.....	17
9.12	Fitting compatibility.....	17
9.13	Grease.....	17
9.14	Attenuation .....	17
9.15	Tracking and erosion resistance test on ADSS and OPAC .....	17
9.16	UV resistance test on ADSS and OPAC .....	17
9.17	Shotgun resistance test on ADSS and OPAC .....	18
9.18	Conductor access trolley for OPAC .....	18
10	Quality assurance.....	18
11	Packaging .....	18
Annex A (normative) Recommended methods of calculating rated tensile strength, cross-section of a layer of trapezoidal shaped wires, modulus of elasticity, linear expansion and DC resistance for OPGW, OPPC and MASS.....		
A.1	Calculation of rated tensile strength (RTS).....	19
A.2	Calculation of the cross-sectional area of a layer of trapezoidal or Z- shaped wires.....	19
A.3	Calculation of the final modulus of elasticity ( $E$ ) .....	19
A.4	Calculation of coefficient of linear expansion ( $\beta$ ) .....	20
A.5	Calculation of DC resistance .....	20
Bibliography.....		21
<b>iTeh STANDARD PREVIEW</b> <b>(standards.iteh.ai)</b>		
Table 1 – Characteristics of different types of cable elements.....		13
Table 2 – Design characteristics .....		14
Table 3 – Mechanical and environmental applicable tests .....		15

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## OPTICAL FIBRE CABLES –

**Part 4: Sectional specification –  
Aerial optical cables along electrical power lines**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.  
<https://standards.iteh.ai/catalog/standards/sist/ce2e037e-ded2-436d-98f1-100000000000/iec-60794-4-2018>
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-4 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee TC 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2003. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the specification has been streamlined by cross-referencing IEC 60794-1-1;
- b) the classification as type tests or routine tests has been deleted;
- c) cable kink test has been deleted;
- d) creep test for ADSS is referred to IEC 60794-4-20.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1862/FDIS	86A/1868/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 60794-4:2018](https://standards.iteh.ai/catalog/standards/sist/ce2e037e-ded2-436d-98f1-f488f3dffbaa/iec-60794-4-2018)

<https://standards.iteh.ai/catalog/standards/sist/ce2e037e-ded2-436d-98f1-f488f3dffbaa/iec-60794-4-2018>

## OPTICAL FIBRE CABLES –

### Part 4: Sectional specification – Aerial optical cables along electrical power lines

#### 1 Scope

This part of IEC 60794 covers cable construction, test methods, optical, mechanical, environmental and electrical performance requirements for aerial optical fibre cables and cable elements which are intended to be used along power lines (OCEPL) as a high bandwidth transport media for communications and control optical signals, including optical ground wires (OPGW), optical phase conductors (OPPC), metallic aerial self-supported cables (MASS), all-dielectric self-supporting cables (ADSS) and optical attached cables (OPAC).

This document excludes figure-8 optical cables to be used on telephone utility poles.

The IEC TR 62839-1 gives recommendations to provide the customer with the environmental declaration on request.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60104, *Aluminium-magnesium-silicon alloy wire for overhead line conductors*

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 60793-1-21, *Optical fibres – Part 1-21: Measurement methods and test procedures – Coating geometry*

IEC 60793-1-32, *Optical fibres – Part 1-32: Measurement methods and test procedures – Coating strippability*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-44, *Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength*

IEC 60793-1-48, *Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization mode dispersion*

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods*



IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods*

IEC 60794-1-23, *Optical fibre cables – Part 1-23: Generic specification – Basic optical cable test procedures – Cable element test methods*

IEC 60794-1-24, *Optical fibre cables – Part 1-24: Generic specification – Basic optical cable test procedures – Electrical test methods*

IEC 60794-3, *Optical fibre cables – Part 3: Outdoor cables – Sectional specification*

IEC 60794-4-20:2012, *Optical fibre cables – Part 4-20: Aerial optical cables along power lines – Family specification for ADSS (All Dielectric Self Supported) optical cables*

IEC 60811-202, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 202: General tests – Measurement of thickness of non-metallic sheath*

IEC 60811-203, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 203: General tests – Measurement of overall dimensions*

IEC 60811-401, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 401: Miscellaneous tests – Thermal ageing methods – Ageing in an air oven*

IEC 60811-406, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 406: Miscellaneous tests – Resistance to stress cracking of polyethylene and polypropylene compounds*

IEC 60811-501, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 501: Mechanical tests – Tests for determining the mechanical properties of insulating and sheathing compounds*

IEC 60811-604:2012, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 604: Physical tests – Measurement of absence of corrosive components in filling compounds*

IEC 60811-607, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 607: Physical tests – Test for the assessment of carbon black dispersion in polyethylene and polypropylene*

IEC 60888, *Zinc-coated steel wires for stranded conductors*

IEC 60889, *Hard-drawn aluminium wire for overhead line conductors*

IEC 61089:1991, *Round wire concentric lay overhead electrical stranded conductors*

IEC 61232, *Aluminium-clad steel wires for electrical purposes*

IEC 61394, *Overhead lines – Requirements for greases for aluminium, aluminium alloy and steel bare conductors*

IEC 61395, *Overhead electrical conductors – Creep test procedures for stranded conductors*

### 3 Terms, definitions, symbols and abbreviated terms

For the purposes of this document, the terms, definitions, symbols and abbreviated terms given in IEC 60794-1-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

## 4 Optical fibre

### 4.1 General

Single-mode optical fibre which meets the requirements of IEC 60793-2 shall be used. Fibres other than those specified above can be used, if mutually agreed between the user and the supplier.

### 4.2 Attenuation

#### 4.2.1 Attenuation coefficient

The typical maximum cable attenuation coefficient shall conform to IEC 60794-1-1.

Particular values may be agreed between the customer and supplier. The attenuation coefficient shall be measured in accordance with IEC 60793-1-40.

#### 4.2.2 Attenuation uniformity-attenuation discontinuities

Point discontinuities shall be measured in accordance with IEC 60793-1-40, method C, and conform to IEC 60794-1-1.

### 4.3 Cut-off wavelength of cabled fibre

For single mode fibre, the cabled fibre cut-off wavelength,  $\lambda_{cc}$ , shall be less than the operational wavelength, when measured in accordance with IEC 60793-1-44, and conform to IEC 60794-1-1.

### 4.4 Fibre colouring

If the primary coated fibres are coloured for identification, the coloured coating shall be readily identifiable throughout the lifetime of the cable and shall be a reasonable match to IEC 60304.

### 4.5 Polarization mode dispersion (PMD)

Cabled single-mode fibre PMD shall be measured in accordance with IEC 60793-1-48 and conform to IEC 60794-1-1.

## 5 Cable element

### 5.1 General

Generally, optical cables comprise several elements or individual constituents, depending on the cable design, which take into account the cable application, operating environment and manufacturing processes, as well as the need to protect the fibre during handling and cabling.

The material(s) used for a cable element shall be selected to be compatible with the other elements in contact with it. An appropriate compatibility test method shall be defined in the family or detail specification.

When the fibres are in contact with a filling compound, the compatibility of the filling compound with the fibre coating shall be demonstrated by testing coating stripping force stability after accelerated ageing in accordance with IEC 60794-1-21, method E5. Alternative ageing conditions and tests may be agreed between the customer and supplier.

Optical elements are cable elements containing optical fibres and are designed to be a primary functional unit of the cable core. They may comprise any of the cable elements described below. Optical elements and each fibre within a cable element shall be uniquely identified, for example, by colours, a positional scheme, markings, tapes, threads or specified in the detail specification.

Tests may be performed on cable elements either in uncabled form or in finished cable. Unless otherwise specified, testing shall be performed on cable elements in a finished cable. This means that testing shall be performed only on a finished cable if the cable element manufacturing operation is done by the same manufacturer as the cabling operation. Testing shall be performed on cable elements only if the cable element is supplied by a third party; this does not exclude testing of the finished cable.

Different types of optical elements are described below.

## 5.2 Slotted core

**iTeh STANDARD PREVIEW**

(standards.iteh.ai)

The slotted core is obtained by extruding a suitable material (for example polyethylene or polypropylene) with a defined number of slots, providing helical or SZ configuration along the core. One or more primary coated fibres or optical element is located in each slot which may be filled.

<https://standards.iteh.ai/catalog/standards/sist/ce2e037e-ded2-436d-98f1-f488f3dffbaa/iec-60794-4-2018>

The slotted core usually contains a central element which may be either metallic or non-metallic. In this case, there shall be adequate adhesion between the central element and the extruded core in order to obtain the required temperature stability and tensile behaviour for the slotted core element.

The profile of the slot shall be uniform and shall ensure the optical and mechanical performance required for the optical cable.

## 5.3 Polymeric tube

One or more primary coated fibres or optical elements are packaged (loosely or not) in a tube construction which shall be filled, use dry-blocking methods or be otherwise water blocked. The plastic tube may be reinforced with a composite wall.

If required, the suitability of the tube shall be determined by an evaluation of its kink resistance in accordance with IEC 60794-1-23, method G7.

If used, the filling compound in the tube shall comply with the evaporation test in accordance with IEC 60794-1-21, method E15. The filled tube shall comply with drip test in accordance with IEC 60794-1-22, method F16, when tested in tube or cabled form.

NOTE Method E15 of IEC 60794-1-21 will be transferred in IEC 60794-1-23:—<sup>1</sup> as method G9.

---

<sup>1</sup> This second edition is under preparation. Stage at the time of publication: IEC/NFDIS 60794-1-23:2018.

## 5.4 Ribbon

Optical fibre ribbons are assembled optical fibres; they shall be in accordance with IEC 60794-3.

NOTE The technical content of IEC 60794-3 regarding optical fibre ribbons will be moved to IEC 60794-1-31:—2. Users are directed to that document when it is issued.

## 5.5 Metallic tube

### 5.5.1 General

Constructions having fibres within a hermetically sealed tube shall consider the possibility of evolution of hydrogen gas. See 9.9 for guidance.

### 5.5.2 Metallic tube on the optical core

A metallic tube (for example, aluminium tube) may be applied over the optical core (for example, aluminium spacer or stranded tube).

### 5.5.3 Fibres directly located in a metallic tube

One or more primary coated and coloured fibres are packaged in a metallic hermetically sealed tube, which shall be filled with a suitable compound if necessary to avoid water penetration.

The inside surface of the tube should be smooth without any defects.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

## 6 Optical fibre cable construction

IEC 60794-4:2018

### 6.1 General

<https://standards.iteh.ai/catalog/standards/sist/ce2e037e-ded2-436d-98f1-f488f3dffbaa/iec-60794-4-2018>

The intent is that the cable be designed and manufactured for a predicted operating lifetime of at least 20 years. In this context, the attenuation of the installed cable at the operational wavelength(s) shall not exceed values agreed between the customer and supplier. The tests of this document are intended to assess the performance of cables as manufactured and under agreed ageing and performance-limit tests. These tests are not intended to define end-of-life performance, but may be used as agreed between manufacturer and customer to predict such performance. The materials in the cable shall not present a health hazard within its intended use.

The fibres in the cables are usually of the same type, but some cables may contain multiple specified fibre types, and fibres of the same type may have different origins.

There shall be no fibre splice in a delivery length, unless otherwise agreed by the customer and supplier.

It shall be possible to identify each individual fibre throughout the length of the cable.

If mutually agreed between purchaser and manufacturer to avoid excess fibre strain induced by the environmental conditions, such as wind or ice loading, the cable construction and particularly the strength members shall be selected to avoid any long-term detrimental effects on fibres up to the specified MAT.

---

<sup>2</sup> Under preparation. Stage at the time of publication: IEC/APUB 60794-1-31:2018.

The optical fibre unit shall house the optical fibres and protect them from damage due to environmental or mechanical forces such as longitudinal compression, crushing, bending, twisting, tensile stress, long- and short-term heat effects.

The aerial cable types covered by this document can be divided into the following groups:

- a) optical ground wire or optical phase conductor (OPGW or OPAC);
- b) all-dielectric self-supporting cable (ADSS);
- c) optical attached cables (OPAC);
- d) metallic aerial self-supported cables (MASS).

These aerial cables have different constructions, environmental and electrical operating conditions for use on high-voltage lines.

## 6.2 Lay-up of the cable elements

Optical unit elements as described in Clause 5 may be laid up as follows:

- a) optical element(s) without a stranding lay, such as a single optical unit in the cable centre;
- b) a number of homogeneous optical elements using helical or SZ stranding configurations (ribbon elements may be laid up by stacking two or more elements);
- c) a number of different configurations in slotted core such as ribbon or plastic tube;
- d) for OPGW, if required, insulated copper conductors in single, pair or quad construction may be laid up with the optical elements.

## 6.3 Cable core filling

If specified, the element(s) and in addition the cable core shall contain water blocking material, such as grease-like and/or dry-block materials, to prevent longitudinal water penetration in accordance with IEC 60794-1-22, method F5. The material shall be easily removed without the use of substances considered to be hazardous or dangerous. The grease-like compound shall comply with IEC 60794-1-21, method E15. The cable shall pass the compound flow test of IEC 60794-1-21, method E14.

The blocking material used shall be compatible with the other relevant cable elements. Where a grease-like filling compound is used in cables containing metallic elements, it shall be tested for the presence of corrosive compounds in accordance with IEC 60811-604:2012, Clause 4.

## 6.4 Strength members

### 6.4.1 General

The type of materials used as strength members shall fulfil the mechanical and thermal requirements of the overhead lines.

### 6.4.2 OPGW, OPAC and MASS

The stranded wires used for armouring may be round according to IEC 61089 or other cross-sectional shapes, i.e. trapezoidal or z-form and can be of the following materials:

- aluminium alloy IEC 60104;
- galvanized steel IEC 60888;
- aluminium IEC 60889;
- aluminium-clad steel IEC 61232.

These standards give requirements on wire before stranding.