INTERNATIONAL STANDARD

First edition 1997-10-01

Graphic technology — Prepress digital data exchange — Colour targets for input scanner calibration

Technologie graphique — Échange de données numériques de préimpression — Cibles de couleur pour étalonnage à l'entrée du scanner

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 12641:1997 https://standards.iteh.ai/catalog/standards/sist/24327e85-a975-4342-b9bffb496e3d6cf6/iso-12641-1997



Reference number ISO 12641:1997(E)

Contents

For	eword iii
Intr	oduction iv
1	Scope 1
2	Normative references 1
3	Definitions 1
4	Requirements 2
4.1	Target design
4.2	Transmission targets
4.3	Reflection targets
4.4	Allowable tolerances on patchs values ards, iteh, ai/catalog/standards/sist/24327465-a975-4342-b9bf- fb496e3d6cf6/iso-12641-1997
4.5	Spectral measurement and colorimetric calculation
4.6	Data reporting 11
4.7	Data file format 11
4.8	Useable target life 12
An	nexes
A	Gamut mapping - computational reference 13
В	Application notes 14
С	Data file format

© ISO 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case postale 56 • CH-1211 Genève 20 • Switzerland

Internet central@iso.ch

X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

Teh International Standard ISO 12641 was prepared by Technical Committee ISO/TC-130, Graphic technology.

Annexes A, B, and C of this International Standard are for information only.

ISO 12641:1997 https://standards.iteh.ai/catalog/standards/sist/24327e85-a975-4342-b9bffb496e3d6cf6/iso-12641-1997

Introduction

The technical requirements of this International Standard are identical to the American National Standards IT8.7/1-1993 and IT8.7/2-1993. These documents resulted from the joint efforts of an international industry group that included participants representing a broad range of prepress vendors, film manufacturers, and users. This group, initially identified as the DDES (Digital Data Exchange Standards) Committee, later became the founders of the ANSI IT8 (Image Technology) accredited standards committee which is responsible for electronic data exchange standards in graphic arts prepress.

Purpose of this International Standard

Colour input scanners do not all analyze colour the same way the human eye does. These devices are designed to optimize the signal generated when typical materials are scanned. Colour reflection and transparency products use various combinations of proprietary dye sets to achieve visual responses that simulate the colour appearance of natural scene elements. The ability to achieve the same colour appearance from different combinations of dyes is referred to as metamerism. Because both photographic dyes and input scanner sensitivities vary from product to product, there is a variability in the input scanner response to metameric colours produced by the various materials. The intent of this International Standard is to define an input test a975-4342-b9bftarget that will allow any colour input scanner to be calibrated with any film or paper dye set used to create the target. This International Standard is intended to address the colour reflection and transparency products which are generally used for input to the preparatory process for printing and publishing.

The target was designed to be useable for calibration by visual comparison and as a numerical data target for electronic systems and future development. The target design made use of a uniform colour space to optimize the spacing of target patches. The tolerances developed for individual coloured patches meet the values needed for both numerical and visual analysis.

Design of the target

The CIE 1976 ($L^*a^*b^*$) or CIELAB colour space was chosen as the space to be used for the design of the colour calibration target. Uniform spacing in hue angle, lightness and chroma, and tolerancing in terms of differences in these parameters (ΔE^*_{ab}) is believed to provide a reasonable distribution of coloured patches in the most effective manner. Although CIELAB was defined with reference to reflection viewing conditions, tolerancing in terms of vector differences (ΔE^*_{ab}) does provide a reasonable error estimate for transmission materials as well, although the uniformity of the space is dependent upon the conditions of viewing.

The design goal was to define a target that would have, as its main part, as many common coloured patches as was practical, regardless of the dye set used. It was

determined that the remainder of the target should define the unique colour characteristics of the particular dye set used to create a specific target; the values for each target patch should be established using a common procedure.

To provide a reasonable measure of the colour gamut that is within the capability of modern colour papers and films, all manufacturers of these products were invited to provide colour dye data along with the necessary minimum and maximum density data for each of their image forming colour dye sets. Data were provided by Agfa Company, Eastman Kodak Company, Fuji Photo Film Company, and Konica Corporation. These data were then used to estimate the CIELAB colour gamut that each paper and film dye set could produce. This estimate was achieved by mathematical modeling (by several of the participating companies) using methods which were different but gave very similar results. Annex A provides additional reference material concerning the method used in selecting aim values.

The following documents provide reference information on the computational methods used in gamut determination:

- N. Ohta, "The Color Gamut Obtainable by the Combination of Subtractive Color Dyes. V. Optimum Absorption Bands as Defined by Nonlinear Optimization Technique." Journal of Imaging Science, 30[1], 9-12(1986).
- 2. M. Inui, "Fast Algorithm for Computing Color Gamuts," Color Research and Application, 18[5], 341-348 (1993).

All computations were based upon the use of the CIE 2 degree observer and D₅₀ illuminant. All transmission measurements were made using diffuse/normal or normal/diffuse geometry as defined for total transmittance. All reflection measurements were made using 0°/45° or 45°/0° geometry as defined in ISO 13655. The reference white was assumed to be a perfect diffuser. The use of an absolute reference allows all colours on similar media (reflection or transmission) that have the same colorimetric definition to also look the same when viewed at the https://standards.same/time/og/standards/sist/24327e85-a975-4342-b9bf-

fb496e3d6cf6/iso-12641-1997

The gamut plots developed were then used to determine the colour gamuts for film and paper that were common to all of the provided dye families. The limiting values of chroma were then reduced to 80% of their computed values to create a "common gamut" for purposes of target design.

The goal was to have all coloured patches defined in the same way (regardless of the product used) and to have as many patches as practical. The defined colour gamut therefore required a pattern with a consistent reference. An existing colour input target provided by Eastman Kodak Company under the designation of "Kodak Colour Reproduction Guides, Q-60TM" was used as a guide in the development of the target. The Q-60TM target used 12 approximately uniformly spaced hue angles in CIELAB. These were sampled at three chroma values at each of three lightness levels. Although this pattern does not provide equal spacing in terms of ΔE_{ab}^* , it does provide an easily understandable and defined patch arrangement. It was adopted for these targets with the addition of a fourth product-specific chroma value at each hue angle/lightness combination.

Lightness levels were chosen for each hue angle to best characterize the gamut at that hue angle. The three common chroma values were then chosen such that one fell on the computed 80% chroma limit common to all the products and the others were equally spaced in chroma between this value and the neutral. The fourth chroma, which is product-specific, was defined to be the maximum available from each product at the specific hue angle and lightness level. This provided a consistent mapping for all products.

It was also felt to be important to include scales in each of the individual dyes, dye pairs, and a dye neutral along with areas to define product minimum and maximum densities.

A "vendor-optional" area was provided so that different target manufacturers could add unique patches of their own determination beyond those which are required by this International Standard.

Manufacturing tolerances

In order to permit practical production of these targets, tolerances had to be set which were capable of being achieved over a significant number of targets. However, this conflicted with the relatively narrow tolerances required for numerical colour calibration. Different tolerances were therefore defined for differing applications, with the objective of minimizing variations as far as was reasonable.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 12641:1997 https://standards.iteh.ai/catalog/standards/sist/24327e85-a975-4342-b9bffb496e3d6cf6/iso-12641-1997

Graphic technology — Prepress digital data exchange — Colour targets for input scanner calibration

1 Scope

This International Standard defines the layout and colorimetric values of targets for use in the calibration of a photographic product/input scanner combination (as used in the preparatory process for printing and publishing). One target is defined for positive colour transparency film and another is defined for colour photographic paper.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this editions indicated were valid. All standards are subject to $\frac{1}{100}$ revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/IEC 646:1991, Information technology - ISO 7-bit coded character set for information interchange.

ISO 1008:1992, Photography - Paper dimensions -Pictorial sheets.

ISO 1012:1991, Photography - Film dimensions -Pictorial sheets.

ISO 13655:1996, Graphic technology - Spectral measurement and colorimetric computation for graphic arts images.

CIE 15.2:1986, Colorimetry (second edition).

CIE 17.4:1987, International Lighting Vocabulary (fourth edition).

3 Definitions

For the purposes of this International Standard, the following definitions apply.

3.1 CIE tristimulus values: Amounts of the three reference colour stimuli, in the CIE-specified trichromatic system, required to match the colour of the stimulus considered.

iTeh STANDARD PREVIEW Standard colorimetric system, the tristimulus values are represented by the symbols X, Y, Z. (standards.

3.2 CIELAB colour difference; CIE 1976 L*, a*, b* **colour difference**, ΔE_{ab}^* : Difference between two colour International Standard. At the time of publication, the

Lighting Vocabulary 845-03-55].

$$\Delta E^*_{ab} = \left[(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2 \right]^{\frac{1}{2}}$$

where

 ΔL^* , Δa^* and Δb^* refer to the difference between corresponding values for the two stimuli.

3.3 CIELAB colour space: CIE 1976 L* a* b* colour space: Three-dimensional, approximately uniform, colour space produced by plotting in rectangular coordinates the quantities L^* , a^* and b^* defined by the equations:

 $L^* = 116[f(Y/Y_{,*})] - 16$ $a^* = 500[f(X/X_n) - f(Y/Y_n)]$ $b^* = 200[f(Y/Y_n) - f(Z/Zn)]$

where for:

 $X/X_n > 0,008\ 856, \quad f(X/X_n) = (X/X_n)^{1/3}$ $Y/Y_n > 0,008\ 856, \quad f(Y/Y_n) = (Y/Y_n)^{1/3}$ $Z/Z_n > 0,008\ 856, \quad f(Z/Z_n) = (Z/Z_n)^{1/3}$

and for:

X/X_n	≤	0,008 856,	$f(X/X_n)$	=	7,786 7(X/X_n)+16/116
Y/Y_n	≤	0,008 856,	$f(Y/Y_n)$	=	$7,7867(Y/Y_n)+16/116$
Z/Z_n	≤	0,008 856,	$f(Z/Z_n)$	=	$7,7867(Z/Z_n)+16/116$

1

and $X_n = 96,422$,

 $Y_n = 100,000$ and

 $Z_n = 82,521$, for the conditions of ISO 13655.

Further:

 $C^*_{ab} = (a^{*2} + b^{*2})^{\frac{1}{2}}$

and

$$h_{ab} = \tan^{-1}(b^*/a^*)$$

where:

0°	$\leq h_{ab}$	< 90°	if	$a^* > 0$
90°	$\leq h_{ab}$	< 180°	if	$b^* \ge 0$ $a^* \le 0$
180°	$\leq h_{ab}$	< 270°	if	$b^* > 0$ $a^* < 0$
270°	$\leq h_{ab}$	< 360°	if	$b^* \le 0$ $a^* \ge 0$
				$b^* < 0$

[CIE Publication 15.2]

3.4 transmittance factor: Ratio of the measured flux transmitted by the sample material to the measured flux when the sample material is removed from the sampling aperture of the measuring device.

3.5 transmission density: Logarithm to base ten of the reciprocal of the transmittance factor. (Star

3.6 reflectance factor: Ratio of the measured flux reflected from the sample material to the flux reflected from the

standar

3.7 reflection density: Logarithm to base ten of the reciprocal of the reflectance.

3.8 colour gamut: Subset of perceivable colours reproducible by a device or medium.

3.9 dye set: Combination of light absorbing dyes (usually referred to as cyan, magenta, and yellow) used in a particular photographic product which produce object colours by the selective subtraction of the incident light.

3.10 dye scale: Array of physical areas having varying amounts of one or more (cyan, magenta, or yellow) dyes.

3.11 neutral scale: Array of physical areas having combination of dye amounts such that their chroma is equal to, or near, zero.

3.12 metameric colour stimuli: Spectrally different colour stimuli having the same tristimulus values. [International Lighting Vocabulary 845-03-05]

3.13 minimum density (Dmin): Density corresponding to the maximum transmittance factor (film) or reflectance factor (paper) that a photographic product can achieve.

NOTE 2 It is not necessarily neutral in colour and should not be

confused with minimum neutral density.

3.14 minimum neutral density: Minimum density that a photographic product can achieve (maximum transmittance or reflectance factors) and maintain a $C_{ab}^* = 0$.

NOTE 3 It should not be confused with minimum density (Dmin).

3.15 maximum density (Dmax): Density corresponding to the minimum transmittance or reflectance factor that a photographic product can achieve.

NOTE 4 It is not necessarily neutral in colour and should not be confused with maximum neutral density.

3.16 maximum neutral density: Density corresponding to the maximum density that a photographic product can achieve (minimum transmittance or reflectance factors) and maintain a $C_{ab}^* = 0$.

NOTE 5 It should not be confused with maximum density (Dmax).

3.17 input scanner: Device capable of converting the light reflectance or transmittance of a photographic (or other hardcopy) sample into an electronic signal, where the electronic signal is arranged to have an organized relationship to the spatial areas of the image evaluated.

3.19 vendor-optional target areas: Portions of the test target whose content is not specified but is available for use by the manufacturer of the target.

4 Requirements

make the target.

All colorimetry referenced within this International Standard shall be based on D_{50} illuminant, CIE 1931 Standard Colorimetric Observer (2 degree observer) as defined in CIE 15.2, and computational procedures further defined in 4.5. The reference white is the D_{50} illuminant.

4.1 Target design

The target is designed with 5 distinct sections. These are:

- 1) sampled colour area
- 2) colour dye scales
- 3) neutral dye scale
- 4) Dmin/Dmax area
- 5) vendor-optional area

4.2 Transmission targets

4.2.1 Target layout and physical characteristics

4.2.1.1 Type 1, 4 in x 5 in film The layout of the Type 1 colour transmission input calibration target as viewed from the support side of the film shall be as shown in figure 1. This layout is intended for use with film material having a size of 4 in x 5 in (10,2 cm x 12,7 cm) in accordance with ISO 1012. All non-image areas of the target shall be

approximately neutral and shall have a lightness (L^*) of approximately 50. The non-image area shall extend at least 4,5 mm beyond the row and column borders on the top and sides and at least 10 mm on the bottom to provide for identification information.





3

Target row and column numbering shall be of high density and as shown in figure 2. Vertical lines may be used to separate columns 12 and 13; 15, 16, and 17; 19 and 20. Indicators may be used at the intersection of target patches. These may be points, crosses, or other symbols, and may be of any density or colour desired. If used, they shall be less than 0,3 mm in width. No other marking lines shall be included within the body of the A1 through L19 portion of the target.

Lines shall be included to separate the Dmin area from the first step and the Dmax area from the last step of the 22-step neutral scale along the bottom of the target.

Unless otherwise noted, all lines shall be neutral and have a lightness (L^*) no greater than that specified for background.

Fiducial marks shall be included in each corner of the main body of the target as shown in figure 3. These shall be arranged such that they "point" towards the inside or centre of the target.

Because target patches are 4,5 mm x 4,5 mm in size (see 4.2.2), the intersection of the lines of the fiducial marks shall be offset 4,5 mm in both the horizontal and vertical direction from the centre of the nearest patch to provide a preference for automatic measurement alignment,

requirements are identical to those of this International Standard.

4.2.1.2 Type 2, 35 mm film The Type 2 layout of the colour transmission input calibration target, as viewed from the support side of the product, shall be as shown in figure 4 (frames 35-1 through 35-7). This layout is intended for use on film material having a basic format of 35 mm. This layout may be provided either as a single strip of film or as seven mounted 35 mm transparencies.

The target shall be divided as follows:

- Frame 35-1 The Dmin, neutral scale, and Dmax patches from the bottom of the Type 1 target format Frame 35-2 Columns 1 through 4 of the Type 1 target
- Frame 35-3 format Frame 35-3 Columns 5 through 8 of the Type 1 target format
- Frame 35-4 Columns 9 through 12 of the Type 1 target format
- Frame 35-5 Columns 13 through 16 of the Type 1 target format
- Frame 35-6 Columns 17 through 19 of the Type 1 target format

Frame 35-7 Columns 20 through 22 of the Type 1 target

Fiducial marks shall be clear lines on the neutral scale as column N with L* values as follows:



Figure 3 — Fiducial mark design

The area at the bottom of the target shall contain the following information in English text:

- a) ISO 12641:1997;
- b) The name of the film product or product family;
- c) The year and month of production of the target in the form yyyy:mm; and
- d) An area of at least 10 mm x 25 mm for addition of a unique identification.

NOTE 6 Targets bearing the designation IT8.7/1-1993 are prepared in accordance with ANSI IT8.7/1-1993 whose technical

Step 1	82_{5}	top)
Step 2	66	13-12-0701-
Step 3	50	
Step 4	34	
Step 5	18	
Step 6	2	

All non-image areas of the target shall be approximately neutral and shall have a lightness (L^*) of approximately 50.

Each frame of the target shall contain the following information in English text:

- a) ISO 12641:1997;
- b) A frame number of the form 35-X;
- c) The name of the film product or product family;
- d) The year and month of production of the target in the form yyyy:mm.

NOTE 7 Targets bearing the designation IT8.7/1-1993 are prepared in accordance with ANSI IT8.7/1-1993 whose technical requirements are identical to those of this International Standard.

If provided as individually mounted transparencies, this same information shall be repeated on the mount.

The frame numbering and reference lines shall be high in density and as shown in figure 5.



Frame 35-7



5