

SLOVENSKI STANDARD SIST EN 61230:2009

01-januar-2009

Nadomešča: SIST EN 61230:2000 SIST EN 61230:2000/A11:2000

Delo pod napetostjo - Prenosna oprema za ozemljitev ali ozemljitev in kratkostičenje (IEC 61230:2008)

Live working - Portable equipment for earthing or earthing and short-circuiting

Arbeiten unter Spannung Ortsveränderliche Geräte zum Erden oder Erden und Kurzschließen (standards.iteh.ai)

Travaux sous tension - Equipements portables de mise à la terre ou de mise à la terre et en court-circuit 2d7251d08a28/sist-en-61230-2009

Ta slovenski standard je istoveten z: EN 61230:2008

<u>ICS:</u>

13.260	Varstvo pred električnim udarom. Delo pod napetostjo	Protection against electric shock. Live working
29.260.01	Električna oprema za delo v posebnih razmerah na splošno	Electrical equipment for working in special conditions in general

SIST EN 61230:2009

en,fr,de



iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 61230:2009

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61230

November 2008

ICS 13.260; 29.240.20; 29.260.99

Supersedes EN 61230:1995 + A11:1999

English version

Live working -Portable equipment for earthing or earthing and short-circuiting (IEC 61230:2008)

Travaux sous tension -Equipements portables de mise à la terre ou de mise à la terre et en court-circuit (CEI 61230:2008) Arbeiten unter Spannung -Ortsveränderliche Geräte zum Erden oder Erden und Kurzschließen (IEC 61230:2008)

This European Standard was approved by CENELEC on 2008-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Iten.al

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

https://standards.iteh.ai/catalog/standards/sist/3a337f26-f4e1-4b62-b6d9-

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

© 2008 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 78/741/FDIS, future edition 2 of IEC 61230, prepared by IEC TC 78, Live working, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61230 on 2008-10-01.

This European Standard supersedes EN 61230:1995 + A11:1999.

The major changes are:

- extension of the scope to cover the use of equipment on d.c. installations;
- extension of the use of aluminium to all conductive parts of the device;
- extension of the application to silicone rubber cables made by the revision of TC 20 document EN 61138;
- possibility of using this standard for separate components of the equipment;
- general revision of requirements and tests;
- deletion of the marking requirement of the double triangle to clarify that the products covered by the standard are not appropriate for performing live working;
- clarification and modification to the procedure for short-circuit test:
 - change of the number of devices submitted to test,
 - change of the pre-conditioning time to 48 h,
 - clarification of the test procedure for separate components;
- application of conformity assessment for products having completed the production phase, according to EN 61318:2008;
 (standards.iteh.ai)
- revision of existing annexes;
- change of normative Annexes A and C into informative Annexes C and B with a reviewed wording;
- deletion of Annex B, not applicable according to EN 61318:2008;
- deletion of Annex D, its requirements and tests being now included in the body of the standard;
- introduction of a new informative Annex A on railway application;
- introduction of a new informative Annex D giving guidelines for determination of the equivalent r.m.s. value of a short-circuit current;
- revision of the list of type tests, which now appears in normative Annex E;
- introduction of a new normative Annex F on classification of defects.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement 	(dop)	2009-07-01
 latest date by which the national standards conflicting with the EN have to be withdrawn 	(dow)	2011-10-01

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61230:2008 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60071-1	NOTE	Harmonized as EN 60071-1:2006 (not modified).
IEC 60071-2	NOTE	Harmonized as EN 60071-2:1997 (not modified).
IEC 60228	NOTE	Harmonized as EN 60228:2005 (not modified).
IEC 60743 + A1	NOTE	Harmonized as EN 60743:2001 + A1:2008 (not modified).
IEC 60832	NOTE	Harmonized as EN 60832:1996 (modified).
IEC 60855	NOTE	Harmonized as EN 60855:1996 (modified).
IEC 60865-1	NOTE	Harmonized as EN 60865-1:1993 (not modified).
IEC 60909-0	NOTE	Harmonized as EN 60909-0:2001 (not modified).
IEC 61235	NOTE	Harmonized as EN 61235:1995 (modified).
IEC 61472	NOTE	Harmonized as EN 61472:2004 (not modified).
ISO 9000	NOTE	Harmonized as EN ISO 9000:2005 (not modified).

iTeh STAND<u>ARD</u> PREVIEW (standards.iteh.ai)

- 4 -

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

Publication	Year	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60060-1	1989	High-voltage test techniques - Part 1: General definitions and test requirements	HD 588.1 S1	1991
IEC 60068-2-11	1981	Environmental testing - Part 2: Tests - Test Ka: Salt mist	EN 60068-2-11	1999
IEC 60068-2-42	2003	Environmental testing - Part 2-42: Tests - Test Kc: Sulphur dioxide test for contacts and connections	EN 60068-2-42	2003
IEC 60811-1-4	1985	Common test methods for insulating and		
+ corr. May + A1 A2	1986 1993 2001	sheathing materials of electric cables - Part 1: Methods for general application - Section 4: Tests at low temperature	EN 60811-1-4 A2	1995 2001
IEC 60811-2-1 A1	1998 2001 https://sta	Insulating and sheathing materials of electric and optical cables - Common test methods - Part 2-1: Methods specific to elastomeric compounds Ozone resistance, hot set and mineral oil immersion tests ¹²³⁰⁻²⁰⁰⁹	EN 60811-2-1 A1 2-b6d9-	1998 2001
IEC 60811-3-1 A1 A2	1985 1994 2001	Common test methods for insulating and sheathing materials of electric cables - Part 3: Methods specific to PVC compounds - Section 1: Pressure test at high temperature - Tests for resistance to cracking		1995 1996 2001
IEC 61138 (mod)	2007	Cables for portable earthing and short-circuiting equipment	EN 61138	2007
IEC 61318	2007	Live working - Conformity assessment applicable to tools, devices and equipment	EN 61318	2008
IEC 61477 A1 A2 (mod)	2001 2002 2004	Live working - Minimum requirements for the utilization of tools, devices and equipment	EN 61477 A1 A2	2002 2002 2005



IEC 61230

Edition 2.0 2008-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Live working – Portable equipment for earthing or earthing and short-circuiting Travaux sous tension – Equipements portables de mise à la terre ou de mise à la terre et en court-circuit

https://standards.iteh.ai/catalog/standards/sist/3a337f26-f4e1-4b62-b6d9-2d7251d08a28/sist-en-61230-2009

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE



ICS 13.260; 29.240.20; 29.260.99

ISBN 2-8318-9875-7

CONTENTS

- 2 -

2 Normative references 12 3 Terms and definitions 13 4 Requirements 17 4.1 General 17 4.2 Electrical rating 18 4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component ITCH_STANDARD PREVIEW 21 4.9 Marking 21 4.9.1 General 21 4.9.1 General (standards.iteh.ai) 21 4.9.2 Marking on clamp SISTEN.61230.2009 22 4.9.4 Marking on clamp SISTEN.61230.2009 22 4.9.5 Markin	FO	REWO	RD		5
2 Normative references 12 3 Terms and definitions 13 4 Requirements 17 4.1 General 17 4.1 General 17 4.2 Electrical rating 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component ITCH_STANDARD PREVIEW 21 4.9.1 General (Standards.iteh.ai) 21 4.9.2 Marking on cathing and short-circuiting device 21 4.9.1 4.9.1 General Standards.iteh.ai) 22 4.9.2 Marking on cather with motive second 31706-Rel-4bc2-b69 22 4.9.3 Marking on cather with motive second 31706-Rel-4bc2-b69 22 4.10 Instruct	ΙΝΤ	RODU	JCTION		7
3 Terms and definitions 13 4 Requirements 17 4.1 General 17 4.2 Electrical rating 18 4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component iTcm STANDARD PREVIEW 21 4.9.1 General (Standards.itch.ai) 21 4.9.2 Marking on earthing and short-circuiting device 21 21 4.9.3 Marking on cable with on the standards.itch.ai) 22 21 4.9.4 Marking on other components 22 4.9.4 Marking on cable with on the standards.itch.ai) 22 4.10 Instructions for use 23 5.2 Verification and checking </td <td>1</td> <td colspan="3">Scope</td> <td>8</td>	1	Scope			8
4 Requirements 17 4.1 General 17 4.2 Electrical rating 18 4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.3.4 Short-circuiting bars 20 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component iTCh STANDARD PREVIEW 21 4.9 Marking on earthing and short-circuiting device 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on ciamp Stillel.61202009 22 4.9.4 Marking on other components 22 23 5.1 General 23 5.1 Stillel.61202009 22 4.9.4 Marking on other components 22 4.10 <td>2</td> <td colspan="3">Normative references</td> <td>12</td>	2	Normative references			12
4 Requirements 17 4.1 General 17 4.2 Electrical rating 18 4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.3.4 Short-circuiting bars 20 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component iTCh STANDARD PREVIEW 21 4.9 Marking on earthing and short-circuiting device 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on ciamp Stillel.61202009 22 4.9.4 Marking on other components 22 23 5.1 General 23 5.1 Stillel.61202009 22 4.9.4 Marking on other components 22 4.10 <td>3</td> <td>Term</td> <td>s and de</td> <td>efinitions</td> <td>13</td>	3	Term	s and de	efinitions	13
4.1 General 17 4.2 Electrical rating 18 4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component in the STANDARD PREVIEW 21 4.9 Marking on cathing and short-circuiting device 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on cathing and short-circuiting device 21 4.9.1 4.9.3 Marking on cathing SISLEX.612.02.009 22 4.9.4 4.9.4 Marking on cathing Sisten childs.612.02.009 22 4.9.5 Marking on ther components 210 10.1 1.9.5 Marking on other components <td></td> <td></td> <td></td> <td></td> <td></td>					
4.2 Electrical rating 18 4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component iTch STANDARD PREVIEW 21 4.9 Marking on earthing and short-circuiting device 21 4.9.1 General (Standards.itch.ai) 21 4.9.2 Marking on calap SISTEN.6120.2009 22 4.9.4 Marking on calap SISTEN.6120.2009 22 4.9.3 Marking on other components 23 5.1 General 23	•				
4.3 Cables for earthing and short-circuiting 18 4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 20 4.6 Clamps 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component interts Strandards itele.aith 21 4.9 Marking 21 4.9 4.9.1 General (standards.itele.ait) 21 4.9.2 Marking on camp SIST LN 612302099 22 4.9.3 Marking on camp SIST LN 612302099 22 4.9.4 Marking on camp SIST LN 612302099 22 4.9.5 Marking on ther components 22 23 5.1 General 23 23 23 5.1 General 23 23 23 23 24 5.4 Fatigue and humidity penetration tes					
4.3.1 Selection of cables 18 4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component irreh STANDARD PREVIEW 21 4.9 Marking Context on a cable within a short-circuiting device 21 4.9.1 General (Standards, Stehn, a) 21 4.9.1 General (Standards, Stehn, a) 21 4.9.2 Marking on cable without stehn, a) 21 4.9.3 Marking on cable without stehn, a) 21 4.9.4 Marking on cable without stehn, a) 22 4.9.4 Marking on other components 22 4.9.5 Marking on other components 22 4.10 Instructions for use 23 23 5.1 General 23 <				-	
4.3.2 Earthing cables used on solidly earthed (neutral) systems 19 4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component iTch STANDARD PREVIEW 21 4.9 Marking 21 4.9.1 General (standards.iteh.ai) 21 4.9.2 Marking on clamp SISI EN 61/2000 22 4.9.3 Marking on clamp SISI EN 61/2000 22 4.9.4 Marking on clamp SISI EN 61/2000 22 4.9.5 Marking on ther components 22 23 5.1 General 23 23 5.1 General 23 23 5.2 Verification and checking 23 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24		ч.0		5	
4.3.3 Earthing cables used on non-solidly earthed (neutral) systems 19 4.4 Short-circuiting bars 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component irch STANDARD PREVIEW 21 4.9 Marking 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on clamp SISTIN 612302009 22 4.9.3 Marking on clamp SISTIN 612302009 22 4.9.4 Marking on other components 22 4.9.5 Marking on other components 22 4.9.6 Marking on other components 22 4.9.1 Instructions for use 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4 Fatigue and humidity penetration tests on cable with end fit					
4.4 Short-circuiting bars 19 4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component in the insulating element(s) of the insulating component in the insulating and short-circuiting device 21 4.9 Marking 21 4.9.1 General (standards.itch.ai) 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on camp SISI.EN.612302009 22 4.9.3 Marking on clamp SISI.EN.612302009 22 4.9.4 Marking on other components 22 4.9.5 Marking on other components 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 23 5.1 General 23 5.1 General 23 23 5.1 Cables complying with IEC 61138 24 5.3.1 Cables complying with IEC 61138 24 5.4 Fatigue and humidity penetration test 26 5.4 Fatigu			-		
4.5 Connections of cables to rigid parts within devices 20 4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component it them STANDARD PREVIEW 21 4.9 Marking 21 4.9.1 General (standards.iteh.ai) 21 4.9.2 Marking on earthing and short-circuiting device 21 4.9.3 Marking on clamp SIST.EN.61230.2009 22 4.9.4 Marking on other components 23 5.1 Instructions for use 22 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4		44			
4.6 Clamps 20 4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component iTele STANDARD PREVIEW 21 4.9 Marking 21 4.9 Marking on earthing and short-circuiting device 21 4.9.1 General (standards.iteh.ai) 21 4.9.2 Marking on clamp SIST.IN. 612/02/00 22 4.9.4 Marking on clamp SIST.IN. 612/02/00 22 4.9.5 Marking on clamp SIST.IN. 612/02/00 22 4.9.4 Marking on other components 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 4.10 Instructions for use 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4 Fatigue and humidity penetration tests on cable with end fittings 26 5.5 Tension test on cable with end fitt					
4.7 Earthing and short-circuiting device 20 4.8 Basic safety requirements for the insulating element(s) of the insulating component irref STANDARD PREVIEW 21 4.9 Marking 21 4.9 Marking on earthing and short-circuiting device 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on camp sist endots interviewed and short-circuiting device 21 4.9.3 Marking on clamp sist endots interviewed and short-circuiting device 21 4.9.4 Marking on clamp sist endots interviewed and short-circuiting device 21 4.9.3 Marking on clamp sist endots interviewed and short-circuiting device 22 4.9.4 Marking on other components 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4 Fatigue and humidity penetration tests on cable with end fittings 26 5.4 Fatigue tes					
4.8 Basic safety requirements for the insulating element(s) of the insulating component irren STANDARD PREVIEW 21 4.9 Marking 21 4.9 Marking component (standards.itch.ai) 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on earthing and short-circuiting device 21 4.9.3 Marking on clamp SISTEN 6123(2009) 22 4.9.4 Marking on clamp SISTEN 6123(2009) 22 4.9.5 Marking on other components 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4.2 Cables not complying with IEC 61138 24 5.4.3 Cables not complying with IEC 61138 24 5.4.4 Fatigue east 26 5.5 Tension test on cable with end fittings 26 5.6 Tests for tightening types					
component Tehr STANDARD PREVIEW 21 4.9 Marking 21 4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on earthing and short-circuiting device 21 4.9.3 Marking on clabe Standards.itch.ai) 21 4.9.3 Marking on clabe Standards.itch.ai) 22 4.9.4 Marking on clabe Caubo standards.itch.ai) 22 4.9.4 Marking on clabe Caubo standards.ist3333726-Re1-4b62-b6d9 22 4.9.5 Marking on other components 22 23 5.1 General 23 23 5.1 General 23 23 5.1 General 23 23 5.2 Verification and checking 23 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4.2 Humidity penetration tests on cable with end fittings 26 5.5 Tension test on cable with end fittings 26 5.6 Test or clamps, permanent connection points and connections 27		4.8		5	
4.9.1 General (standards.itch.ai) 21 4.9.2 Marking on earthing and short-circuiting device 21 4.9.3 Marking on clamp SISTER.612302009 22 4.9.4 Marking on clabe 21 4.9.5 Marking on their components 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 5 Tests 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.4 Fatigue and humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration test 26 5.5 Tension test on cable with end fittings 26 5.6 Test or clamps, permanent connection points and connections 27 5.7.1 General 27 5.7.2 Preparation of test pieces 29 5.7.3 Test set-ups and test arrangements			compoi		21
4.9.2 Marking on earthing and short-circuiting device 21 4.9.3 Marking on clamp SISTEN.612302009 22 4.9.4 Marking on table alcatalog standards/sst/3a/3726- Ref-4b62-b6d9- 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 5 Tests 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.3.2 Cables not complying with IEC 61138 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration test 26 5.5 Tension test on cable with end fittings 26 5.6 Tests for tightening types 27 5.6.2 Tests for non-tightening types 27 5.6.3 Tests for non-tightening types 27 5.6.4 Tests for non-tightening types <td></td> <td>4.9</td> <td>Marking</td> <td></td> <td>21</td>		4.9	Marking		21
4.9.3 Marking on clamp SISTEN.61230.2009 22 4.9.4 Marking on clable alcatelog standards/sist/3a33726-fte1-4b62-b6d9 22 4.9.5 Marking on other components 22 4.10 Instructions for use 22 5 Tests 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.3.2 Cables not complying with IEC 61138 24 5.4.1 Fatigue and humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration test 26 5.5 Testo n cable with end fittings 26 5.6 Test on cable with end fittings 27 5.6.1 Tests for tightening types 27 5.6.2 Tests for on-tightening types 27 5.7.1 General 27 5.7.2 Preparation of test pieces 29 5.7.3 Test set-ups and test arrangements 33 </td <td></td> <td></td> <td>4.9.1</td> <td>General (standards.iteh.ai)</td> <td>21</td>			4.9.1	General (standards.iteh.ai)	21
4.9.4 Marking on dable arcatalog/standards/sist/3a337/26-f4c1-4b62-b6d9- 2d7/251d0/a28/sist-en-61230-2009 22 4.10 Instructions for use 22 5.1 General 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.3.2 Cables not complying with IEC 61138 24 5.3.2 Cables not complying with IEC 61138 24 5.4 Fatigue and humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration test 26 5.5 Tension test on cable with end fittings 26 5.6 Tests for tightening types 27 5.6.1 Tests for tightening types 27 5.6.2 Tests for non-tightening types 27 5.7.3 Test set-ups and test arrangements 33 5.7.4 Test current, Joule-integral and duration 34 5.7.5 Documentation and evaluation of the test 35			4.9.2		
4.10Instructions for use225Tests235.1General235.2Verification and checking235.3Tests for the selection of cables245.3.1Cables complying with IEC 61138245.3.2Cables not complying with IEC 61138245.4Fatigue and humidity penetration tests on cable with end fittings245.4.1Fatigue test245.4.2Humidity penetration test265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity			4.9.3	Marking on clampSIST EN 61230:2009	22
4.10Instructions for use225Tests235.1General235.2Verification and checking235.3Tests for the selection of cables245.3.1Cables complying with IEC 61138245.3.2Cables not complying with IEC 61138245.4Fatigue and humidity penetration tests on cable with end fittings245.4.1Fatigue test245.4.2Humidity penetration test265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity			4.9.4	Marking on cable a/catalog/standards/sist/3a33/f26-t4e1-4b62-b6d9-	22
5 Tests 23 5.1 General 23 5.2 Verification and checking 23 5.3 Tests for the selection of cables 24 5.3.1 Cables complying with IEC 61138 24 5.3.2 Cables not complying with IEC 61138 24 5.4 Fatigue and humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration test 26 5.5 Tension test on cable with end fittings 26 5.6 Test on clamps, permanent connection points and connections 27 5.6.1 Tests for tightening types 27 5.6.2 Tests for non-tightening types 27 5.7.1 General 27 5.7.2 Preparation of test pieces 29 5.7.3 Test current, Joule-integral and duration 34 5.7.5 Documentation and evaluation of the test 35 5.7.6 Alternative means to short-circui					
5.1General235.2Verification and checking235.3Tests for the selection of cables245.3.1Cables complying with IEC 61138245.3.2Cables not complying with IEC 61138245.4Fatigue and humidity penetration tests on cable with end fittings245.4.1Fatigue test245.4.2Humidity penetration tests on cable with end fittings265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.6Alternative means to short-circuit current test for conformity35					
5.2Verification and checking235.3Tests for the selection of cables245.3.1Cables complying with IEC 61138245.3.2Cables not complying with IEC 61138245.4Fatigue and humidity penetration tests on cable with end fittings245.4.1Fatigue test245.4.2Humidity penetration test265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.6Alternative means to short-circuit current test for conformity35	5	Tests			23
5.3Tests for the selection of cables245.3.1Cables complying with IEC 61138245.3.2Cables not complying with IEC 61138245.4Fatigue and humidity penetration tests on cable with end fittings245.4.1Fatigue test245.4.2Humidity penetration test265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.6Alternative means to short-circuit current test for conformity35		5.1	Genera	al	23
5.3.1Cables complying with IEC 61138.245.3.2Cables not complying with IEC 61138.245.4Fatigue and humidity penetration tests on cable with end fittings.245.4.1Fatigue test245.4.2Humidity penetration test.265.5Tension test on cable with end fittings.265.6Test on clamps, permanent connection points and connections.275.6.1Tests for tightening types.275.6.2Tests for non-tightening types.275.7Short-circuit current test.275.7.1General275.7.2Preparation of test pieces.295.7.3Test set-ups and test arrangements.335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity		5.2	Verifica	ation and checking	23
5.3.2Cables not complying with IEC 61138		5.3	Tests f	or the selection of cables	24
5.4 Fatigue and humidity penetration tests on cable with end fittings 24 5.4.1 Fatigue test 24 5.4.2 Humidity penetration test 26 5.5 Tension test on cable with end fittings 26 5.6 Test on clamps, permanent connection points and connections 27 5.6.1 Tests for tightening types 27 5.6.2 Tests for non-tightening types 27 5.7 Short-circuit current test 27 5.7.1 General 27 5.7.2 Preparation of test pieces 29 5.7.3 Test set-ups and test arrangements 33 5.7.4 Test current, Joule-integral and duration 34 5.7.5 Documentation and evaluation of the test 35 5.7.6 Alternative means to short-circuit current test for conformity 35			5.3.1	Cables complying with IEC 61138	24
5.4.1Fatigue test245.4.2Humidity penetration test265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity			5.3.2	Cables not complying with IEC 61138	24
5.4.2Humidity penetration test265.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity		5.4	Fatigue		
5.5Tension test on cable with end fittings265.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity			5.4.1	-	
5.6Test on clamps, permanent connection points and connections275.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity					
5.6.1Tests for tightening types275.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity			-		
5.6.2Tests for non-tightening types275.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity		5.6		• • •	
5.7Short-circuit current test275.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity					
5.7.1General275.7.2Preparation of test pieces295.7.3Test set-ups and test arrangements335.7.4Test current, Joule-integral and duration345.7.5Documentation and evaluation of the test355.7.6Alternative means to short-circuit current test for conformity					
5.7.2Preparation of test pieces		5.7			
 5.7.3 Test set-ups and test arrangements			-		
 5.7.4 Test current, Joule-integral and duration					
5.7.5 Documentation and evaluation of the test					
5.7.6 Alternative means to short-circuit current test for conformity				•	
					35
			5.7.6		36

61230 © IE	C:2008
------------	--------

	5.8 Durability of marking	
	Conformity assessment	
	Modifications	36
	ex A (informative) Guidelines for portable equipment for earthing to be used on vay systems	37
	ex B (informative) Guidelines for earthing sticks	
Anne	ex C (informative) Guidelines for selection, use and maintenance of portable ning or earthing and short-circuiting equipment	
Anne	ex D (informative) Guideline for determination of the equivalent r.m.s. value of a t-time current during a short-circuit of a given duration	
Anne	ex E (normative) List of type tests	58
	ex F (normative) Classification of defects	
	ography	
-		
	re 1 – Examples of portable equipment and device for installations, network and ay systems application	9
Figu	re 2 – Connection diagrams of single and multi-phase earthing and short- niting devices for network application	
	re 3 – Illustration of a three-phase earthing and short-circuiting device with short- iting bar and earthing cable(s) for installation and network application	12
Figu	re 4 – Apparatus for fatigue testing with bending and twisting	25
	re 5 – Examples of multiple combinations of clamps accommodating different bes and sizes of connection points	29
cond	re 6 – Test set-ups for testing multiuphasedevices? connected between rigid luctors for substations dards itch ai/catalog/standards/sist/3a337f26-f4e1-4b62-b6d9-	31
Figu lines	re 7 – Test set-ups for testing multi-phase short-circuiting devices for overhead	32
	re 8 – Test set-ups for testing single-phase devices for overhead lines and for a ir substations	33
Figu	re 9 – Shape of the short-circuit current during test	35
Figu	re A.1 – Test set-up for testing single phase equipment for railway systems	39
Figu	re B.1 – Arrangement for bending tests on earthing sticks of circular cross-section	43
Figu	re B.2 – Arrangement for torsion tests on earthing sticks of circular cross-section	44
Figu cond	re C.1 – Curves representing the temperature heating of different nature of luctors related to the value of the Joule-integral J^2t	49
Figu	re C.2 – Determination of conductor temperature from heating	50
Figu	re C.3 – Determination of $J^2 t$	51
Figu	re C.4 – Example of the usable region for a device	53
Figu	re D.1 – Determination of short-time current	57
Tabl	e 1 – Usual lengths of earthing and short-circuiting cables for different types of	
insta	Illations and different voltage levels	11
shor	e 2 – Minimum cross-section of earthing cables related to the cross-section of the t-circuiting cables and/or bars on non-solidly earthed (neutral) systems	
	e 3 – Tension test force on cable with end fittings	27
	e A.1 – Short circuit values for copper cable with a maximum temperature of °C	40

- 4 -

Table B.1 – Maximum deflection	.43
Table C.1 – Comparison of different standard values of nominal cross-sections	.47
Table C.2 – Short-circuit close to generator – Short-circuit current values in kA for copper cables with a maximum temperature of 300°C	.48
Table E.1 – List of type tests referred to subclauses	. 58
Table F.1 – Classification of defects and associated requirements and tests	. 59

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIVE WORKING – PORTABLE EQUIPMENT FOR EARTHING OR EARTHING AND SHORT-CIRCUITING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any enduser.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an JEC Publication 337/26-14c1-4b62-b6d9-
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61230 has been prepared by IEC technical committee 78: Live working.

This second edition cancels and replaces the first edition published in 1993. It constitutes a technical revision.

The major changes are:

- extension of the scope to cover the use of equipment on d.c. installations;
- extension of the use of aluminium to all conductive parts of the device;
- extension of the application to silicone rubber cables made by the revision of TC 20 document IEC 61138;
- possibility of using this standard for separate components of the equipment;
- general revision of requirements and tests;
- deletion of the marking requirement of the double triangle to clarify that the products covered by the standard are not appropriate for performing live working;

- clarification and modification to the procedure for short-circuit test:
 - change of the number of devices submitted to test,
 - change of the pre-conditioning time to 48 h,
 - clarification of the test procedure for separate components,
- application of conformity assessment for products having completed the production phase, according to IEC 61318 Ed.3;
- revision of existing annexes;
- change of normative Annexes A and C into informative Annexes C and B with a reviewed wording;
- deletion of Annex B, not applicable according to IEC 61318 Ed.3;
- deletion of Annex D, its requirements and tests being now included in the body of the standard;
- introduction of a new informative Annex A on railway application;
- introduction of a new informative Annex D giving guidelines for determination of the equivalent r.m.s. value of a short-circuit current;
- revision of the list of type tests, which now appears in normative Annex E;
- introduction of a new normative Annex F on classification of defects.

The text of this standard is based on the following documents:



Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table ai/catalog/standards/sist/3a337f26-f4e1-4b62-b6d9-

2d7251d08a28/sist-en-61230-2009

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

61230 © IEC:2008

INTRODUCTION

This International Standard has been prepared in accordance with the requirements of IEC 61477.

An agreement may be made between manufacturer and customer for additional requirements, and tests. These additional requirements are prescribed in the customer's specification on the basis of an acceptance procedure.

iTeh STANDARD PREVIEW (standards.iteh.ai)

61230 © IEC:2008

LIVE WORKING – PORTABLE EQUIPMENT FOR EARTHING OR EARTHING AND SHORT-CIRCUITING

1 Scope

This International Standard is applicable to portable equipment, with or without matching connection points, for temporary earthing or earthing and short-circuiting of electrically isolated or de-energized a.c. and d.c. installations, distribution and transmission networks, whether they are overhead or underground or of low or high voltage.

NOTE Annex A provides guidance for application to railway systems.

This standard covers equipment comprising an earthing or a short-circuiting or an earthing and short-circuiting device and insulating component. An example is given in Figure 1a and Figure 1b.

It also covers:

- earthing or short-circuiting or earthing and short-circuiting devices intended to be installed with insulating means. An example of an earthing device is given in Figure 1c;
- separate components, such as conductive extension (see Figure 1b) or clamp or cable with end fittings.
 (standards.iteh.ai)

The performance of equipment, devices and components covered by this standard is based on electro-dynamic and electro-thermal effects³ acting during short-circuit. The withstand capability of the devices and equipment is expressed by their rated values of current, time and peak factor. No rated voltage is given, but the geometrical dimensions of the equipment are also linked to the voltage of the installation.

Examples of connection diagrams of earthing and short-circuiting devices are given in Figures 2 and 3. Associated usual lengths of cables are given in Table 1.


Not covered in this standard are:

- insulating means, such as insulating sticks, telescopic sticks, insulating handles, insulating gloves, aerial devices with insulating booms, insulating ropes to be used to install the earthing and short-circuiting device;
- insulating components, except for basic safety requirements for the insulating element;

NOTE Basic safety recommendations for earthing sticks are given in Annex B.

- devices meant only for the draining of induced currents;
- relevant working procedures for using portable equipment for earthing or earthing and short-circuiting.

NOTE The equipment complying with this standard should be used according to safe working procedures and according to local or national regulation, such as live working or dead working procedures.



NOTE The same device can also be used for short-circuiting.

Figure 1c – Earthing device

NOTE 3 The earthing device comprises components 1, 2 and 4.

Figure 1 – Examples of portable equipment and device for installations, network and railway systems application