



# SLOVENSKI STANDARD SIST EN 3841-406:2005

01-april-2005

---

**Aeronavtika - Odklopniki - Preskusne metode - 406. del: Vnetljivost**

Aerospace series - Circuit breakers - Test methods - Part 406: Flammability

Luft- und Raumfahrt - Schutzschalter - Prüfverfahren - Teil 406: Nichtentflammbarkeit

Série aérospatiale - Disjoncteurs - Méthodes d'essais - Partie 406 : Ininflammabilité

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **EN 3841-406:2004**

<https://standards.iteh.ai/catalog/standards/sist/b10de818-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005>

**ICS:**

49.060 Štejni sistemski napajalniki in oprema za letalstvo in vesolje  
Aerospace electric equipment and systems

**SIST EN 3841-406:2005**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 3841-406:2005](https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005)

<https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005>

EUROPEAN STANDARD

**EN 3841-406**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2004

ICS 49.060

English version

**Aerospace series - Circuit breakers - Test methods - Part 406:  
Flammability**Série aéronautique - Disjoncteurs - Méthodes d'essais -  
Partie 406 : InflammabilitéLuft- und Raumfahrt - Schutzschalter - Prüfverfahren - Teil  
406: Nichtentflammbarkeit

This European Standard was approved by CEN on 10 September 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN 3841-406:2005](https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005)<https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005>EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG**Management Centre: rue de Stassart, 36 B-1050 Brussels**

<b>Contents</b>		<b>Page</b>
Foreword.....		3
1	Scope .....	4
2	Normative references .....	4
3	Method .....	4
4	Requirement.....	4

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 3841-406:2005](https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005)  
<https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005>

## Foreword

This document (EN 3841-406:2004) has been prepared by the European Association of Aerospace Manufacturers - Standardization (AECMA-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2005, and conflicting national standards shall be withdrawn at the latest by June 2005.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 3841-406:2005](https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005)

<https://standards.iteh.ai/catalog/standards/sist/b16de8f8-59fd-4ae0-a9b7-786e78010b5d/sist-en-3841-406-2005>

## EN 3841-406:2004 (E)

## 1 Scope

This standard specifies a method of verifying the flammability of plastic (synthetic) materials used in the housing, insulator base and any parts exposed to arcs or glowing elements of circuit breakers.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-2-10, *Fire Hazard Testing – Part 2-10: Glowing/Hot-Wire Based Test Methods – Glow/Wire Apparatus and Common Test Procedure*

## 3 Method

The test apparatus is described in IEC 60695-2-10, clause 4 and Figure 2. The glow-wire test shall be carried out in accordance with IEC 60695-2-10 and the following requirements:

- the tested parts shall be fitted with the tip of the glow-wire positioned at a distance of  $(200 \pm 5)$  mm above the white board (approximately 10 mm thick and covered with a single layer of tissue paper);
- the test shall be carried out on part supporting current carrying parts (main and signal) and parts of the housing in contact with electric arcs;
- temperature of the tip of the glow-wire:  $(960 \pm 15)$  °C;
- duration of application:  $(30 \pm 1)$  s.

## 4 Requirement

The test shall be considered to be satisfactory if a flame or glowing of the tested part is extinguished within 30 s of removing the glow-wire and if there is no ignition of the tissue paper.