INTERNATIONAL STANDARD

ISO 14145-1

> First edition 1998-04-15

Corrected and reprinted 1999-07-01

Roller ball pens and refills — Part 1:

General use

Stylos rollers et recharges —

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 14145-1:1998</u> https://standards.iteh.ai/catalog/standards/sist/3b2e185e-77aa-48cd-a7b9-59b9ed3f0749/iso-14145-1-1998



ISO 14145-1:1998(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

iTeh STANDARD PREVIEW

International Standard ISO 14145-1 was prepared by Technical Committee ISO/TC 10, Technical drawings, product definition and related documentation, Subcommittee SC 9, Media and equipment for drawing and related documentation.

ISO 14145-1:1998

https://standards.iteh.ai/catalog/standards/sist/3b2e185e-77aa-48cd-a7b9-

ISO 14145 consists of the following parts, under the general title Roller ball pens and refills:

- Part 1: General use
- Part 2: Documentary use (DOC)

Annex A of this part of ISO 14145 is for information only.

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet central@iso.ch
X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

Introduction

This part of ISO 14145 is applicable to roller ball pens for general use. Part 2 of ISO 14145 is applicable to roller ball pens for documentary use.

For documentary use, some requirements, in addition to those for general use, are necessary

- a) to assure the legibility of lettering, and
- b) for the handling and storage of documents during long periods of time (these requirements are often discussed with the archivist).

An example of documentary use is the preparation of documents that are required as evidence.

Furthermore, pens which meet the requirements for documentary use produce lines which are more resistant to modification (e.g. attempts to falsify a document) than those for general use.

ISO 14145-1:1998 https://standards.iteh.ai/catalog/standards/sist/3b2e185e-77aa-48cd-a7b9-59b9ed3f0749/iso-14145-1-1998

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 14145-1:1998 https://standards.iteh.ai/catalog/standards/sist/3b2e185e-77aa-48cd-a7b9-59b9ed3f0749/iso-14145-1-1998

Roller ball pens and refills —

Part 1:

General use

1 Scope

iTeh STANDARD PREVIEW

This part of ISO 14145 establishes minimum quality requirements for roller ball pens (refillable and non-refillable) and refills for general use.

Additional requirements for roller ball pens for documentary use are given in ISO 14145-2.

59b9ed3f0749/iso-14145-1-1998

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 14145. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 14145 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 105-A02:1993, Textiles — Tests for colour fastness — Part A02: Grey scale for assessing change in colour.

ISO 105-B02:1994, Textiles — Tests for colour fastness — Part B02: Colour fastness to artificial light: Xenon arc fading lamp test.

ISO 534:1988, Paper and board — Determination of thickness and apparent bulk density or apparent sheet density.

ISO 14145-1:1998(E) © ISO

ISO 535:1991, Paper and board — Determination of water absorptivenes — Cobb method.

ISO 536:1995, Paper and board — Determination of grammage.

ISO 554:1976, Standard atmospheres for conditioning and/or testing — Specifications.

ISO 868:1985, Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness).

ISO 2144:1997, Paper, board and pulp — Determination of residue (ash) an ignition at 900 °C.

ISO 5627:1995, Paper and board — Determination of smoothness (Bekk method).

ISO 6588:1981, Paper, board and pulps — Determination of pH of aqueous extracts.

ISO 12756:1998, Drawing and writing instruments — Ball point pens and roller ball pens — Vocabulary.

3 Definitions

For the purposes of this part of ISO 14145, the definitions given in ISO 12756 apply.

4 Requirements

iTeh STANDARD PREVIEW

4.1 Tip classification

(standards.iteh.ai)

Tips shall be classified according to the ball diameter (see table 1).

https://standards.iteh.ai/catalog/standards/sist/3b2e185e-77aa-48cd-a7b9-59b9ed3f07able-14145-1-1998

Dimensions in millimetres

Tip classification (line width)	Tip code	Ball diameter
Extra fine	EF	Ø < 0,55
Fine	F	$0.55 \leqslant \varnothing < 0.75$
Medium	M	0,75 ≤ ∅ < 1,20
Broad	В	1,20 ≤ ∅

4.2 Shapes and dimensions of refills

Refills shall be classified into types A, B, C and D. The shapes and dimensions of types A to C are given in figure 1 and table 2. Refills with shapes and dimensions other than those specified in figure 1 and table 2 are designated type D.




Figure 1

Table 2

Dimensions in millimetres

Type code	a ₁ 1)	L ₁	a ₂	L ₂	b	С	d	e ²⁾	f
А	$2,3 \pm 0,1$	_	_	_	4,5 ± 0,1	20 ± 1	$6,2 \pm 0,1$	$6,3 \pm 0,3$	111 ± 2
В	2,3 ± 0,1	_	_	_	4,5 ± 0,1	20 ± 1	6,2 ± 0,1	$6,3 \pm 0,3$	87 ± 2
С	$2,5 \pm 0,05$	9 ± 0,5	2,5 ^{+0,60} _{-0,05}	15 ± 0,5	$4,5 \pm 0,05$	20 ± 0,5	$6,3 \pm 0,15$	_	110 ± 1

- 1) Denotes a diameter of a tip holder.
- 2) Denotes outside diameter of an end plug.

ISO 14145-1:1998(E) © ISO

4.3 Performance

4.3.1 Writing performance

Smooth writing shall start within 10 cm and the writing distance shall be at least 400 m without obvious starving or fluctuation of line intensity when tested as specified in 6.3.1.

4.3.2 Strike through

No strike through shall be evident to a trained eye when tested as specified in 6.3.2.

4.3.3 Drying time

The line shall be found non-smearing when tested as specified in 6.3.3.

4.3.4 Reproducibility

The reproduced line shall be visible when tested as specified in 6.3.4.

4.3.5 Water resistance

NOTE — This performance is optional and is only applicable to roller ball pens or refills marked "water resistant" (WR).

The line shall remain visible when tested as specified in 6.3.5.

4.3.6 Light resistance iTeh STANDARD PREVIEW

The line shall remain visible when tested as specified in 6.3.6. iteh.ai)

4.3.7 Cap-off time

ISO 14145-1:1998

The roller ball pen shall start writing within 10 cm without starving when tested as specified in 6.3.7.

59b9ed3f0749/iso-14145-1-1998

4.3.8 Shelf life

The roller ball pen or refill shall conform with 4.3.1 when tested as specified in 6.3.8.

5 Test equipment and accessories

5.1 Write test machine

The write test machine (see ISO 12756) shall be set to each of the following conditions when performing the machine writing test:

- a) point load: $1_{-0,3}^{0}N$;
- b) writing angle: test write a sample at $60^{\circ}_{0}^{+5^{\circ}}$ and $70^{\circ}_{-5^{\circ}}^{0}$, determine at which angle the trace is most consistent and select this angle;
- c) writing speed: 4,5 m/min ± 0,5 m/min;
- d) writing pattern: continuous spiral line (100 mm circumference) with a pitch between 2 mm and 5 mm.

5.2 Performance testing paper specifications¹⁾

The performance testing paper shall conform to the specifications given in table 4.

Table 4

	Reference International Standard				
Grammage:	70 g/m 2 ± 10 g/m 2	ISO 536			
Smoothness ¹⁾ :	$50~\text{s}\pm30~\text{s}$	ISO 5627			
Residue after incineration:	$\left(7 {}^{+2}_{-3} \right)$ % residue (ash) at 900 °C	ISO 2144			
Cobb value, Cobb ₆₀ :	25 g/m ² ± 10 g/m ²	ISO 535			
pH value:	6,5 ^{+1,0} _{-1,5}	ISO 6588			
Thickness:	80 μ m \pm 10 μ m	ISO 534			
Colour:	white				
Composition:	100 % wood cellulose fibre, bleached				
Soft backing side used for testing, clamping pressure 1 MPa.					

5.3 Eraser

Rubber eraser without abrasive and with a hardness of 45 ± 5 Shore A in accordance with ISO 868.

5.4 Reproducibility apparatus (standards.iteh.ai)

Photocopier, microfilm processor or telefacsimile <u>Imachine</u>. 1:1998

https://standards.iteh.ai/catalog/standards/sist/3b2e185e-77aa-48cd-a7b9-

5.5 Light test apparatus

59b9ed3f0749/iso-14145-1-1998

Fade-o-meter, xenotest or technical equivalent.

6 Testing

6.1 Sampling

Roller ball pen and refill samples shall be tested within six months after manufacture, except for the shelf life test (see 6.3.8).

6.2 Climatic conditions for testing

The test shall be carried out under standard test atmosphere of either 23/50 or 27/65 in accordance with ISO 554 and according to conditions at the place of testing. Ordinary tolerances are to be applied.

6.3 Procedure

6.3.1 Writing performance test

Take a quantity of at least 10 roller ball pens and/or refills at random. Generate a continuous 400 m line on the testing paper specified in 5.2 by the write test machine specified in 5.1 under the climatic conditions specified in 6.2. At start and finish of the writing distance, examine for compliance with 4.3.1.

¹⁾ On request the ISO Central Secretariat will provide a list of suppliers of the testing paper.