

INTERNATIONAL STANDARD

ISO
10907-1

First edition
1996-12-15

Tools for moulding — Locating rings —

Part 1:

Locating rings for mounting without thermal insulating sheets in small or medium moulds
— Types A and B

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-71b86071b860>

[https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-](https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-71b86071b860)

Oùillage de moulage — 1 Bagues de centrage —

Partie 1: Bagues de centrage pour montage sans feuille d'isolation thermique dans les petits et les moyens moules — Types A et B



Reference number
ISO 10907-1:1996(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 10907-1 was prepared by Technical Committee ISO/TC 29, *Small Tools*, Subcommittee SC 8, *Tools for pressing and moulding*.

ISO 10907 consists of the following parts, under the general title *Tools for moulding — Locating rings*:

- *Part 1: Locating rings for mounting without thermal insulating sheets in small or medium moulds — Types A and B*
- *Part 2: Locating rings for mounting with thermal insulating sheets in small or medium moulds — Type C and D*

Annex A of this part of ISO 10907 is for information only.

© ISO 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Tools for moulding — Locating rings —

Part 1:

Locating rings for mounting without thermal insulating sheets in small or medium moulds — Types A and B

1 Scope

This part of ISO 10907 specifies the basic dimensions and tolerances, in millimetres, of locating rings for mounting of moulds (see figure 1) without thermal insulating sheets, suitable for injection moulding machines up to size E12, in accordance with EUROMAP 2, type A (with bore) and type B (without bore).

It also gives material guidelines and hardness requirements, and specifies the designation of locating rings in accordance with this part of ISO 10907.

ISO 10907-1:1996

<https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-30a516a27971/iso-10907-1-1996>




Figure 1 — Example of mounting of locating rings (type A)

2 Dimensions

2.1 Locating rings with bore — Type A

A type A locating ring is preferably used for fixed mould halves. See figures 2 to 4 and table 1.

NOTE — Surface roughness values are given in micrometres.





Figure 2 — $D < 90$ mm

Figure 3 — $D = 90$ mm



1) Radius or chamfer is left to the manufacturer's discretion.

Figure 4 — $D > 90$ mm

Table 1 — Dimensions of locating rings with bore — Type A


D f8	d $\pm 0,1$				Figure reference
	25	28	32	40	
60	x				Figure 2
63	x		x		Figure 2
80 ¹⁾	x	x	x		Figure 2
90	x	x	x		Figure 3
100 ¹⁾	x	x	x	x	Figure 4
110 ¹⁾	x	x	x	x	Figure 4
125 ¹⁾	x	x	x	x	Figure 4
160 ¹⁾		x	x	x	Figure 4

1) Diameters in accordance with EUROMAP 2.

2.2 Locating rings without bore — Type B

A type B locating ring is preferably used for moveable mould halves. See figures 5 to 7 and table 2.

NOTE — Surface roughness values are given in micrometres.




1) Radius or chamfer is left to the manufacturer's discretion.

Figure 5 — $D < 90$ mm



1) Radius or chamfer is left to the manufacturer's discretion.

Figure 6 — $D = 90$ mm



1) Radius or chamfer is left to the manufacturer's discretion.

Figure 7 — $D > 90$ mm

Table 2 — Dimensions of locating rings without bore — Type B

D f8	Figure reference
60	Figure 5
63	Figure 5
80 ¹⁾	Figure 5
90	Figure 6
100 ¹⁾	Figure 7
110 ¹⁾	Figure 7
125 ¹⁾	Figure 7
160 ¹⁾	Figure 7
1) Diameters in accordance with EUROMAP 2.	

3 Material

The material shall be steel with a minimum yield strength 370 N/mm², the grade is left to the manufacturer's discretion.

4 Designation

Locating rings in accordance with this part of ISO 10907 shall be designated by:

- a) "locating ring";
- b) reference to this part of ISO 10907, i.e. ISO 10907-1;
- c) the type of locating ring (A or B);
- d) the diameter, D , in millimetres;
- e) the diameter, d , (only for type A) in millimetres.

EXAMPLES

A locating ring type A, for mounting without insulating sheets in small or medium moulds, of diameter $D = 100$ mm and of diameter $d = 32$ mm is designated as follows:

Locating ring ISO 10907-1 A - 100 × 32

A locating ring type B, for mounting without insulating sheets in small or medium moulds, of diameter $D = 100$ mm is designated as follows:

Locating ring ISO 10907-1B - 100

iteh STANDARD PREVIEW
(standards.iteh.ai)
ISO 10907-1:1996
<https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-30a516a27971/iso-10907-1-1996>

Annex A
(informative)

Bibliography

- [1] EUROMAP 2:1996, *Dimensioning of the clamping unit and mould mounting and connection dimensions of injection moulding machines* (EUROMAP = European committee of machinery manufacturers for the plastics and rubber industries).
- [2] ISO 1302:1992, *Technical drawings — Method of indicating surface texture*.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 10907-1:1996](https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-30a516a27971/iso-10907-1-1996)

<https://standards.iteh.ai/catalog/standards/sist/8e4fa376-dd32-4819-a9d2-30a516a27971/iso-10907-1-1996>