

INTERNATIONAL STANDARD

**ISO
8977**

Second edition
2003-01-15

Tools for pressing — Matrixes

Outillage de presse — Matrices

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[ISO 8977:2003](https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003)

<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003>



Reference number
ISO 8977:2003(E)

© ISO 2003

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 8977:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003>

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8977 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 8, *Tools for pressing and moulding*.

This second edition cancels and replaces the first edition (ISO 8977:1987), clause 3 of which has been technically revised.

Annex A of this International Standard is for information only.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 8977:2003

<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003>

Tools for pressing — Matrixes

1 Scope

This International Standard lays down the basic dimensions and tolerances in millimetres for headless and headed matrixes, in the outside diameter range of 5 mm to 50 mm.

It gives examples of material and hardness, and specifies a designation for matrixes that meet the requirements of this International Standard.

The dimensions and tolerances of the matrixes specified in this International Standard are adapted to conform to those for punches specified in ISO 8020.

2 Normative reference

The following normative document contains provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent edition of the normative document indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8->

ISO 8020:2002, *Tools for pressing — Punches with cylindrical head and straight or reduced shank*


3 Dimensions

3.1 Matrixes with round cutting shapes

See Figures 1 and 2 and Table 1.

Surface roughness values in micrometres

Surface roughness values in micrometres



- a Optional lead
- b Chamfer left to the manufacturer's discretion

- a Optional lead
- b Execution left to the manufacturer's discretion

Figure 1 — Type A — Headless matrix with round cutting shape

Figure 2 — Type B — Headed matrix with round cutting shape

Table 1 — Dimensions

Dimensions in millimetres

Type A n5 ^a	Type B m5 ^a	d +0,02 0	D ₁ 0 -0,25	L			l		d ₁ max.
				20	25	32	min.	max.	
5	1 ≤ d ≤ 2,4		8	×			2		2,8
6	1,6 ≤ d ≤ 3		9	×	×		3		3,5
8	2 ≤ d ≤ 3,5		11	×	×		4		4
10	2,5 ≤ d ≤ 5		13	×	×	×	4	8	5,8
13	4 ≤ d ≤ 7		16	×	×	×	5	8	8
16	6 ≤ d ≤ 9		19	×	×	×	5	8	9,5
20	8 ≤ d ≤ 11		23	×	×	×	8	20	12
25	10,7 ≤ d ≤ 16		28	×	×	×	8	20	17,3
32	15 ≤ d ≤ 20		35	×	×	×	8	20	20,7
40	19 ≤ d ≤ 27		43		×	×	8	20	27,7
50	26 ≤ d ≤ 36		53			×	8	20	37

^a h5 on special request.

3.2 Blank matrixes for shaped cutting shapes

See Figures 3 and 4 and Table 2.




Figure 3 — Type C — Blank headless matrix with shaped cutting shape

Figure 4 — Type D — Blank headed matrix with shaped cutting shape

ISO 8977:2003
<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003>

Table 2 — Dimensions

Dimensions in millimetres


Type C n5 ^a	Type D m5 ^a	d	D_1 0 -0,25	L +0,5 0			l		d_1^b max.
				20	25	32	min.	max.	
8		1	11	×	×		4		4
10		1	13	×	×	×	4	8	5,8
13		1,2	16	×	×	×	5	8	8
16		1,2	19	×	×	×	5	8	9,5
20		1,5	23	×	×	×	8	20	12
25		1,5	28	×	×	×	8	20	17,3
32		1,5	35	×	×	×	8	20	20,7
40		1,5	43		×	×	8	20	27,7
50		1,5	53			×	8	20	37

^a h5 on special request.
^b Shape of the bore is left to the manufacturer's discretion.


3.3 Matrix blanks

See Figures 5 and 6 and Table 3.

Surface roughness values in micrometres



Surface roughness values in micrometres



a Optional lead

b Chamfer left to the manufacturer's discretion

a Optional lead

b Execution left to the manufacturer's discretion

iTech STANDARD PREVIEW
(standards.iteh.ai)

Figure 5 — Type E — Headless matrix blank

Figure 6 — Type F — Headed matrix blank

ISO 8977:2003

<https://standards.iteh.ai/catalog/standards/sist/9a81a0d3-709b-4a3c-b1b8-a210d7281797/iso-8977-2003>

Table 3 — Dimensions

Dimensions in millimetres

Type E n5 ^a	Type F m5 ^a	d	D_1 0 -0,25	L		
				20	25 +0,5 0	32
8		1	11	×	×	
10		1	13	×	×	×
13		1,2	16	×	×	×
16		1,2	19	×	×	×
20		1,5	23	×	×	×
25		1,5	28	×	×	×
32		1,5	35	×	×	×
40		1,5	43		×	×
50		1,5	53			×

^a h5 on special request.

4 Material and hardness

The material is left to the manufacturer's discretion and the following hardness are given as examples:

- a) alloyed cold work steel with 5 % to 12 % Cr: (60 ± 2) HRC;
- b) high-speed steel: (62 ± 2) HRC.

5 Designation

Matrixes in accordance with this International Standard shall be designated by:

- a) "Matrix";
- b) reference to this International Standard, i.e. ISO 8977;
- c) the type of matrix (A, B, C, D, E, F, AS, AR, AO, BS, BR or BO);
- d) its external diameter, D ;
- e) its tolerance on diameter D ;
- f) its point diameter, d (if required);
- g) its overall length, L ;
- h) the depth of the working part, l ;
- i) its material (alloyed cold work steel with 5 % to 12 % Cr or high speed steel).

EXAMPLE A headless matrix, type A, of external diameter $D = 10$ mm with an h5 tolerance, point diameter $d = 4$ mm, total length $L = 20$ mm and having a depth of working part $l = 4$ mm in high speed steel is designated as follows:

Matrix ISO 8977 - A 10 h5 × 4 × 20 × 4 - high speed steel