INTERNATIONAL STANDARD

ISO 6753-1

Second edition 2005-08-15

Tools for pressing and moulding — Machined plates —

Part 1: **Machined plates for press tools**

iTeh STANDA Presse et de moulage Plaques usinées —
Partie 1: Plaques usinées pour outillage de presse
(standards.iteh.ai)

ISO 6753-1:2005 https://standards.iteh.ai/catalog/standards/sist/656bcee5-2f85-48cf-aa6c-9ed92ea18583/iso-6753-1-2005



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6753-1:2005 https://standards.iteh.ai/catalog/standards/sist/656bcee5-2f85-48cf-aa6c-9ed92ea18583/iso-6753-1-2005

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6753-1 was prepared by Technical Committee ISO/TC 29, Small tools, Subcommittee SC 8, Tools for pressing and moulding.

This second edition cancels and replaces the first edition (ISO 6753:1:1994), Clause 2 of which has been technically revised. (standards.iteh.ai)

ISO 6753 consists of the following parts, under the general title *Tools for pressing and moulding — Machined plates*:

https://standards.iteh.ai/catalog/standards/sist/656bcee5-2f85-48cf-aa6c-

- Part 1: Machined plates for press tools a18583/iso-6753-1-2005
- Part 2: Machined plates for moulds

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6753-1:2005 https://standards.iteh.ai/catalog/standards/sist/656bcee5-2f85-48cf-aa6c-9ed92ea18583/iso-6753-1-2005

Tools for pressing and moulding — Machined plates —

Part 1:

Machined plates for press tools

1 Scope

This part of ISO 6753 specifies dimensions and tolerances, in millimetres, of machined plates for press tools.

It gives guidance relative to materials and hardness and specifies the designation of machined plates in accordance with this part of ISO 6753.

2 Dimensions

See Figure 1 and Table 1. Teh STANDARD PREVIEW

(standards.iteh.ai)

3 Material and corresponding hardness

ISO 6753-1:2005

The material and hardness are left to the manufacturer's discretion 2/85-48cf-aa6c-

9ed92ea18583/iso-6753-1-2005

4 Designation

A machined plate for press tools in accordance with this part of ISO 6753 shall be designated as follows:

- a) "Machined plate";
- b) reference to this part of ISO 6753, i.e. ISO 6753-1;
- c) its edge machining process (oxygen cut, water-jet cut, etc.: 1; milled: 2);
- d) the grade of its thickness tolerance (1 for normal precision plates; 2 for high precision plates);
- e) its length a, in millimetres;
- f) its width b, in millimetres;
- g) its thickness t, in millimetres.

EXAMPLE A normal precision-machined plate with oxygen-cut edges (1), with length a = 160 mm, width b = 80 mm and thickness t = 20 mm is designated as follows:

Machined plate ISO 6753-1 1 - 1 - 160 \times 80 \times 20

// 0,01/100 Ra 3,2

Values of surface roughness in micrometres

NOTE These values of surface roughness apply only to plates with milled edges.

Ra 6,3

/Ra 6,3

Figure 1 — Machined parts

Ra 6,3

9

Table 1— Dimensions of machined parts

| $a \times b^{a}$ | (standards.iteh.ai) | | | | | | | | |
|------------------|---------------------|----------------------|-----------------------|-------------------------------------|----------------|---------|----|--|--|
| | 20 | 25 | 32 | 40 | 50 | 63 | 80 | | |
| 160 × 80 | Х | X https://gtondor | ds iteh ai/catalog |) 6753-1:2005 standards/gigt/65 | 6haaa5 2f05 40 | of 2062 | | | |
| 160 × 100 | х | X | Goille and Carrello B | 583/iso-6753-1- | 2100 101 | H-880C- | | | |
| 160 × 125 | х | х | х | | | | | | |
| 160 × 160 | х | х | х | | | | | | |
| 200 × 100 | | х | х | Х | | | | | |
| 200 × 125 | | х | х | Х | | | | | |
| 200 × 160 | | х | х | Х | | | | | |
| 200 × 200 | | Х | х | Х | | | | | |
| 250 × 125 | | х | х | Х | | | | | |
| 250 × 160 | | х | х | Х | | | | | |
| 250 × 200 | | х | х | Х | | | | | |
| 250 × 250 | | | х | Х | Х | | | | |
| 315 × 160 | | | х | Х | Х | | | | |
| 315 × 200 | | | х | Х | Х | | | | |
| 315 × 250 | | | х | Х | х | | | | |
| 315 × 315 | | | х | х | х | | | | |
| 400 × 200 | | | х | х | х | | | | |
| 400 × 250 | | | х | х | х | | | | |
| 400 × 315 | | | х | х | х | | | | |

Table 1 (continued)

| $a \times b^{a}$ | t ± 2 b | | | | | | | | | |
|------------------|------------|-------------------|--|---------------------------------|----------------|----|----|--|--|--|
| | 20 | 25 | 32 | 40 | 50 | 63 | 80 | | | |
| 400 × 400 | | | Х | х | х | | | | | |
| 500 × 250 | | | Х | Х | х | | | | | |
| 500 × 315 | | | Х | Х | х | | | | | |
| 500 × 400 | | | Х | х | х | | | | | |
| 500 × 500 | | | Х | Х | х | | | | | |
| 630 × 315 | | | Х | Х | х | Х | | | | |
| 630 × 400 | | | Х | Х | х | Х | | | | |
| 630 × 500 | | | Х | Х | Х | Х | | | | |
| 630 × 630 | | | Х | Х | Х | Х | | | | |
| 710 × 400 | | | Х | Х | Х | Х | | | | |
| 710 × 500 | | | Х | Х | Х | Х | | | | |
| 710 × 630 | | | Х | Х | Х | Х | | | | |
| 800 × 400 | | | Х | Х | Х | Х | | | | |
| 800 × 500 | i | Teh STA | NDAR | D PRE | /IEW | Х | | | | |
| 800 × 630 | | (sta | ndårds | itel (ai) | Х | Х | | | | |
| 900 × 500 | | (566 | X | X | Х | Х | | | | |
| 900 × 630 | | | ISOx6753-1 | | Х | Х | | | | |
| 900 × 710 | https:// | standards.iteh.ai | catalog/standards | /sist/656bcee5-2 6753-1-2005 | 185-48cf-aa6c- | Х | | | | |
| 1 000 × 500 | | ,,,,, | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | ., | Х | Х | х | | | |
| 1 000 × 630 | | | | | х | Х | х | | | |
| 1 000 × 710 | | | | | х | Х | х | | | |
| 1 000 × 800 | | | | | х | Х | х | | | |
| 1 120 × 630 | | | | | х | Х | х | | | |
| 1 120 × 710 | | | | | х | Х | х | | | |
| 1 120 × 800 | | | | | х | Х | Х | | | |

Plates with milled edges: tolerance for dimensions a and $b \leqslant 630$ mm: $^{+0.4}_{+0.2}$ mm.

Plates with milled edges: tolerance for dimensions a and b > 630 mm: $^{+0.6}_{+0.2}$ mm.

Plates with oxygen-cut edges, water-jet-cut edges: tolerance for dimensions a and b: $^{+4}_{+1}$ mm.

b For grade 2, the tolerance is $^{+0.5}_{+0.3}$ mm.

ISO 6753-1:2005(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 6753-1:2005 https://standards.iteh.ai/catalog/standards/sist/656bcee5-2f85-48cf-aa6c-9ed92ea18583/iso-6753-1-2005