



SLOVENSKI STANDARD
kSIST FprEN ISO 22476-1:2012
01-september-2012

Geotehnično preiskovanje in preskušanje - Preskušanje na terenu - 1. del: Metoda električnega stožca in piezoconski penetracijski preskus (ISO/FDIS 22476-1:2012)

Geotechnical investigation and testing - Field testing - Part 1: Electrical cone and piezocone penetration test (ISO/FDIS 22476-1:2012)

Geotechnische Erkundung und Untersuchung - Felduntersuchungen - Teil 1: Drucksondierungen mit elektrischen Messwertaufnehmern und Messeinrichtungen für den Porenwasserdruck (ISO/FDIS 22476-1:2012)

Reconnaissance et essais géotechniques - Essais en place - Partie 1: Essai de pénétration au cône électrique et au piézocône (ISO/FDIS 22476-1:2012)

Ta slovenski standard je istoveten z: FprEN ISO 22476-1

ICS:

93.020	Zemeljska dela. Izkopavanja.	Earthworks. Excavations.
	Gradnja temeljev. Dela pod zemljo	Foundation construction. Underground works

kSIST FprEN ISO 22476-1:2012

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN ISO 22476-1

May 2012

ICS 93.020

English Version

**Geotechnical investigation and testing - Field testing - Part 1:
Electrical cone and piezocone penetration test (ISO/FDIS
22476-1:2012)**

Reconnaissance et essais géotechniques - Essais en place
- Partie 1: Essai de pénétration au cône électrique et au
piézocône (ISO/FDIS 22476-1:2012)

Geotechnische Erkundung und Untersuchung -
Felduntersuchungen - Teil 1: Drucksondierungen mit
elektrischen Messwertaufnehmern und Messeinrichtungen
für den Porenwasserdruck (ISO/FDIS 22476-1:2012)

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 341.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 22476-1:2013

<https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

Foreword

This document (FprEN ISO 22476-1:2012) has been prepared by Technical Committee CEN/TC 341 "Geotechnical Investigation and Testing", the secretariat of which is held by ELOT, in collaboration with Technical Committee ISO/TC 182 "Geotechnics".

This document is currently submitted to the Unique Acceptance Procedure.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

FINAL
DRAFTINTERNATIONAL
STANDARDISO/FDIS
22476-1

ISO/TC 182/SC 1

Secretariat: DIN

Voting begins on:
2012-05-31Voting terminates on:
2012-07-31

**Geotechnical investigation and testing —
Field testing —****Part 1:
Electrical cone and piezocone
penetration test**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Reconnaissance et essais géotechniques — Essais en place —**Partie 1: Essais de pénétration au cône électrique et au piézocône*SIST EN ISO 22476-1:2013

<https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

Please see the administrative notes on page iii

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 22476-1:2012(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 22476-1:2013

<https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

ISO/CEN PARALLEL PROCESSING

This final draft has been developed within the European Committee for Standardization (CEN), and processed under the **CEN-lead** mode of collaboration as defined in the Vienna Agreement. The final draft was established on the basis of comments received during a parallel enquiry on the draft.

This final draft is hereby submitted to the ISO member bodies and to the CEN member bodies for a parallel two-month approval vote in ISO and two-month formal vote in CEN.

Positive votes shall not be accompanied by comments.

Negative votes shall be accompanied by the relevant technical reasons.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

Contents

Page

Foreword.....	vi
Introduction.....	vii
1 Scope	1
2 Normative references	2
3 Terms, definitions and symbols.....	2
3.1 Terms and definitions	2
3.2 Symbols	8
4 Equipment	9
4.1 Cone penetrometer.....	9
4.2 Tolerances	10
4.3 Surface roughness	10
4.4 Cone.....	10
4.5 Friction sleeve.....	11
4.6 Filter element.....	12
4.7 Gaps and soil seals	14
4.8 Push rods	14
4.9 Measuring system.....	14
4.10 Thrust machine	15
5 Test procedures	15
5.1 Selection of cone penetrometer	15
5.2 Selection of equipment and procedures	16
5.3 Position and level of thrust machine	18
5.4 Preparation of the test.....	18
5.5 Pushing of the cone penetrometer	18
5.6 Use of friction reducer	19
5.7 Frequency of logging parameters.....	19
5.8 Registration of penetration length	19
5.9 Dissipation test	20
5.10 Test completion	20
5.11 Equipment checks and calibrations	20
5.12 Safety requirements	21
6 Test results	21
6.1 Measured parameters.....	21
6.2 Correction of parameters.....	21
6.3 Calculated parameters	22
7 Reporting	23
7.1 General.....	23
7.2 Reporting of test results	23
7.3 Presentation of test results	25
7.4 Presentation of test results and calculated parameters.....	25
Annex A (normative) Maintenance, checks and calibration	27
Annex B (normative) Calculation of penetration depth.....	31
Annex C (informative) Correction of sleeve friction for water pressure.....	32
Annex D (informative) Preparation of the piezocone.....	33
Annex E (informative) Uncertainties in cone penetrometer testing.....	34

Bibliography	35
---------------------------	-----------

Figures

Figure 1 — Cross section of an example of a cone penetrometer.....	3
Figure 2 — Locations of pore pressure filters	5
Figure 3 — Penetration length and penetration depth (schematic only).....	7
Figure 4 — Tolerance requirements for use of 1000 mm ² cone penetrometer	11
Figure 5 — Geometry and tolerances of friction sleeve	12
Figure 6 — Correction of cone resistance and sleeve friction due to the unequal end area effect	22
Figure A.1 — Pressure chamber for determination of the net area ratio, <i>a</i>	29

Tables

Table 1 — Types of cone penetration test	16
Table 2 — Application classes	17
Table A.1 — Control scheme for maintenance routines	28

SIST EN ISO 22476-1:2013

<https://standards.iteh.ai/catalog/standards/sist/65f9b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

ISO/FDIS 22476-1:2012(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22476-1 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 341, *Geotechnical investigation and testing*, in collaboration with Technical Committee ISO/TC 182, *Geotechnics*, Subcommittee SC 1, *Geotechnical investigation and testing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 22476 consists of the following parts, under the general title *Geotechnical investigation and testing — Field testing*:

- *Part 1: Electrical cone and piezocone penetration test*
- *Part 2: Dynamic probing*
- *Part 3: Standard penetration test*
- *Part 4: Ménard pressuremeter test*
- *Part 5: Flexible dilatometer test*
- *Part 7: Borehole jack test*
- *Part 9: Field vane test*
- *Part 10: Weight sounding test* [Technical Specification]
- *Part 11: Flat dilatometer test* [Technical Specification]
- *Part 12: Mechanical cone penetration test (CPTM)*

Introduction

The electrical cone penetration test (CPT) consists of pushing a cone penetrometer using a series of push rods into the soil at a constant rate of penetration. During penetration, measurements of cone resistance and sleeve friction are recorded. The piezocone penetration test (CPTU) also includes the measurement of pore pressures around the cone. The test results can be used for interpretation of stratification, classification of soil type and evaluation of engineering soil parameters. Two International Standards define cone penetration tests: ISO 22476-1 defines CPT and CPTU practice using electronic transducers; ISO 22476-12 defines CPT practice using mechanical measuring systems.

“Cone resistance” is the term used in practice and in this part of ISO 22476, although “cone penetration resistance” is a more correct description of the process.

The test results of this part of ISO 22476 are specially suited for the qualitative and/or quantitative determination of a soil profile together with direct investigations (e.g. sampling according to ISO 22475-1 [2]) or as a relative comparison of other *in situ* tests.

The results from a cone penetration test are used to evaluate:

- stratification;
- soil type;
- geotechnical parameters such as
 - soil density,
 - shear strength parameters, and
 - deformation and consolidation characteristics.