



Designation: D 4077 – 04

Standard Specification for Cumene (Isopropylbenzene)¹

This standard is issued under the fixed designation D 4077; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reappraisal. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reappraisal.

1. Scope*

1.1 This specification covers cumene (isopropylbenzene).

1.2 The following applies to all specified limits in this specification: for purposes of determining conformance with this specification, an observed value or a calculated value shall be rounded off “to the nearest unit” in the last right-hand digit used in expressing the specification limit, in accordance with the rounding-off method of Practice E 29.

1.3 Consult current **OSHA Regulations** and Supplier’s Material Safety Data Sheets, and local regulations for all materials used in this specification.

2. Referenced Documents

2.1 *ASTM Standards:*²

D 1209 Test Method for Color of Clear Liquids (Platinum-Cobalt Scale)

D 1492 Test Method for Bromine Index of Aromatic Hydrocarbons by Coulometric Titration

D 2710 Test Method for Bromine Index Petroleum Hydrocarbons by Electrometric Titration

D 3160 Test Method for Phenol Content of Cumene (Isopropylbenzene) or AMS (α -Methylstyrene)

D 3437 Practice for Sampling and Handling Liquid Cyclic Products

D 3760 Test Method for Analysis of Isopropylbenzene (Cumene) by Gas Chromatography

D 3961 Test Method for Trace Quantities of Sulfur in Liquid Aromatic Hydrocarbons by Oxidative Microcoulometry

D 4045 Test Method for Sulfur in Petroleum Products by Hydrogenolysis and Rateometric Colorimetry

D 5386 Test Method for Color of Liquids Using Tristimulus Colorimetry

D 7057 Test Method for Analysis of Isopropylbenzene

(Cumene) by Gas Chromatography (External Standard)
E 29 Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications
E 298 Test Methods for Assay of Organic Peroxides
E 299 Test Method for Trace Amounts of Peroxides in Organic Solvents
2.2 *Other Documents:*
OSHA Regulations, 29 CFR, paragraphs 1910.1000 and 1910.1200³

3. Properties

3.1 Cumene (isopropylbenzene) shall conform to the following requirements:

Property	Specifications	ASTM Test Method ⁴
Purity, weight %, min	99.92	D 3760 or D 7057
Alpha-Methylstyrene, weight %, max	0.01	D 3760 or D 7057
Benzene, weight %, max	0.001	D 3760 or D 7057
Butylbenzenes, weight %, max	0.02	D 3760 or D 7057
Diisopropylbenzenes, weight %, max	0.002	D 3760 or D 7057
Ethylbenzene, weight %, max	0.01	D 3760 or D 7057
Phenols, mg/kg, max	5	D 3160 , D 3760 or D 7057
<i>n</i> -Propylbenzene, weight %, max	0.03	D 3760 or D 7057
Sulfur, mg/kg, max	1	D 3961 or D 4045
Bromine index, max	100	D 1492 or D 2710
Appearance	^B	visual
Color, Pt/Co, max	15	D 1209 or D 5386
Cumene hydroperoxide, at loading, mg/kg, max	100	E 298 or E 299

⁴ If more than one method is listed for a property, the producer and the user should agree on the referee test method.

^B Clear liquid, free of sediment and haze from 18.3 to 25.6°C (65 to 78°F).

4. Sampling

4.1 Sampling the material in accordance with Practice **D 3437**.

4.2 If cumene has been exposed to air, cumene hydroperoxide may be in the sample. Suitable precautions should be exercised for handling cumene that may contain cumene hydroperoxide.

5. Keywords

5.1 cumene (isopropylbenzene);2-phenylpropane

³ Available from Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.

¹ This specification is under the jurisdiction of ASTM Committee D16 on Aromatic Hydrocarbons and Related Chemicals and is the direct responsibility of Subcommittee D16.07 on Styrene, Ethylbenzene, and C₉ and C₁₀ Aromatic Hydrocarbons.

Current edition approved Dec. 1, 2004. Published December 2004. Originally approved in 1981. Last previous edition approved in 2000 as D 4077 – 00.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard’s Document Summary page on the ASTM website.

*A Summary of Changes section appears at the end of this standard.