

SLOVENSKI STANDARD SIST EN 12221-2:2008/kFprA1:2013

01-maj-2013

Izdelki za otroke - Previjalne mize za domačo uporabo - 2. del: Preskusne metode - Dopolnilo A1

Child use and care articles - Changing units for domestic use - Part 2: Test methods

Artikel für Säuglinge und Kleinkinder - Wickeleinrichtungen für den Hausgebrauch - Teil 2: Prüfverfahren

Articles de puériculture - Dispositifs à langer à usage domestique - Partie 2: Méthodes d'essai

Ta slovenski standard je istoveten z: EN 12221-2:2008/FprA1

ICS:

97.190 Otroška oprema Equipment for children

SIST EN 12221-2:2008/kFprA1:2013 en,fr,de

SIST EN 12221-2:2008/kFprA1:2013

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM FINAL DRAFT EN 12221-2:2008

FprA1

March 2013

ICS 97.190

English Version

Child use and care articles - Changing units for domestic use Part 2: Test methods

Articles de puériculture - Dispositifs à langer à usage domestique - Partie 2: Méthodes d'essai

Artikel für Säuglinge und Kleinkinder - Wickeleinrichtungen für den Hausgebrauch - Teil 2: Prüfverfahren

This draft amendment is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 252.

This draft amendment A1, if approved, will modify the European Standard EN 12221-2:2008. If this draft becomes an amendment, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration.

This draft amendment was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 12221-2:2008/FprA1:2013 (E)

Co	ontents	Page
Fore	reword	3
1	Modification to the title	4
2	Modification to 4.11, Test beam	4

EN 12221-2:2008/FprA1:2013 (E)

Foreword

This document (EN 12221-2:2008/FprA1:2013) has been prepared by Technical Committee CEN/TC 252 "Child use and care articles", the secretariat of which is held by AFNOR.

This document is currently submitted to the Unique Acceptance Procedure.

EN 12221-2:2008/FprA1:2013 (E)

1 Modification to the title

Add "Child use and care articles" to the title to read:

"Child use and care articles — Changing units for domestic use — Part 2: Test methods".

2 Modification to 4.11, Test beam

Replace the text with the following:

"Test beam with a width of 80 mm, a length of 1 100 mm and a mass of 1,75 kg \pm 0,01 kg. The test beam shall have holes with a diameter of 8 (+ 0,2/0) mm, drilled through its 80 mm wide face and symmetrically placed about its centre point.

There shall be pairs of holes with distances between the centre points of the two holes equal to: 372 mm, 542 mm, 642 mm, 742 mm. An additional hole is required at the centre point of the test beam.

NOTE The distances between the centre points of the pair of holes are equal to the minimum length and width specified in EN 12221-1:2008, 4.1, minus 8 mm, in such a way that the distance between the furthest points of two holes is equal to the minimum length and width specified in EN 12221-1:2008, 4.1."