



SLOVENSKI STANDARD
SIST EN ISO 3679:2004
01-september-2004

8 c`c Ub^d`Ua Yb]ý U!`<]fUfUj bchYybUa YrcXUj `nUdfh]`dcgcX]`fIGC`" *+- .&\$\$ (Ł

Determination of flash point - Rapid equilibrium closed cup method (ISO 3679:2004)

Bestimmung des Flammpunktes - Schnelles Gleichgewichtsverfahren mit geschlossenem Tiegel (ISO 3679:2004)

Détermination du point d'éclair - Méthode rapide a l'équilibre en vase clos (ISO 3679:2004)

STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **EN ISO 3679:2004**
<https://standards.iteh.ai/catalog/standards/sist/61cd8705-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

ICS:

75.080 Naftni proizvodi na splošno Petroleum products in general

SIST EN ISO 3679:2004 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 3679:2004

<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 3679

April 2004

ICS 75.080; 87.040

English version

Determination of flash point - Rapid equilibrium closed cup
method (ISO 3679:2004)

Détermination du point d'éclair - Méthode rapide à
l'équilibre en vase clos (ISO 3679:2004)

Bestimmung des Flammpunktes - Schnelles
Gleichgewichtsverfahren mit geschlossenem Tiegel (ISO
3679:2004)

This European Standard was approved by CEN on 1 March 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 3679:2004](https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004)

<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 3679:2004 (E)**Foreword**

This document (EN ISO 3679:2004) has been prepared by Technical Committee ISO/TC 28 "Petroleum products and lubricants" in collaboration with Technical Committee CEN/TC 19 "Petroleum products, lubricants and related products", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2004, and conflicting national standards shall be withdrawn at the latest by October 2004.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 3679:2004 has been approved by CEN as EN ISO 3679:2004 without any modifications.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 3679:2004](https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004)

<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

INTERNATIONAL
STANDARD

ISO
3679

Third edition
2004-04-01

**Determination of flash point — Rapid
equilibrium closed cup method**

*Détermination du point d'éclair — Méthode rapide à l'équilibre en vase
clos*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 3679:2004](https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004)

[https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-
1e5854c7f856/sist-en-iso-3679-2004](https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004)



Reference number
ISO 3679:2004(E)

© ISO 2004

ISO 3679:2004(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 3679:2004](https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004)

<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents and materials	2
6 Apparatus	2
7 Apparatus preparation	3
8 Sampling	4
9 Sample handling	4
10 Procedure	4
11 Calculation	6
12 Expression of results	6
13 Precision	6
14 Test report	7
Annex A (normative) Flash point test apparatus	8
Annex B (normative) Thermometer specifications	13
Annex C (informative) Verification of apparatus	14
Annex D (informative) Use of a cup insert	17
Bibliography	18

ISO 3679:2004(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3679 was prepared jointly by Technical Committees ISO/TC 28, *Petroleum products and lubricants* and ISO/TC 35, *Paints and varnishes*.

This third edition cancels and replaces the second edition (ISO 3679:1983), which has been technically revised.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 3679:2004
<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

Introduction

This International Standard describes one of two closed cup equilibrium methods for the determination of the flash point of paints, varnishes, paint binders, solvents, adhesives, petroleum and related products. When selecting a method, it should therefore be read in conjunction with the second method, ISO 1523 [4]. When used in conjunction with the flash detector (A.1.6), this International Standard is also suitable for the determination of the flash point of fatty acid methyl esters (FAME).

In both ISO 3679 and ISO 1523, the test is only carried out when the material under test and the air/vapour mixture above the material in the test cup are approximately in temperature equilibrium.

The apparatus specified in this International Standard enables a similar test result to be determined using a more rapid procedure and a smaller test portion (2 ml or 4 ml) than that required in ISO 1523. In addition, the apparatus can be made portable to the extent of being suitable for on-site testing in addition to its more normal use in laboratories.

Collaborative work (see [6] in the Bibliography) has shown that results obtained by these procedures are comparable. The interpretation of flash point results obtained on solvent mixtures containing halogenated hydrocarbons should be considered with caution, as these mixtures can give anomalous results (see [7] in the Bibliography).

Flash point values are not a constant physical-chemical property of materials tested. They are a function of the apparatus design, the condition of the apparatus used, and the operational procedure carried out. Flash point can therefore only be defined in terms of a standard test method, and no general valid correlation can be guaranteed between results obtained by different test methods or with test apparatus different from that specified.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
SIST EN ISO 3679:2004
<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 3679:2004](#)

<https://standards.iteh.ai/catalog/standards/sist/61cd8703-5574-421f-bdc0-1e5854c7f856/sist-en-iso-3679-2004>

Determination of flash point — Rapid equilibrium closed cup method

WARNING — The use of this International Standard may involve hazardous materials, operations and equipment. This International Standard does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this International Standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This International Standard specifies a method for the determination of the closed cup flash point of paints (including water-borne paints), varnishes, paint binders, adhesives, solvents, petroleum, and related products having closed cup flash points within the range of $-30\text{ }^{\circ}\text{C}$ to $300\text{ }^{\circ}\text{C}$. When used in conjunction with the flash detector (A.1.6), this International Standard is also suitable for the determination of the flash point of fatty acid methyl esters (FAME).

iTeh STANDARD PREVIEW

2 Normative references (standards.iteh.ai)

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1513:1992, *Paints and varnishes — Examination and preparation of samples for testing*

ISO 3170:2004, *Petroleum liquids — Manual sampling*

ISO 3171:1988, *Petroleum liquids — Automatic pipeline sampling*

ISO 15528:2000, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

flash point

lowest temperature of the test portion (as measured in the prescribed manner), corrected to a barometric pressure of 101,3 kPa, at which application of a test flame causes the vapour of the test portion to ignite momentarily and the flame to propagate across the surface of the liquid under the specified conditions of test