

ETSI TS 123 379 V15.5.0 (2018-10)



LTE;
Functional architecture and information flows to support
Mission Critical Push To Talk (MCPTT);
Stage 2
(3GPP TS 23.379 version 15.5.0 Release 15)



Reference

RTS/TSGS-0623379vf50

Keywords

LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope	11
2 References	11
3 Definitions, symbols and abbreviations	12
3.1 Definitions	12
3.2 Symbols.....	13
3.3 Abbreviations	13
4 Introduction	15
5 Architectural requirements	15
5.1 Media routing requirements	15
5.2 Requirements for user identity management	15
5.3 MCPTT group affiliation and MCPTT group de-affiliation.....	15
5.4 MCPTT call requirements	16
5.4.1 General.....	16
5.4.2 Group call requirements.....	16
5.5 GCS AS requirements for the MCPTT service	16
5.6 Group selection	16
5.7 Bearer management	16
5.7.1 General.....	16
5.7.2 EPS bearer considerations	16
5.7.2.1 Void.....	16
5.7.2.2 Void.....	16
5.7.3 EPS unicast bearer considerations for MCPTT	16
5.7.4 MBMS bearer management	17
5.8 MCPTT system interconnect requirements	17
6 Involved business relationships.....	17
7 Functional model	17
7.1 General	17
7.2 Description of the planes	17
7.3 Functional model description	17
7.3.1 On-network functional model	17
7.3.2 Off-network functional model	19
7.4 Functional entities description.....	20
7.4.1 General.....	20
7.4.2 Application plane of MCPTT service	20
7.4.2.1 General	20
7.4.2.2 Common services core	20
7.4.2.3 MCPTT application service	20
7.4.2.3.1 MCPTT client.....	20
7.4.2.3.2 MCPTT server.....	20
7.4.2.3.3 Floor participant	22
7.4.2.3.4 Floor control server	22
7.4.2.3.5 Media distribution function	22
7.4.2.3.6 Media mixer	22
7.4.2.3.7 MCPTT user database	22
7.4.2.3.8 MC gateway server.....	22
7.4.3 Signalling control plane	23
7.5 Reference points	23
7.5.1 General reference point principle.....	23

7.5.2	Application plane of MCPTT service	23
7.5.2.1	General	23
7.5.2.2	Reference point MCPTT-1 (between the MCPTT client and the MCPTT server).....	23
7.5.2.3	Reference point MCPTT-2 (between the MCPTT server and the MCPTT user database).....	23
7.5.2.4	Reference point MCPTT-3 (between the MCPTT server and the MCPTT server and between the MCPTT server and the MC gateway server).....	24
7.5.2.5	Reference point MCPTT-4 (unicast between the floor control server and the floor participant)	24
7.5.2.6	Reference point MCPTT-5 (between the media distribution function and the EPS)	24
7.5.2.7	Reference point MCPTT-6 (between the MCPTT server and the EPS).....	24
7.5.2.8	Reference point MCPTT-7 (unicast between the media distribution function and the media mixer)	24
7.5.2.9	Reference point MCPTT-8 (multicast between the media distribution function and the media mixer).....	24
7.5.2.10	Reference point MCPTT-9 (multicast between the floor control server and the floor participant).....	24
7.5.2.11	Reference point IWF-1 (between the MCPTT server and the interworking function to legacy systems).....	25
7.5.2.12	Reference points of common services core used in the MCPTT service	25
7.5.2.13	Reference point MCPTT-10 (between the MC gateway server and the MC gateway server in a different MCPTT system)	25
8	Identities	25
9	Application of functional model to deployments	25
10	Procedures and information flows.....	25
10.1	MCPTT service configuration.....	25
10.2	User authentication and authorization for MCPTT service	25
10.3	Affiliation and de-affiliation to/from MCPTT group(s).....	26
10.3a	Activation and de-activation of/from functional alias(es).....	26
10.4	MCPTT group selection	27
10.4.1	General.....	27
10.4.2	Information flows for group selection	27
10.4.2.1	Group selection change request.....	27
10.4.2.2	Group selection change response	27
10.4.2.3	Group selection change notification.....	27
10.4.3	Authorized user remotely changes another MCPTT user's selected MCPTT group – mandatory mode....	27
10.5	Pre-established session (on-network)	28
10.5.1	General.....	28
10.5.2	Information flows for pre-established session	29
10.5.2.1	Pre-established session establishment	29
10.5.2.2	Pre-established session modification	29
10.5.2.3	Pre-established session release - client initiated.....	30
10.5.2.4	Pre-established session release - server initiated.....	30
10.5.2.5	Pre-established session call connect request	30
10.5.2.6	Pre-established session call disconnect request.....	31
10.5.3	Procedures.....	31
10.5.3.1	General	31
10.5.3.2	Call connect and disconnect procedures using pre-established session	31
10.5.3.2.1	Call connect over unicast.....	31
10.5.3.2.2	Call disconnect over unicast	32
10.6	Group call.....	33
10.6.1	General.....	33
10.6.2	On-network group call	33
10.6.2.1	General	33
10.6.2.2	Information flows for group call in on-network.....	33
10.6.2.2.1	MCPTT emergency group call request.....	33
10.6.2.2.1a	MCPTT emergency group call response	33
10.6.2.2.2	MCPTT in-progress emergency group state cancel request	33
10.6.2.2.2a	MCPTT in-progress emergency group state cancel response.....	34
10.6.2.2.3	MCPTT emergency alert request.....	34
10.6.2.2.3a	MCPTT emergency alert response	35
10.6.2.2.3b	MCPTT emergency alert area trigger	35
10.6.2.2.4	MCPTT emergency alert cancel request.....	35

10.6.2.2.4a	MCPTT emergency alert cancel response	36
10.6.2.2.5	MCPTT imminent peril group call request.....	36
10.6.2.2.5a	MCPTT imminent peril group call response	36
10.6.2.2.6	MCPTT in-progress imminent peril group state cancel request	37
10.6.2.2.6a	MCPTT in-progress imminent peril group state cancel response.....	37
10.6.2.2.7	Group call request (MCPTT client – MCPTT server)	37
10.6.2.2.8	Group call request (MCPTT server – MCPTT server)	38
10.6.2.2.9	Group call request (MCPTT server – MCPTT client)	38
10.6.2.2.10	Group call response (MCPTT server – MCPTT client).....	39
10.6.2.2.11	Group call response (MCPTT server – MCPTT server).....	39
10.6.2.2.12	Group call response (MCPTT client – MCPTT server).....	39
10.6.2.2.13	Group call notify (MCPTT server – MCPTT client)	40
10.6.2.2.14	Group call release request (MCPTT server – MCPTT client)	40
10.6.2.2.14a	Group call release request (MCPTT client – MCPTT server)	40
10.6.2.2.15	Group call release request (MCPTT server – MCPTT server)	41
10.6.2.2.16	Group call release response (MCPTT client – MCPTT server).....	41
10.6.2.2.17	Group call release response (MCPTT server – MCPTT server).....	41
10.6.2.2.18	Group call rejoin request (MCPTT client – MCPTT server).....	41
10.6.2.2.19	Group call rejoin response (MCPTT server – MCPTT client)	42
10.6.2.2.20	Group join request (MCPTT client – MCPTT server).....	42
10.6.2.2.21	Group join response (MCPTT server – MCPTT client)	43
10.6.2.2.22	Group call leave request (MCPTT server – MCPTT client).....	43
10.6.2.2.23	Group call leave response (MCPTT client – MCPTT server)	43
10.6.2.2.24	Group interrogate request (MCPTT server – MCPTT server)	43
10.6.2.2.25	Group interrogate response (MCPTT server – MCPTT server)	44
10.6.2.2.26	Group-broadcast group call request (MCPTT client – MCPTT server)	44
10.6.2.2.27	Group-broadcast group call request (MCPTT server – MCPTT client)	44
10.6.2.2.28	Group-broadcast group call response (MCPTT client – MCPTT server).....	45
10.6.2.2.29	Group-broadcast group call response (MCPTT server – MCPTT client).....	45
10.6.2.2.30	Group-broadcast group call release request (MCPTT client – MCPTT server)	45
10.6.2.2.31	Group-broadcast group call release request (MCPTT server – MCPTT client)	46
10.6.2.2.32	Group-broadcast group call release response (MCPTT server – MCPTT client).....	46
10.6.2.2.33	Group-broadcast group call release response (MCPTT client – MCPTT server).....	46
10.6.2.3	Group call within one MCPTT system.....	47
10.6.2.3.1	Group call models.....	47
10.6.2.3.1.1	Pre-arranged group call	47
10.6.2.3.1.2	Chat group call.....	51
10.6.2.3.2	Exiting group call due to de-affiliation.....	56
10.6.2.4	Group call involving groups from multiple MCPTT systems	57
10.6.2.4.1	Group call for temporary groups across multiple MCPTT systems	57
10.6.2.4.1.1	Group call setup	57
10.6.2.4.1.2	Group call release	59
10.6.2.4.2	Group call for temporary group formed by group regroup procedure involving multiple MCPTT systems via trusted mode.....	60
10.6.2.4.3	Group call for an MCPTT group defined in the partner MCPTT system.....	62
10.6.2.4.3.1	Group call setup procedure – initiating side	62
10.6.2.4.3.2	Group call setup – terminating side	63
10.6.2.4.4	Merging of groups involving multiple MCPTT systems	64
10.6.2.5	Broadcast group call.....	65
10.6.2.5.1	General	65
10.6.2.5.2	Common broadcast group call procedure	65
10.6.2.5.2.1	Group-broadcast group call procedure.....	66
10.6.2.5.2.2	Group-broadcast group call procedure when a subordinate group has an on-going MCPTT emergency group call	68
10.6.2.5.2.3	Group-broadcast group call release procedure.....	69
10.6.2.5.2.4	Server-initiated broadcast group call release procedure.....	70
10.6.2.5.3	Temporary group – broadcast group call procedure.....	71
10.6.2.6	Emergency and imminent peril procedures.....	72
10.6.2.6.1	MCPTT emergency group call	72
10.6.2.6.1.1	MCPTT emergency group call commencement.....	72
10.6.2.6.1.2	MCPTT group call upgraded to an MCPTT emergency group call.....	74
10.6.2.6.1.3	MCPTT in-progress emergency group state cancel	76

10.6.2.6.2	MCPTT imminent peril group call	78
10.6.2.6.2.1	MCPTT imminent peril group call commencement	78
10.6.2.6.2.2	Imminent peril group call upgrade	80
10.6.2.6.2.3	MCPTT in-progress imminent peril group state cancel	81
10.6.2.6.3	MCPTT emergency alert	82
10.6.2.6.3.1	MCPTT emergency alert initiation	83
10.6.2.6.3.2	MCPTT emergency alert cancel	85
10.6.2.6.3.3	Entering MCPTT emergency alert area	86
10.6.2.7	Location of current talker	87
10.6.2.8	Void	88
10.6.2.8.1	Void	88
10.6.2.8.2	Void	88
10.6.2.8.3	Void	88
10.6.3	Off-network group call	89
10.6.3.1	General	89
10.6.3.2	Information flows for group call in off-network	89
10.6.3.2.1	Group call announcement	89
10.6.3.2.2	MCPTT upgrade to emergency call	89
10.6.3.2.3	MCPTT emergency group state cancel	90
10.6.3.2.4	Response	90
10.6.3.2.5	MCPTT emergency alert announcement	90
10.6.3.2.6	MCPTT emergency alert cancel announcement	90
10.6.3.2.7	MCPTT upgrade to imminent peril call	91
10.6.3.2.8	MCPTT imminent peril group call cancel	91
10.6.3.3	Group call setup	91
10.6.3.4	Passive join to group call	92
10.6.3.5	Join to ongoing group call when new entry member initiates the call with on-going group call id	93
10.6.3.6	Immediate group call announcement to join an ongoing group call	94
10.6.3.7	Group call release due to inactivity	95
10.6.3.8	Broadcast group call	95
10.6.3.9	Emergency and imminent peril procedures	96
10.6.3.9.1	Emergency group call	96
10.6.3.9.2	MCPTT imminent peril	97
10.6.3.9.3	MCPTT emergency alert	97
10.6.3.9.3.1	MCPTT emergency alert initiation	97
10.6.3.9.3.2	MCPTT emergency alert cancel	99
10.7	Private call	99
10.7.1	General	99
10.7.2	Private call in on-network	100
10.7.2.1	Information flows for private call in on-network	100
10.7.2.1.1	MCPTT private call request (MCPTT client to MCPTT server)	100
10.7.2.1.2	MCPTT private call request (MCPTT server to MCPTT server)	100
10.7.2.1.2a	MCPTT private call request (MCPTT server to MCPTT client)	100
10.7.2.1.3	MCPTT private call response (MCPTT client to MCPTT server)	101
10.7.2.1.4	MCPTT private call response	101
10.7.2.1.4a	MCPTT private call end request	101
10.7.2.1.4b	MCPTT private call end response	102
10.7.2.1.5	MCPTT emergency private call request (MCPTT client to MCPTT server)	102
10.7.2.1.5a	MCPTT emergency private call request (MCPTT server to MCPTT client)	102
10.7.2.1.6	MCPTT progress indication	103
10.7.2.1.7	MCPTT ringing	103
10.7.2.2	Private call within one MCPTT system	103
10.7.2.2.1	Private call setup in automatic commencement mode	103
10.7.2.2.2	Private call setup in manual commencement mode	105
10.7.2.2.2.1	Description	105
10.7.2.2.2.2	Procedure	105
10.7.2.2.3	Private call release	107
10.7.2.2.3.1	Client initiated	107
10.7.2.2.3.2	Server initiated	108
10.7.2.3	Private call within several MCPTT systems	109
10.7.2.3.1	Private call setup in automatic commencement mode – MCPTT users in multiple MCPTT systems	109

10.7.2.3.2	Private call setup in manual commencement mode – MCPTT users in multiple MCPTT systems	111
10.7.2.3.3	Private call release – MCPTT users in multiple MCPTT systems	113
10.7.2.4	MCPTT emergency private call	113
10.7.2.4.1	MCPTT emergency private call commencement	113
10.7.2.4.2	MCPTT private call emergency upgrade	115
10.7.3	Private call in off-network	116
10.7.3.1	Information flows for private call in off-network	116
10.7.3.1.1	Call setup request	116
10.7.3.1.2	Call setup response	116
10.7.3.1.3	Call release request	116
10.7.3.1.4	Call release response	116
10.7.3.2	Use of ProSe capability for private call	116
10.7.3.3	Private call setup in automatic commencement mode	117
10.7.3.4	Private call setup in manual commencement mode	118
10.7.3.5	Private call release	119
10.7.3.6	MCPTT emergency private call	120
10.7.4	MCPTT private call call-back request	120
10.7.4.1	Information flows for MCPTT private call call-back request	120
10.7.4.1.1	MCPTT private call call-back request	120
10.7.4.1.2	MCPTT private call call-back response	120
10.7.4.1.3	MCPTT private call call-back cancel request	120
10.7.4.1.4	MCPTT private call call-back cancel response	121
10.7.4.2	MCPTT private call call-back request within one MCPTT system	121
10.7.4.3	MCPTT private call call-back cancel request within one MCPTT system	122
10.7.4.4	MCPTT private call call-back request fulfilment within one MCPTT system	123
10.8	Simultaneous session for MCPTT calls (on-network)	124
10.8.1	General	124
10.9	Floor control	124
10.9.1	Floor control for on-network MCPTT service	124
10.9.1.1	General	124
10.9.1.2	Information flows for floor control for on-network	124
10.9.1.2.1	General	124
10.9.1.2.2	Floor request	125
10.9.1.2.3	Floor granted	125
10.9.1.2.4	Floor rejected	125
10.9.1.2.5	Floor request cancel	126
10.9.1.2.6	Floor request cancel response	126
10.9.1.2.7	Floor request cancel notify	126
10.9.1.2.8	Floor idle	126
10.9.1.2.9	Floor release	127
10.9.1.2.9a	Multi-talker floor release	127
10.9.1.2.10	Floor taken	127
10.9.1.2.10a	Multi-talker floor taken	128
10.9.1.2.11	Floor revoked	128
10.9.1.2.12	Floor acknowledgement	128
10.9.1.2.13	Queue position request	128
10.9.1.2.14	Queue position info	129
10.9.1.2.15	Unicast media stop request	129
10.9.1.2.16	Unicast media resume request	129
10.9.1.3	Floor control within one MCPTT system	130
10.9.1.3.1	Floor request, floor granted and floor taken during an MCPTT session	130
10.9.1.3.1a	Floor request, floor granted and multi-talker floor taken during an MCPTT session enhanced with multi-talker control	131
10.9.1.3.2	Floor override	133
10.9.1.3.2.1	Floor override using floor revoked (also floor rejected) during an MCPTT session	133
10.9.1.3.2.2	Floor override without using floor revoked during an MCPTT session	134
10.9.1.3.2.3	Floor override using floor revoked (also floor rejected) during an MCPTT session enhanced with multi-talker control	135
10.9.1.3.2.4	Floor release during an MCPTT session enhanced with multi-talker control	137
10.9.1.3.3	Queue position during an MCPTT session	138
10.9.1.3.4	Floor request cancellation from the floor request queue	139

10.9.1.3.4.1	Floor request cancellation from the queue – MCPTT user initiated	139
10.9.1.3.4.2	Floor request cancellation from the queue - floor control server initiated	140
10.9.1.4	Floor control involving groups from multiple MCPTT systems	141
10.9.1.4.1	Partner MCPTT system routes all floor control messages to primary MCPTT system's floor control server	141
10.9.1.4.2	Partner MCPTT system performs filtering of floor control messages entering and leaving the partner MCPTT system	143
10.9.1.5	Floor control for audio cut-in enabled group	146
10.9.1.6	Unicast media stop and resume requests	147
10.9.2	Floor control for off-network MCPTT service	149
10.9.2.1	General	149
10.9.2.2	Information flows for floor control for off-network	150
10.9.2.2.1	General	150
10.9.2.2.2	Floor granted	150
10.9.2.3	Floor control during silence	150
10.9.2.3.1	Successful floor taken (No floor contention)	150
10.9.2.4	Simultaneous floor requests	151
10.9.2.5	Floor request during speaking with queue	152
10.9.2.6	Floor request during speaking without queue	153
10.9.2.7	Override	154
10.9.2.8	Floor queue status	155
10.10	Use of MBMS transmission (on-network)	156
10.10.1	Information flows for MBMS Transmission	156
10.10.1.1	MapGroupToBearer	156
10.10.1.2	UnmapGroupFromBearer	157
10.10.1.3	Application group paging	157
10.10.2	Use of pre-established MBMS bearers	157
10.10.3	Use of dynamic MBMS bearer establishment	157
10.10.4	Call connect and disconnect over MBMS	157
10.10.4.1	General	157
10.10.4.2	Procedure	158
10.10.4.2.1	Call connect over MBMS	158
10.10.4.2.2	Call disconnect over MBMS	159
10.10.5	Switching from MBMS bearer to unicast bearer	159
10.10.6	Enhanced MCPTT group call setup procedure with MBMS bearer	160
10.10.6.1	Description	160
10.10.6.2	Procedure	160
10.11	MCPTT resource management (on-network)	161
10.11.1	General	161
10.11.2	Request for unicast resources at session establishment	161
10.11.3	Request for modification of unicast resources	161
10.11.4	Management of multicast media bearers	162
10.11.5	Request for resources with shared priority	162
10.11.5.1	General	162
10.11.5.2	Procedure	162
10.12	MCPTT media plane transmissions with partner MCPTT systems (on-network)	162
10.13	Location information (on-network)	163
10.14	Ambient listening call	164
10.14.1	General	164
10.14.2	Information flows for ambient listening call	164
10.14.2.1	Ambient listening call request	164
10.14.2.2	Ambient listening call response	164
10.14.2.3	Ambient listening call release request	165
10.14.2.4	Ambient listening call release response	165
10.14.2.5	Ambient listening call release notification	165
10.14.3	Ambient listening call procedures	166
10.14.3.1	Remotely initiated ambient listening call setup	166
10.14.3.2	Locally initiated ambient listening call setup	167
10.14.3.3	Ambient listening call release – server initiated	168
10.14.3.4	Remotely initiated ambient listening call release – "listening" user initiated	169
10.14.3.5	Ambient listening call release – "listened to" user initiated	169
10.15	First-to-answer call setup	170

10.15.1	Description.....	170
10.15.2	Information flows for first-to-answer call.....	170
10.15.3	Procedure.....	170
10.16	Remotely initiated MCPTT call	172
10.16.1	General.....	172
10.16.2	Information flows for remotely initiated MCPTT call	172
10.16.2.1	Remotely initiated MCPTT call request	172
10.16.2.2	Remotely initiated MCPTT call response.....	173
10.16.3	Procedure.....	173
10.16.3.1	Remotely initiated MCPTT call request.....	173
10.17	Support for multiple devices	175
10.17.1	General.....	175
Annex A (normative): MCPTT related configuration data		176
A.1	General	176
A.2	MCPTT UE configuration data	176
A.3	MCPTT user profile configuration data	177
A.4	MCPTT related group configuration data	184
A.5	MCPTT service configuration data	188
Annex B (informative): Local UE settings for MCPTT		192
B.1	Local UE settings for MCPTT	192
Annex C (informative): Change history		193
History		197

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard
<https://standards.iteh.ai/catalog/standards/sist/20cddca3-c1ea-48e9-bd9e-8e37e20917bc/etsi-ts-123-379-v15.5.0-2018-10>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

ETSI STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/20cddea3-cfca-48e9-bd9e-8e37e20917bc/etsi-ts-123-379-v15.5.0-2018-10>

1 Scope

This document specifies the functional architecture, procedures and information flows needed to support the mission critical push to talk (MCPTT) service. The MCPTT service utilizes the common functional architecture to support MC services over LTE including the common services core defined in 3GPP TS 23.280 [16]. Support for both MCPTT group calls and MCPTT private calls operating in on-network and off-network modes of operation is specified.

The corresponding service requirements are defined in 3GPP TS 22.179 [2] and 3GPP TS 22.280 [17].

The present document is applicable primarily to MCPTT voice service using E-UTRAN access based on the EPC architecture defined in 3GPP TS 23.401 [8]. Certain application functions of the MCPTT service such as dispatch and administrative functions could also be supported via non-3GPP access networks but no additional functionality is specified to support non-3GPP access.

The MCPTT service requires preferential handling compared to normal telecommunication services e.g. in support of police or fire brigade including the handling of prioritised MCPTT calls for emergency and imminent threats.

The MCPTT service can be used for public safety applications and also for general commercial applications e.g. utility companies and railways.

In the present document, MCPTT calls between MCPTT users on different MCPTT systems are considered.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.179: "Mission Critical Push to Talk (MCPTT)"; Stage 1.
- [3] 3GPP TS 23.002: "Network Architecture".
- [4] 3GPP TS 23.203: "Policy and charging control architecture".
- [5] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [6] 3GPP TS 23.237: "IP Multimedia Subsystem (IMS) Service Continuity; Stage 2".
- [7] 3GPP TS 23.303: "Proximity-based services (ProSe); Stage 2".
- [8] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [9] 3GPP TS 23.468: "Group Communication System Enablers for LTE (GCSE_LTE); Stage 2".
- [10] 3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE); MB2 Reference Point; Stage 3".
- [11] Void
- [12] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".

- [13] IETF RFC 5245 (April 2010): "Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal for Offer/Answer Protocols".
- [14] void
- [15] void
- [16] 3GPP TS 23.280: "Common functional architecture to support mission critical services".
- [17] 3GPP TS 22.280: "Mission Critical Common Requirements (MCCoRe); Stage 1".
- [18] 3GPP TS 29.283: "Diameter data management applications".
- [19] 3GPP TS 33.180: "Security of the mission critical service".
- [20] 3GPP TS 23.283: "Mission Critical Communication Interworking with Land Mobile Radio Systems; Stage 2".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

Automatic commencement mode: A mode in which the initiation of the private call does not require any action on the part of the receiving MCPTT user.

First-to-answer call: A call that is started when the first MCPTT user among multiple potential target recipients' answers. This call requires the answering MCPTT user to answer manually; automatic answer is not allowed

Group call: A mechanism by which an MCPTT user can make a one-to-many MCPTT transmission to other users that are members of MCPTT group(s).

Group home MCPTT system: The MCPTT system where the MCPTT group is defined.

Group host MCPTT server: The MCPTT server within an MCPTT system that provides centralised support for MCPTT services of an MCPTT group defined in a group home MCPTT system.

Manual commencement mode: A mode in which the initiation of the private call requires the receiving MCPTT user to perform some action to accept or reject the call setup.

MCPTT client: An instance of an MC service client that provides the client application function for the MCPTT service.

MCPTT group: An MC service group configured for MCPTT service.

MCPTT group affiliation: An MC service group affiliation for MCPTT.

MCPTT group de-affiliation: An MC service group de-affiliation for MCPTT.

MCPTT ID: An instance of an MC service ID within the MCPTT service.

MCPTT server: An instance of an MC service server that provides the server application function for the MCPTT service.

On-network MCPTT service: The collection of functions and capabilities required to provide MCPTT via EPS bearers using E-UTRAN to provide the last hop radio bearers.

Pre-selected MCPTT user profile: An instance of the pre-selected MC service user profile for MCPTT.

UE-to-network relay MCPTT service: The collection of functions and capabilities required to provide MCPTT via a ProSe UE-to-network relay using ProSe direct communication paths to provide the last hop radio bearer(s).