



# SLOVENSKI STANDARD

## kSIST FprEN 878:2015

01-september-2015

---

### **Kemikalije, ki se uporabljajo za pripravo pitne vode - Aluminijev sulfat**

Chemicals used for treatment of water intended for human consumption - Aluminium sulfate

Produkte zur Aufbereitung von Wasser für den menschlichen Gebrauch - Aluminiumsulfat

Produits chimiques utilisés pour le traitement de l'eau destinée à la consommation humaine - Sulfate d'aluminium

<https://standards.iteh.ai/catalog/standards/sist/a3e5b8f9-e66e-4ee1-bacf-e36e302f0b7c/sist-en-878-2015>

**Ta slovenski standard je istoveten z: FprEN 878**

---

#### **ICS:**

13.060.20	Pitna voda	Drinking water
71.100.80	Kemikalije za čiščenje vode	Chemicals for purification of water

**kSIST FprEN 878:2015**

**en,fr,de**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**FINAL DRAFT**  
**FprEN 878**

July 2015

ICS 71.100.80

Will supersede EN 878:2004

English Version

## Chemicals used for treatment of water intended for human consumption - Aluminium sulfate

Produits chimiques utilisés pour le traitement de l'eau destinée à la consommation humaine - Sulfate d'aluminium

Produkte zur Aufbereitung von Wasser für den menschlichen Gebrauch - Aluminiumsulfat

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 164.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning** : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

Page

Foreword.....	4
1 Scope .....	5
2 Normative references .....	5
3 Description .....	5
3.1 Identification.....	5
3.1.1 Chemical name.....	5
3.1.2 Synonym or common names.....	5
3.1.3 Relative molecular mass.....	5
3.1.4 Empirical formula.....	5
3.1.5 Chemical formula.....	5
3.1.6 CAS Registry Number ).....	6
3.1.7 EINECS reference ).....	6
3.2 Commercial forms .....	6
3.3 Physical properties.....	6
3.3.1 Appearance .....	6
3.3.2 Density .....	6
3.3.3 Solubility.....	6
3.3.4 Vapour pressure at 20 °C.....	7
3.3.5 Boiling point at 100 kPa ).....	7
3.3.6 Crystallization point.....	7
3.3.7 Specific heat.....	7
3.3.8 Viscosity (dynamic).....	7
3.3.9 Critical temperature.....	8
3.3.10 Critical pressure.....	8
3.3.11 Physical hardness .....	8
3.4 Chemical properties .....	8
4 Purity criteria.....	8
4.1 General.....	8
4.2 Composition of commercial product.....	8
4.3 Impurities and main by-products.....	9
4.4 Chemical parameters .....	9
5 Test methods.....	9
5.1 Sampling.....	9
5.1.1 Solid .....	9
5.1.2 Liquid .....	10
5.2 Analyses .....	10
6 Labelling - Transportation - Storage.....	11
6.1 Means of delivery.....	11
6.2 Labelling in accordance with the EU legislation ).....	11
6.3 Transportation regulations and labelling.....	12
6.4 Marking .....	13
6.5 Storage.....	13
6.5.1 General.....	13
6.5.2 Long term stability.....	13
6.5.3 Storage incompatibilities .....	13
Annex A (informative) General information on aluminium sulfate.....	14
A.1 Origin .....	14

<b>A.1.1</b>	<b>Raw materials</b> .....	<b>14</b>
<b>A.1.2</b>	<b>Manufacturing process</b> .....	<b>14</b>
<b>A.2</b>	<b>Quality of commercial product</b> .....	<b>14</b>
<b>A.3</b>	<b>Use</b> .....	<b>16</b>
<b>A.3.1</b>	<b>Function</b> .....	<b>16</b>
<b>A.3.2</b>	<b>Form in which it is used</b> .....	<b>16</b>
<b>A.3.3</b>	<b>Treatment dose</b> .....	<b>16</b>
<b>A.3.4</b>	<b>Means of application</b> .....	<b>16</b>
<b>A.3.5</b>	<b>Secondary effects</b> .....	<b>16</b>
<b>A.3.6</b>	<b>Removal of excess product</b> .....	<b>17</b>
<b>Annex B (normative)</b>	<b>General rules relating to safety</b> .....	<b>18</b>
<b>B.1</b>	<b>Rules for safe handling and use</b> .....	<b>18</b>
<b>B.2</b>	<b>Emergency procedures</b> .....	<b>18</b>
<b>B.2.1</b>	<b>First aid</b> .....	<b>18</b>
<b>B.2.2</b>	<b>Spillage</b> .....	<b>18</b>
<b>B.2.3</b>	<b>Fire</b> .....	<b>18</b>
<b>Bibliography</b> .....		<b>19</b>

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

SIST EN 878:2016

<https://standards.iteh.ai/catalog/standards/sist/a3e5b8f9-e66e-4ee1-bacf-e36e302f0b7c/sist-en-878-2016>

**FprEN 878:2015 (E)****Foreword**

This document (FprEN 878:2015) has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

This document is currently submitted to the Unique Acceptance Procedure.

This document will supersede EN 878:2004.

Significant technical differences between this edition and EN 878:2004 are as follows:

- a) deletion of the reference to EU Directive 80/778/EEC of 15 July 1980;
- b) introduction of an Annex B (normative) giving general rules relating to safety;
- c) expansion of Annex A by addition of A.2 "Quality of commercial product".

In respect of potential adverse effects on the quality of water intended for human consumption, caused by the product covered by this standard:

- d) this standard provides no information as to whether the product may be used without restriction in any of the Member States of the EU or EFTA;
- e) it should be noted that, while awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and/or the characteristics of this product remain in force.

NOTE Conformity with this standard does not confer or imply acceptance or approval of the product in any of the Member States of the EU or EFTA. The use of the product covered by this European Standard is subject to regulation or control by National Authorities.

<https://standards.iteh.ai/catalog/standards/sist/a3e5b8f9-e66e-4ee1-bacf-e36e302f0b7c/sist-en-878-2016>

## 1 Scope

This European Standard is applicable to aluminium sulfate used for treatment of water intended for human consumption. It describes the characteristics of aluminium sulfate and specifies the requirements for aluminium sulfate and gives reference to the analytical methods. It gives information on its use in water treatment. It also determines the rules relating to safe handling and use of aluminium sulfate (see Annex B).

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1302, *Chemicals used for treatment of water intended for human consumption — Aluminium-based coagulants — Analytical methods*

ISO 3165, *Sampling of chemical products for industrial use — Safety in sampling*

ISO 6206, *Chemical products for industrial use — Sampling — Vocabulary*

ISO 8213, *Chemical products for industrial use — Sampling techniques — Solid chemical products in the form of particles varying from powders to coarse lumps*

## 3 Description

### 3.1 Identification

#### 3.1.1 Chemical name

Aluminium sulfate.

#### 3.1.2 Synonym or common names

Aluminium sulfate, cake alum, alum.

NOTE In English the generic term "alum" is imprecise and is deprecated and in German the term "Alaun" is misleading.

#### 3.1.3 Relative molecular mass

342,14 for  $\text{Al}_2(\text{SO}_4)_3$ .

#### 3.1.4 Empirical formula

$\text{Al}_2(\text{SO}_4)_3$ .

#### 3.1.5 Chemical formula

$\text{Al}_2(\text{SO}_4)_3 \cdot n \text{H}_2\text{O}$ .

**FprEN 878:2015 (E)****3.1.6 CAS Registry Number <sup>1)</sup>**

$\text{Al}_2(\text{SO}_4)_3$ : 10043-01-3.

$\text{Al}_2(\text{SO}_4)_3 \cdot 14 \text{H}_2\text{O}$ : 16828-12-9.

$\text{Al}_2(\text{SO}_4)_3 \cdot 16 \text{H}_2\text{O}$ : 16828-11-8.

$\text{Al}_2(\text{SO}_4)_3 \cdot 18 \text{H}_2\text{O}$ : 7784-31-8

**3.1.7 EINECS reference <sup>2)</sup>**

$\text{Al}_2(\text{SO}_4)_3$ : 233-135-0.

**3.2 Commercial forms**

Aluminium sulfate is available in solid hydrated forms, with different particle sizes (slabs, kibbled, ground, granulated) and as aqueous solutions.

**3.3 Physical properties****3.3.1 Appearance**

The product is a white solid or colourless to yellow, clear liquid.

**3.3.2 Density**

The density of a typical aluminium sulfate solution is given in Table 1 and varies depending on the concentration of the active matter (aluminium content), expressed in grams per kilogram of solution (Al g/kg).

**Table 1 — Density of solution**

Al g/kg of solution	Density at 15 °C g/ml
40,8	1,310
41,6	1,315
42,5	1,320
43,3	1,325
44,2	1,330
45,0	1,335

**3.3.3 Solubility**

The theoretical limit of active matter content for a typical solution is given in Table 2.

<sup>1)</sup> Chemical Abstracts Service Registry Number.

<sup>2)</sup> European Inventory of Existing Commercial Chemical Substances.



**Table 2 — Solubility**

Temperature °C	Active matter in Al g/kg of solution
- 1	44,7
24	44,8

The practical limit of solubility depends on the temperature and the device used for solubilization of the solid form (slabs, kibbled, ground or granulated).

An indication of practical limits is given in Table 3.

**Table 3 — Indication of practical limits of solubility**

Temperature °C	Active matter Al g/kg of solution	Solubility in grams solid form (containing Al 90 g/kg of solid) per kilogram of solution
15	37	410

### 3.3.4 Vapour pressure at 20 °C

Not known.

### 3.3.5 Boiling point at 100 kPa <sup>3)</sup>

Not known.

### 3.3.6 Crystallization point

The crystallization point of aluminium sulfate varies, depending on the concentration of the active matter.

For example:

- - 7 °C for a typical solution of aluminium content of 42,4 g/kg of solution.
- Solution stored at low temperatures (below 0°C) can spontaneously form a solid mass of crystal hydrate.

### 3.3.7 Specific heat

Not known.

### 3.3.8 Viscosity (dynamic)

The viscosity of aluminium sulfate solution varies greatly, depending on the concentration of the active matter.

For a typical solution of aluminium content of 42,4 g/kg of solution, the viscosity is given in Table 4.

<sup>3)</sup> 100 kPa = 1 bar.

## FprEN 878:2015 (E)

Table 4 — Viscosity

Temperature °C	Viscosity mPa.s
0	40,0
10	26,5
20	18,6
30	13,2
40	8,8

**3.3.9 Critical temperature**

Not applicable.

**3.3.10 Critical pressure**

Not applicable.

**3.3.11 Physical hardness**

Not applicable.

**3.4 Chemical properties**

Aluminium sulfate is an acidic hydrated salt or solution. Very dilute solutions hydrolyse and form a precipitate of aluminium hydroxide.

NOTE Since aluminium compounds are amphoteric in nature, the solubility of aluminium depends on the pH value and it is advised to use the product within an appropriate pH range.

**4 Purity criteria****4.1 General**

This European Standard specifies the minimum purity requirements for aluminium sulfate used for the treatment of water intended for human consumption. Limits are given for impurities commonly present in the product. Depending on the raw material and the manufacturing process other impurities can be present and, if so, this shall be notified to the user and when necessary to relevant authorities.

Users of the product should check the national regulations in order to clarify whether it is of appropriate purity for treatment of water intended for human consumption, taking into account raw water quality, required dosage, contents of other impurities and additives used in the product not stated in the product standard, and other relevant factors.

Limits have been given for impurities and chemical parameters where these are likely to be present in significant quantities from the current production process and raw materials. If a change in the production process or raw materials leads to significant quantities of impurities, by-products or additives being present, this shall be notified to the user.

**4.2 Composition of commercial product**

The concentration of active matter (aluminium content) in the product expressed as grams per kilogram of product shall be within  $\pm 3\%$  of the manufacturer's declared values.

NOTE The concentration of water-soluble aluminium in commercial products varies. Typical values are given here below:

Commercial form	Al g/kg of product
Solid	72 to 91
Solution	32 to 44

### 4.3 Impurities and main by-products

The product shall conform to the requirements specified in Table 5.

**Table 5 — Limits of impurities**

Grade	Impurity	Limit g/kg of Al
Iron free	Iron (Fe) max.	1,60
Low iron	Iron (Fe) max.	$1,60 < Fe \leq 115$
All grades	Insoluble matter max.	23

NOTE The value quoted for iron is for both iron (II) and iron (III). Iron can be present as a component of the product and will usually be removed in the treatment process.

### 4.4 Chemical parameters

The product shall conform to the requirements specified in Table 6.

**Table 6 — Chemical parameters**

Parameter	Limit mg/kg of Al	Limit		
		Type 1	Type 2	Type 3
Arsenic (As) max.	14	40	100	
Cadmium (Cd) max.	3	50	100	
Chromium (Cr) max.	30	700	1 000	
Mercury (Hg) max.	4	10	20	
Nickel (Ni) max.	20	700	1 000	
Lead (Pb) max.	40	200	800	
Antimony (Sb) max.	20	40	120	
Selenium (Se) max.	20	40	120	

NOTE Cyanide (CN-) is usually not relevant because of the acidity of the product. Pesticides and polycyclic aromatic hydrocarbons are not relevant since the raw materials used in the manufacturing process are free of them. For maximum impact of these products on trace metal content in drinking water see A.2.

## 5 Test methods

### 5.1 Sampling

#### 5.1.1 Solid

Observe the general recommendations of ISO 3165 and take into account ISO 6206.

Prepare the laboratory sample(s) required by the relevant procedure described in ISO 8213.