



Designation: D4729 – 08

# Standard Test Method for In Situ Stress and Modulus of Deformation Using Flatjack Method<sup>1</sup>

This standard is issued under the fixed designation D4729; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope\*

1.1 The flatjack test measures stress at a rock surface. The modulus of deformation and the long-term deformational properties (creep) may also be evaluated.

1.2 All observed and calculated values shall conform to the guidelines for significant digits and rounding established in Practice [D6026](#).

1.2.1 The method used to specify how data are collected, calculated, or recorded in this standard is not directly related to the accuracy to which the data can be applied in design or other uses, or both. How one applies the results obtained using this standard is beyond its scope.

1.3 *Limitation*—The flatjack test measures the average stress normal to the surface of the test chamber. Undisturbed stress levels must be determined by theoretical interpretations of these data.

### 1.4 *Assumptions and Factors Influencing the Data:*

1.4.1 The stress relief is assumed to be an elastic, reversible process. In nonhomogeneous or highly fractured materials, this may not be completely true.

1.4.2 The equations assume that the rock mass is isotropic and homogeneous. Anisotropic effects may be estimated by testing in different orientations.

1.4.3 The flatjack is assumed to be 100 % efficient. The design and size requirements of [7.1](#) were determined to satisfy this requirement to within a few percent.

1.4.4 The jack is assumed to be aligned with the principal stresses on the surface of the opening. Shear stresses are not canceled by jack pressure. Orientating the tests in three directions in each plane tested prevents the misalignment from being excessive for at least one of the tests.

1.5 The values stated in inch-pound units are to be regarded as standard. The values given in parentheses are mathematical conversions to SI units that are provided for information only and are not considered standard.

1.6 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory requirements prior to use.*

## 2. Referenced Documents

### 2.1 *ASTM Standards:*<sup>2</sup>

[D653 Terminology Relating to Soil, Rock, and Contained Fluids](#)

[D2113 Practice for Rock Core Drilling and Sampling of Rock for Site Exploration](#)

[D3740 Practice for Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction](#)

[D5720 Practice for Static Calibration of Electronic Transducer-Based Pressure Measurement Systems for Geotechnical Purposes](#)

[D6026 Practice for Using Significant Digits in Geotechnical Data](#)

[D6027 Practice for Calibrating Linear Displacement Transducers for Geotechnical Purposes \(Withdrawn 2013\)](#)<sup>3</sup>

## 3. Terminology

3.1 For terminology used in this test method, refer to Terminology [D653](#).

### 3.2 *Definitions of Terms Specific to This Standard:*

3.2.1 *cancellation pressure*—the pressure in the flatjack required to return the rock to its initial position.

3.2.2 *skin stress*—the tangential stress at the surface of an opening.

3.2.3 *undisturbed stress*—the stress field existing in a rock mass prior to excavation of an opening.

<sup>1</sup> This test method is under the jurisdiction of ASTM Committee [D18](#) on Soil and Rock and is the direct responsibility of Subcommittee [D18.12](#) on Rock Mechanics.

Current edition approved July 1, 2008. Published July 2008. Originally approved in 1987. Last previous edition approved in 2004 as D4729 – 04. DOI: 10.1520/D4729-08.

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [service@astm.org](mailto:service@astm.org). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>3</sup> The last approved version of this historical standard is referenced on [www.astm.org](http://www.astm.org).

\*A Summary of Changes section appears at the end of this standard

## 4. Summary of Test Method

4.1 The in situ stress in the rock mass is relieved by cutting a slot into the rock perpendicular to the surface of the test adit. The deformation caused by this stress relief is measured. A hydraulic flatjack is placed into the slot and is pressurized until the above-measured displacement is canceled. This reapplied stress is approximately equal to the stress in the rock mass at the test location in a direction perpendicular to the plane of the jack. The deformational characteristics of the rock mass are evaluated by incrementally loading the flatjack and measuring the deformation.

## 5. Significance and Use

5.1 *Tests in Orthogonal Directions*—The flatjack most accurately determines the stress parallel to the long axis of the adit, because this stress is the least affected by the presence of the opening. (The other tangential stress is highly concentrated.) In addition, if the adit is in a stress field where one of the stresses is significantly larger than the others (3 or 4 times), certain locations in the adit may be in very low compressive or even tensile stress. Flatjack tests in these locations can give anomalous and misleading results. Because of these factors, the test adit should have at least two, and preferably three, long (at least 4 to 5 times the diameter), straight sections at about 90° to each other. Testing should be distributed evenly in all three sections to provide redundant data and, if results in one section are anomalous, to allow the program to produce sufficient usable data.

NOTE 1—Notwithstanding the statements on precision and bias contained in this test method; the precision of this test method is dependent on the competence of the personnel performing it, and the suitability of the equipment and facilities used. Agencies that meet the criteria of Practice D3740 are generally considered capable of competent and objective testing. Users of this test method are cautioned that compliance with Practice D3740 does not in itself assure reliable testing. Reliable testing depends on many factors; Practice D3740 provides a means of evaluating some of those factors.

## 6. Interferences

### 6.1 Personnel Prequalification:

6.1.1 *Test Personnel*—All personnel involved in performing the test, including the technicians and test supervisor, shall be formally prequalified.

6.1.2 *Drilling and Sawcut Personnel*—Quality drilling and sawcutting is important to achievement of successful flatjack tests. The drilling and sawcut personnel should be capable of performing the precision necessary to successfully produce the slot and instrument holes.

6.2 *Equipment Performance Verification*—The compliance of all equipment and apparatus with performance specifications apparatus shall be verified. If no requirements are stated, the manufacturer's specifications for the equipment shall be the required level of performance. Performance verification is generally done by calibrating the equipment and measurement systems. Calibration and documentation shall be accomplished according to standard procedures such as in Practices D5720 and D6027.

6.3 *Local Geologic Features*—Local features, particularly faults, shear zones, etc., can influence the local stress field.

Large inclusions in the rock can affect both the stress and deformational properties. Test locations should be carefully selected so that the effects of such features are minimized or, if they are the features of interest, accounted for fully.

6.4 *Influence of Excavations*—Other excavations intersecting the test adit will cause complex stress concentration effects by superposition. Flatjack tests should be located at least three diameters of the intersecting feature away from that feature. If the test adit is excavated by conventional methods, then the surfaces for testing should be further excavated by nonblasting techniques to remove loose material resulting from stress relief or blasting.

## 7. Apparatus

7.1 *Flatjacks*—Flatjacks shall be designed to operate at pressures of several thousand pounds per square inch when properly installed. The jacks shall be constructed so that the two main plates move apart in essentially a parallel manner over the range of the jack. The range shall be at least 0.25 in. (6 mm). The jacks covered by this standard are square and the area of the jack shall be no less than 2 ft (0.6 m) wide.

NOTE 2—Other flat jack shapes are available that may be better suited for specific applications. This standard only covers the basic square flat jack, however the basic principles discussed here will still apply.

### 7.2 Instrumentation:

7.2.1 *Pressure*—Electronic transducers or hydraulic gauges may be used to monitor flatjack pressure. The pressure transducer shall have an accuracy of at least  $\pm 20$  lbf/in.<sup>2</sup> ( $\pm 0.14$  MPa), including errors introduced by the readout system and a sensitivity of at least 10 lbf/in.<sup>2</sup> (0.069 MPa).

7.2.2 *Deformation*—Deformation measurement devices including mechanical dial gauges, and electronic transducers such as LVDTs or linear potentiometers. The devices can be either stationary, or portable depending on the site requirements. The deformation device shall have an accuracy of at least  $\pm 0.0001$  in. ( $\pm 0.0025$  mm) and a sensitivity of at least 0.00005 in. (0.0013 mm).

7.2.3 *Internal Gauges*—Strain gauges inside the flatjack shall be calibrated prior to installation in the jack. The effects of the hydraulic oil and ambient pressure increase on the gauges shall be determined prior to testing.

7.3 *Mortar*—If mortar is used to cement the flatjack into the slot, a high-early strength, non-shrink material shall be used. The mortar may include up to 50 % clean sand by weight, with grain size between 20- and 60-mesh. Clean, potable water shall be used for the mortar. The cured mortar shall have a strength greater than the stress applied by the flatjack. The modulus of the mortar may be required to be removed from some of the determinations of rock modulus.

7.4 *Sawing Equipment*—Equipment used to saw a slot in the rock should be of a type where large center or end holes are not required. These large holes can cause serious changes in the stress field to be measured.

## 8. Procedure

8.1 *Groups at Each Test Station*—At least one group of jacks should be tested in each adit section. Each group should have three flatjacks installed horizontally inclined 45° and

