



Designation: E1471 – 92(Reapproved 2008)

# Standard Guide for Identification of Fibers, Fillers, and Core Materials in Computerized Material Property Databases<sup>1</sup>

This standard is issued under the fixed designation E1471; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

1.1 This guide establishes the essential and desirable elements of data required for the identification in computerized material property databases of fibers, fillers, and core materials used in composite materials. A recommended format for entry of these fields into a computerized database is provided. Examples of the application of this guide are also included.

1.2 The recommended format described in this guide is suggested for use in recording data in a database, which is different from contractual reporting of actual test results. The latter type of information is described in materials specifications shown in business transactions and is subject to agreement between vendor and purchaser.

1.3 The materials covered by this guide include fibers, both continuous and discontinuous, and fillers of various geometries which are used as reinforcements in composite materials, as well as core materials used in sandwich composites. Cores may be foam, honeycomb, or naturally occurring materials such as balsa wood. These materials are distinguished from bulk materials by the importance of their specialized geometric forms to their properties. This difference is reflected in the use of geometry, along with chemistry, as a primary basis for classification. Identification of composite materials is discussed in Guide E1309.

## 2. Referenced Documents

### 2.1 ASTM Standards:<sup>2</sup>

- C274 Terminology of Structural Sandwich Constructions
- D123 Terminology Relating to Textiles
- D883 Terminology Relating to Plastics
- D3878 Terminology for Composite Materials
- E1309 Guide for Identification of Fiber-Reinforced

<sup>1</sup> This guide is under the jurisdiction of ASTM Committee D30 on Composite Materials and is the direct responsibility of Subcommittee D30.01 on Editorial and Resource Standards.

Current edition approved Nov. 1, 2008. Published December 2008. Originally approved in 1992. Last previous edition approved in 2004 as E1471 – 92 (2004). DOI: 10.1520/E1471-92R08.

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [service@astm.org](mailto:service@astm.org). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

Polymer-Matrix Composite Materials in Databases  
E1443 Terminology Relating to Building and Accessing  
Material and Chemical Databases (Withdrawn 2000)<sup>3</sup>

## 3. Terminology

3.1 *Definitions*—Terminology D3878 shall be used where applicable.

### 3.2 *Definitions of Terms Specific to This Standard:*

3.2.1 *core, n*—a generally, centrally located layer or composite component of a sandwich construction, usually low density, which separates and stabilizes the facings and transmits shear between them and provides most of the shear rigidity of the construction (see Terminology C274).

3.2.2 *essential field, n*—a field in a record which must be filled to meet the requirements of a stated type of database (see Terminology E1443).

3.2.2.1 *Discussion*—Fields are considered essential if they are required to make a meaningful comparison of property data from different sources. A comparison of data from different sources may still be possible if essential information is omitted, but the value of the comparison may be greatly reduced.

3.2.3 *fiber, n—in textiles*, the general term for a filamentary material having a length at least ten times its nominal diameter.

3.2.4 *field, n*—an elementary unit of a record that may contain a data item, a data aggregate, a pointer, or a link (see E1443).

3.2.5 *field name, n*—a name or code associated with a field and used for identification (see Terminology E1443).

3.2.6 *filler, n*—a relatively inert material added to a plastic to modify its strength, permanence, working properties, or other qualities, or to lower cost (see Terminology D883).

3.2.7 *strand, n—in textile fibers*, a normally untwisted bundle of filaments.

3.2.8 *value set, n*—an open listing of representative, acceptable strings which could be included in a particular field of a record (see Terminology E1443).

<sup>3</sup> The last approved version of this historical standard is referenced on [www.astm.org](http://www.astm.org).

4. Significance and Use

4.1 This guide defines the information which is considered essential to uniquely describe a fiber, filler, or core material in a computerized database. A format is recommended for placing these data in fields suitable for a computerized database. Additional fields which are considered desirable, but not essential, are also defined. The purpose is to facilitate efficient storage and retrieval of the information with a computer and to allow meaningful comparison of data from different sources.

4.2 Comparison of property data from different sources will be most meaningful if all the essential information defined by the guidelines is present. Comparison may still be possible if essential information is omitted, but the value of the comparison may be greatly reduced.

4.3 While at this time there is no generally accepted numbering system for these materials, analogous to those for metals and alloys, a field for an identifying number (Material Reference Number) is included should such a system be developed in the future.

4.4 This information should not be considered restrictive. For example, a database designer may find it useful to aggregate several fields, such as the material and chemical class fields, into a single field. This may affect search strategies and other database operations. These considerations are beyond the scope of this guide.

5. Guidelines

5.1 The following fields are recommended for identification of fibers, fillers, and core materials used in composites. For certain fields, lists of recommended entries are included. Where possible, entries should be chosen from these lists. However, these lists should not be regarded as exhaustive.

5.2 Primary Identifiers:

5.2.1 Material Reference Number—Identifying number or code, if any, for the particular material.

5.2.2 Class—Classification by form, either fiber, filler, or core.

5.2.3 Subclass—Further subdivision by geometric form within the class. See Table 1 for list.

5.2.4 Chemical Family—Classification of the material by its generic chemical composition family. See Table 1 for list.

5.3 Commercial Specification:

5.3.1 Common Name—Name by which the material is known in the industry.

5.3.2 Additional Name Information—Additional information on the name, such as chemical composition details on the material.

5.3.3 Specification Organization—A company, industry, government, national, regional, or international organization issuing the specification; for example, ASTM.

5.3.4 Specification Number—The specification number within the organization referenced.

5.3.5 Specification Version—The year or revision code of the specification.

5.3.6 Specification Designation—The designation used for the material in the specification.

TABLE 1 Class, Subclass, Chemical Family, and Forms for Fibers, Fillers, and Core Materials

NOTE 1—These are lists. The table is not intended to be read horizontally.

Class	Subclass	Chemical Family	Form
Fiber	continuous	aramid	tow or end or impregnated tow strand
	discontinuous, long	glass	plied yarn
	discontinuous, short	silicon carbide	yarn roving
	staple	aluminum oxide	mat
	milled	aluminum	other (specify)
	whisker	boron	
	pulp	other (specify)	
Filler	other (specify)		
	particulate	calcium carbonate	powder
	platelet	kaolin clay	slurry
	hollow sphere	titanium dioxide	other (specify)
	hollow cylinder	mica	
	other (specify)	talc	
Core	other (specify)	other (specify)	
	honeycomb	glass reinforced	block
	foam	aluminum	other (specify)
	other (specify)	aramid reinforced	
		polyvinyl chloride	
		balsa wood	
		polyurethane	
		polymethacrylimide	
		other (specify)	

5.4 Characteristics:

5.4.1 Density.

5.4.2 Cross-Section Type—Geometry of cross section of the material. See Table 2 for list.

5.4.3 Dimension Parameter—Name of dimension characteristic of the material; for example, diameter. Dimension parameter, units, and value should be given for each characteristic dimension. See Table 3 for list.

5.4.4 Dimension Value—Mean or nominal numerical value of the specified dimension in appropriate units.

5.4.5 Dimension Distribution Parameter Type—Name of the parameter used to characterize the distribution of values for the specified dimension. See Table 4 for list.

5.4.6 Dimension Distribution Parameter Value—Numerical value of the distribution parameter for the specified dimension. Units are assumed to be the same as those of the dimension itself.

5.4.7 Dimension Distribution Sample Size—The number of samples from which the dimension distribution parameter value is determined.

5.5 Source:

5.5.1 Manufacturer.

5.5.2 Manufacturer's Identification—Code, part number, or other identification used by the manufacturer to identify this material.

5.5.3 Lot Number—Manufacturer's reference for traceability of this lot of material.

TABLE 2 Cross-Section Types for Fibers, Fillers, and Core Materials

Circular
Rectangular
Oval
Irregular
Other (specify)