



SLOVENSKI STANDARD
SIST EN ISO 14877:2003
01-januar-2003

Varovalna obleka pri peskanju, kjer se uporabljajo abrazivna sredstva v obliki granul (ISO 14877:2002)

Protective clothing for abrasive blasting operations using granular abrasives (ISO 14877:2002)

Schutzkleidung für Strahlarbeiten mit körnigen Strahlmitteln (ISO 14877:2002)

Vêtements de protection utilisés lors des opérations de projection d'abrasifs en grains (ISO 14877:2002)

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[SIST EN ISO 14877:2003](https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d564acc762/sist-en-iso-14877-2003)

Ta slovenski standard je istoveten z: EN ISO 14877:2002

<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d564acc762/sist-en-iso-14877-2003>

ICS:

13.340.10 Varovalna obleka Protective clothing

SIST EN ISO 14877:2003 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 14877:2003

<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003>

ICS 13.340.10

English version

Protective clothing for abrasive blasting operations using
granular abrasives (ISO 14877:2002)

Vêtements de protection utilisés lors des opérations de
projection d'abrasifs en grains (ISO 14877:2002)

Schutzkleidung für Strahlarbeiten mit körnigen Strahlmitteln
(ISO 14877:2002)

This European Standard was approved by CEN on 23 November 2001.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW
<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
Foreword.....	4
Introduction	5
1 Scope	6
2 Normative References	6
3 Terms and definitions.....	7
4 Requirements	7
4.1 General.....	7
4.2 Requirements for protective gloves for abrasive blasting operations.....	7
4.2.1 General requirements.....	7
4.2.2 Abrasion resistance of glove materials.....	7
4.2.3 Blade cut resistance of glove materials	7
4.2.4 Tear resistance of glove materials.....	7
4.2.5 Puncture resistance of glove materials.....	8
4.2.6 Dimensions of gloves for abrasive blasting operations.....	8
4.2.7 Dexterity for abrasive blasting operations.....	8
4.3 Requirements for protective clothing for abrasive blasting operations.....	8
4.3.1 Types.....	8
4.3.2 General requirements for protective clothing for abrasive blasting operations (all types).....	8
4.3.3 Additional requirements for abrasive blasting clothing of types 2 and 3.....	9
5 Testing	10
5.1 Sampling and conditioning.....	10
5.2 Test methods for protective gloves for abrasive blasting operations	10
5.2.1 Determination of the abrasion resistance of glove materials	10
5.2.2 Determination of the blade cut resistance of glove materials	10
5.2.3 Determination of the tear resistance of glove materials.....	10
5.2.4 Determination of the puncture resistance of glove materials.....	10
5.2.5 Determination of the dexterity of gloves	10
5.3 Test methods for protective clothing for abrasive blasting operations.....	10
5.3.1 Pretreatment.....	10
5.3.2 Dimensions of clothing materials	10
5.3.3 Breaking strength of clothing materials.....	11
5.3.4 Seam strength of clothing materials.....	11
5.3.5 Puncture resistance of clothing materials	11
5.3.6 Tear resistance of clothing materials	11
5.3.7 Resistance of the protective clothing material against abrasives.....	11
5.3.8 Flammability	13
5.3.9 Abrasion.....	13
5.4 Additional test to be carried out for abrasive blasting clothing of type 3	13
6 Marking and information supplied by the manufacturer	15
6.1 Marking	15
6.1.1 Marking of protective gloves for abrasive blasting operations	15
6.1.2 Marking of protective clothing for abrasive blasting operations.....	15
6.2 Information supplied by the manufacturer.....	15
6.2.1 Information supplied by the manufacturer for gloves for abrasive blasting operations	15
6.2.2 Information supplied by the manufacturer for protective clothing for abrasive blasting operations.....	15
Annex A (informative) Examples of protective clothing for abrasive blasting operations.....	16

Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives	18
Bibliography	20

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14877:2003](https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003)

<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003>

Foreword

The text of EN ISO 14877:2002 has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 94 "Personal safety - Protective clothing and equipment".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2002, and conflicting national standards shall be withdrawn at the latest by October 2002.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative annex ZA, which is an integral part of this document.

Annex A is informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

STANDARD PREVIEW

(standards.iteh.ai)

SIST EN ISO 14877:2003

<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003>

Introduction

In abrasive blasting, the worker is exposed to hazards caused by the abrasive (direct projection and rebounding abrasives) and substances produced during the abrasive blasting operation. Depending on the working conditions, the protection against these hazards requires suitable protective clothing as well as suitable respiratory protective equipment. For clothing connected to respiratory protective devices, this standard takes into account the specifications regarding respiratory protective equipment (CEN/TC 79).

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 14877:2003](https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003)

<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003>

1 Scope

This European Standard specifies minimum requirements and test methods for protective clothing for abrasive blasting operations and for hand protection, for the treatment of surfaces with granular abrasives propelled by compressed air or by mechanical means. The protection against substances that develop during the blasting operation as well as connections between the protective clothing and the respiratory protective device are also covered.

This European Standard does not apply to steam blasting, jet blasting and flame blasting operations.

2 Normative References

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 270:1994, *Respiratory protective devices - Compressed air line breathing apparatus incorporating a hood - Requirement, testing, marking.*

EN 271, *Respiratory protective devices - Compressed air line or powered fresh air hose breathing apparatus incorporating a hood for use in abrasive blasting operations - Requirements, testing, marking.*

EN 340:1993, *Protective clothing - General requirements.*

EN 388:1994, *Protective gloves against mechanical risks.*

EN 420:1994, *General requirements for gloves.*

EN 466:1995/A1, *Protective clothing - Protection against liquid chemicals - Performance requirements for chemical protective clothing with liquid-tight connections between different parts of the clothing (Type 3 Equipment).*

EN 530, *Abrasion resistance of protective clothing material - Test methods.*

EN 863, *Protective clothing - Mechanical properties - Test method: Puncture resistance.*

ISO 1421, *Fabrics coated with rubber or plastics - Determination of breaking strength and elongation at break.*

ISO 3175-2, *Textiles - Dry cleaning and finishing - Part 2: Procedures for tetrachloroethene.*

ISO 3758, *Textiles - Care labelling code using symbols.*

ISO 4674, *Fabrics coated with rubber or plastics - Determination of tear resistance.*

ISO 6330, *Textiles - Domestic washing and drying procedures for textile testing.*

EN ISO 13934-1, *Textiles - Tensile properties of fabrics - Part 1: Determination of maximum force and elongation at maximum force - Strip method.*

EN ISO 13934-2, *Textiles - Tensile properties of fabrics - Part 2: Determination of maximum force - Grab method.*

EN ISO 13937-2, *Textiles - Tearing properties of fabrics - Part 2: Trouser method.*

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions of EN 340 and EN 420 and the following terms and definitions apply.

3.1

abrasive blasting operation

method for the treatment of surfaces by directing propelled abrasives onto the surface. During the blasting operation the abrasive blasting operator and the blasted material are in a confined room or outdoors. The abrasive blasting operator is directly exposed to the abrasive rebounding from the blasted material, the carrier medium and developing dusts

3.2

abrasives

granular materials that are directed onto the surface of the blasted material at a high speed for surface treatment

3.3

abrasive blasting combination

combination of protective clothing protecting against the risks arising in abrasive blasting operations and suitable respiratory protective equipment

4 Requirements

4.1 General

Materials that may come into direct contact with the wearer's skin shall not be known to be likely to cause skin irritation or any other adverse effect to health.

The finish of any part of the equipment likely to be in contact with the wearer shall be free from sharp edges and burrs.

4.2 Requirements for protective gloves for abrasive blasting operations

4.2.1 General requirements

Protective gloves for abrasive blasting operations shall comply with the requirements specified in EN 420:1994, 4.1, 4.2, 4.4, and 4.5.

The protective performance of the gloves shall be ensured evenly for all parts of the hand.

4.2.2 Abrasion resistance of glove materials

When tested in accordance with 5.2.1, the abrasion resistance of the glove material shall meet at least performance level 3 in accordance with EN 388:1994, clause 4. This corresponds to an abrasion resistance of 2 000 cycles.

4.2.3 Blade cut resistance of glove materials

When tested in accordance with 5.2.2, the blade cut resistance of the glove material shall meet at least performance level 1 in accordance with EN 388:1994, clause 4. This corresponds to a blade cut resistance of index 1,2.

4.2.4 Tear resistance of glove materials

When tested in accordance with 5.2.3, the tear resistance of the glove material shall meet at least performance level 3 in accordance with EN 388:1994, clause 4. This corresponds to a tear resistance of 50 N.

4.2.5 Puncture resistance of glove materials

When tested in accordance with 5.2.4, the puncture resistance of the glove material shall meet at least performance level 3 accordance with EN 388:1994, clause 4. This corresponds to a puncture resistance of 100 N.

4.2.6 Dimensions of gloves for abrasive blasting operations

When measured in accordance with EN 420:1994, 6.2.3 and 6.2.4, the glove dimensions shall at least comply with the requirements of 5.1.2 of EN 420:1994, with the following values for the minimum length:

Table 1 - minimum length of gloves for abrasive blasting operations

hand size	6	7	8	9	10	11
minimum length of gloves for abrasive blasting operations [mm]	295	305	315	325	340	350

4.2.7 Dexterity for abrasive blasting operations

When tested in accordance with 5.2.5, the dexterity shall meet at least performance level 1 in accordance with EN 420:1994. This corresponds to a pin diameter of 11 mm.

STANDARD PREVIEW
(standards.iteh.ai)

4.3 Requirements for protective clothing for abrasive blasting operations

4.3.1 Types

SIST EN ISO 14877:2003

Three types of protective clothing for abrasive blasting operations shall be defined:
<https://standards.iteh.ai/catalog/standards/sist/9cf760af-9c46-4855-a08b-11d364ace762/sist-en-iso-14877-2003>

- type 1: Protective clothing that protects the body or parts of the body against the abrasive as well as materials produced by the abrasive blasting operation. This type of protective clothing is independent from respiratory protective equipment.
- type 2: Protective clothing that protects the body or parts of the body against the abrasive as well as materials produced by the abrasive blasting operation. This type of protective clothing is a combination with a suitable respiratory protective device.
- type 3: Protective clothing that protects the entire body of the user against the abrasive as well as materials produced by the abrasive blasting operation and that is dust-tight. This type of protective clothing is a combination with a suitable respiratory protective device.

4.3.2 General requirements for protective clothing for abrasive blasting operations (all types)

4.3.2.1 Dimensional changes of the clothing materials

When tested in accordance with 5.3.2, the dimensional change of the clothing materials shall meet the requirements specified in EN 340.

4.3.2.2 Breaking strength of the clothing materials

When tested in accordance with 5.3.3, the breaking strength of the clothing materials shall be at least 450 N in the two principal directions. This requirement does not apply to materials with an elongation at break exceeding 50 %.

4.3.2.3 Seam strength of the clothing materials

When tested in accordance with 5.3.4, the seam strength for the design of seams of the clothing materials shall be at least 200 N.

4.3.2.4 Puncture resistance of the clothing materials

When tested in accordance with 5.3.5, the puncture resistance of the clothing materials shall be at least 30 N.

4.3.2.5 Tear resistance of the clothing materials

When tested in accordance with 5.3.6, the tear resistance of the clothing materials shall be at least 30 N in the two principal directions.

4.3.2.6 Sizing of protective clothing

The specification of the sizes of the clothing shall comply with EN 340.

4.3.2.7 Care labelling

Care labelling shall comply with ISO 3758.

4.3.2.8 Resistance of the protective clothing material against the abrasive

When tested in accordance with 5.3.7, the material of the protective clothing for abrasive blasting operations shall not exhibit holes, ruptures etc.

4.3.2.9 Flammability

When tested in accordance with 5.3.8, the material shall not continue to burn for more than 5 s after it has been removed from the flame.

4.3.2.10 Abrasion resistance

When tested in accordance with 5.3.9 the clothing material from the elbow and knee areas shall not show any holes after 500 cycles.

4.3.3 Additional requirements for abrasive blasting clothing of types 2 and 3

In addition to the requirements in accordance with 4.3.2, abrasive blasting clothing of types 2 and 3 shall meet the following requirements:

The abrasive blasting clothing shall be tested in accordance with EN 271.

Type 3 protective clothing shall be vented. It shall be ensured that the air supplied flows off via the arm and leg openings of the clothing or via suitable valves with the test person in a crouched position with arms bent. Testing in accordance with 5.4 carried out during the practical performance test to EN 271.

For type 3 clothing, any openings shall be arranged so that no dusts can penetrate the abrasive blasting clothing. The protective clothing shall be designed without pockets. Testing in accordance with 5.3.7.