

PUBLICLY  
AVAILABLE  
SPECIFICATION

ISO/PAS  
15339-2

First edition  
2015-08-15

---

---

**Graphic technology — Printing  
from digital data across multiple  
technologies —**

Part 2:  
**Characterized reference printing  
conditions, CRPC1–CRPC7**

iTeh STANDARD PREVIEW

(standards.iteh.ai)  
*Technologie graphique — Impression à partir de données numériques  
via des technologies multiples —*

*Partie 2: Conditions d'impression de référence caractérisées, CRPC1–  
CRPC7*

<https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015>



Reference number  
ISO/PAS 15339-2:2015(E)

© ISO 2015

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/PAS 15339-2:2015](https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015)

<https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
[copyright@iso.org](mailto:copyright@iso.org)  
[www.iso.org](http://www.iso.org)

# Contents

	Page
Foreword.....	iv
Introduction.....	v
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Requirements</b> .....	<b>1</b>
<b>5 Data files</b> .....	<b>5</b>
<b>Annex A (normative) Tone value increase</b> .....	<b>6</b>
<b>Bibliography</b> .....	<b>9</b>

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/PAS 15339-2:2015](https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015)

<https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 130, *Graphic technology*.

ISO/PAS 15339 consists of the following parts, under the general title *Graphic technology — Printing from digital data across multiple technologies*: <http://www.iso.org/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015>

- *Part 1: Principles* [Publicly Available Specification]
- *Part 2: Characterized reference printing conditions, CRPC1–CRPC7* [Publicly Available Specification]

## Introduction

ISO/PAS 15339 is based on the premise that in the printing and publishing industries, electronic data are the intermediary for content storage and exchange throughout production including copy preparation, job assembly, proofing, and process printing. It further assumes that data preparation can be largely process-independent and that the choice of the printing process or processes to be used for final production will be based primarily on run-length requirements and the substrates to be used. There are various tools in place to both define the relationship of digital data to printed colour for specific instances of printing and to manipulate data such that similar results can be obtained between and among different printing processes (see ISO/TS 10128). These specific instances of printing are typically described by colour characterization data, which is the relationship between CMYK input data and colour measured on the printed sheet. Where such a set of colour characterization data are used as a reference it is referred to as a characterized reference printing condition (CRPC).

ISO/PAS 15339-1 describes the principles involved in developing and working with CRPCs.

This part of ISO/PAS 15339 defines a set of CRPCs associated with the initial publication of ISO/PAS 15339. It is intended that if changes in, or additions to, these data sets are needed in the future, they will be documented in additional parts of ISO/PAS 15339 so that changes in the data sets are possible without losing traceability to earlier data sets.

Not all printing processes that can achieve the same colour gamut are subject to the same limitations. Offset, gravure, flexography, electrophotographic, ink-jet, etc. each have limitations that may have to be considered in the final data preparation. These typically include limitations of total ink coverage, and minimum and maximum printable dot sizes. Should general guidance be needed, additional parts of ISO/PAS 15339 can be prepared to assist in the communication or standardization of the handling of such limitations.

[ISO/PAS 15339-2:2015](https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015)

<https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO/PAS 15339-2:2015

<https://standards.iteh.ai/catalog/standards/sist/46941e94-3fb2-4417-b775-2ec0f4243ced/iso-pas-15339-2-2015>

# Graphic technology — Printing from digital data across multiple technologies —

## Part 2:

## Characterized reference printing conditions, CRPC1–CRPC7

### 1 Scope

This part of ISO/PAS 15339 specifies a limited number of characterized reference printing conditions that span the expected range of colour gamuts used for the production of printed materials from digital data, regardless of the printing process used. Their use is described in ISO/PAS 15339-1.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12642-2, *Graphic technology — Input data for characterization of 4-colour process printing — Part 2: Expanded data set*

ISO 13655, *Graphic technology — Spectral measurement and colorimetric computation for graphic arts images*

ISO/PAS 15339-1, *Graphic technology — Printing from digital data across multiple technologies — Part 1: Principles*

ISO 28178, *Graphic technology — Exchange format for colour and process control data using XML or ASCII text*

CGATS TR015:2013, *Graphic technology — Methodology for Establishing Printing Aims Based on a Shared Near-neutral Gray-scale*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/PAS 15339-1 apply.

### 4 Requirements

As defined in ISO/PAS 15339-1, unless otherwise agreed between sender and receiver, the characterized reference printing condition (CRPC) used for data preparation and data exchange shall be one of the data sets defined in this or subsequent parts of ISO/PAS 15339.

The characterization data associated with the characterized reference printing conditions identified in this part of ISO/PAS 15339 are presented as data files “ISO15339-CRPC1.txt” to “ISO15339-CRPC7.txt” (see [Clause 5](#)).

Although a normative part of this International Standard, they may be freely used and distributed provided that the header of all distributed files indicates that they are part of ISO/PAS 15339.

NOTE 1 When additional CRPCs are published in subsequent parts of ISO/PAS 15339, it is expected they will follow the same sequential naming scheme to avoid confusion, i.e. ISO15339-CRPC8 would be the next named data set.

The characterized reference printing conditions included in these data files have been selected to be near the middle of both the general class of printing that is expected to make use of each characterized reference printing condition and the colour of the substrates used. It is also expected that adjustments for substrate colour (see ISO/PAS 15339-1) will allow each characterized reference printing condition to meet a wide variety of needs and be independent of the actual printing process to be used.

The tone reproduction curves used are based on the procedures defined in CGATS TR015 and are dependent on the reflectance of the substrate and of the black and 3-colour solids. The equations of CGATS TR015 provide the CIE Y tristimulus value corresponding to a particular cyan tone value of a near neutral scale.

To provide a consistent relationship between the substrate corrected neutral scales of the various data sets created for this part of ISO/PAS 15339, the CMY triplets defined by Formula 1 were mapped to the substrate corrected neutral scale of all data sets:

$$M = Y = 0,7470C - 4,100 \times 10^{-4} C^2 + 2,940 \times 10^{-5} C^3 \quad (1)$$

In addition, the densitometric tone value curves (computed according to [A.3](#)) for the three chromatic colourants were adjusted to have the same tone value increase (see [Table A.1](#)).

The data given, for information only, in [Tables 1 to 3](#) are taken from the CRPC data files and are shown in these tables and figures for information. The CIELAB a\*-b\* projection of the characterization data of each of these characterized reference printing conditions is shown in [Figure 1](#).

All colorimetry is defined to be measurement condition M1, according to ISO 13655, with white backing.

NOTE 2 To facilitate the use of the correction of colorimetric data for variations in substrate colour as described in ISO/PAS 15339-1, the header of each file contains the CIELAB values for both the substrate and a reference black point of the data set. The values for the substrate are ID 1 in each data set and as described in ISO/PAS 15339-1 the value in ID 1286 (the 4-colour solid) is used as a reference black point.

The substrate, single colour solids, and two-colour overprints that are the aims for the characterization data set are as shown in [Table 1](#) and [Table 2](#).

The colorimetrically computed mid-tone TVI for each of the single colour scales of each of the characterized reference printing conditions is listed in [Table 3](#) for information. More extensive TVI curves can be computed directly from the CRPC data if desired. [Annex A](#) shows the computed densitometric TVI and provides the computations used to derive both densitometric and colorimetric TVI.

NOTE 3 A spreadsheet that will extract process control data from a CRPC data set, do substrate correction computations, and derive both densitometric and colorimetric TVI curves is available at <http://www.npes.org/Programs/StandardsWorkroom/ToolsBestPractices.aspx>.

[Table 4](#) lists, for information only, typical use conditions, and a convenient name, for each of these characterized reference printing conditions. These characterized reference printing conditions have been selected to be near the middle of both the general class of printing that is expected to make use of each characterized reference printing condition and the colour of the substrates used. It is expected that adjustments for substrate colour (see ISO/PAS 15339-1) will allow each characterized reference printing condition to meet a wide variety of needs and be independent of the printing process to be used.



Table 1 — Characterized reference printing conditions — Primary colour aims

CRPC	Substrate colour			Printed solid colours											
				Cyan			Magenta			Yellow			Black		
	L*	a*	b*	L*	a*	b*	L*	a*	b*	L*	a*	b*	L*	a*	b*
1	85	1	5	59	-24	-26	56	48	0	80	-2	60	37	1	4
2	87	0	3	57	-28	-34	52	58	-2	82	-2	72	30	1	2
3	96	1	-4	60	-26	-44	56	61	-2	89	-3	76	32	1	1
4	89	0	3	55	-36	-38	47	66	-3	83	-3	83	23	1	2
5	92	0	0	57	-37	-44	48	71	-4	87	-4	88	19	0	1
6	95	1	-4	56	-37	-50	48	75	-4	89	-4	93	16	0	0
7	97	1	-4	54	-42	-54	47	79	-10	90	-4	103	14	0	0

Table 2 — Characterized reference printing conditions — Two-colour overprint aims

CRPC	Red			Green			Blue		
	L*	a*	b*	L*	a*	b*	L*	a*	b*
1	54	44	25	55	-35	17	42	7	-22
2	51	55	32	51	-44	19	36	9	-32
3	54	56	28	54	-43	15	38	10	-31
4	46	62	39	49	-54	24	28	14	-39
5	48	65	45	51	-62	26	27	17	-44
6	47	68	48	50	-66	26	25	20	-46
7	47	75	54	50	-72	29	20	26	-53

Table 3 — Colorimetric TVI

CRPC	Colorimetric TVI @ 50 % input TV %			
	C	M	Y	K
1	24,3	26,1	26,1	26,2
2	17,3	19,2	19,2	22,0
3	16,8	19,1	19,0	22,1
4	15,9	19,1	19,0	22,1
5	15,0	16,0	16,0	19,1
6	13,4	16,0	16,0	19,0
7	11,6	16,1	16,1	19,1