

SLOVENSKI STANDARD oSIST prEN ISO 14239:2020

01-januar-2020

Kakovost tal - Laboratorijski inkubacijski sistemi za merjenje mineralizacije organskih spojin v tleh pri aerobnih pogojih (ISO 14239:2017)

Soil quality - Laboratory incubation systems for measuring the mineralization of organic chemicals in soil under aerobic conditions (ISO 14239:2017)

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Qualité du sol - Systèmes d'incubation de laboratoire destinés à la mesure de la minéralisation de produits chimiques organiques dans le sol en conditions aérobies (ISO 14239:2017)

Ta slovenski standard je istoveten z: prEN ISO 14239

ICS:

13.080.30 Biološke lastnosti tal Biological properties of soils

oSIST prEN ISO 14239:2020 en,fr,de

oSIST prEN ISO 14239:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 14239:2020

https://standards.iteh.ai/catalog/standards/sist/a3e5dbff-2b6d-4f73-8d85-e572f1d24e40/sist-en-iso-14239-2020

oSIST prEN ISO 14239:2020

INTERNATIONAL STANDARD

ISO 14239

Second edition 2017-07

Soil quality — Laboratory incubation systems for measuring the mineralization of organic chemicals in soil under aerobic conditions

Qualité du sol — Systèmes d'incubation de laboratoire destinés à la mesure de la minéralisation de produits chimiques organiques dans le sol en conditions aérobies

(standards.iteh.ai)

<u>SIST EN ISO 14239:2020</u> https://standards.iteh.ai/catalog/standards/sist/a3e5dbff-2b6d-4f73-8d85-e572f1d24e40/sist



Reference number ISO 14239:2017(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 14239:2020</u> https://standards.iteh.ai/catalog/standards/sist/a3e5dbff-2b6d-4f73-8d85-e572f1d24e40/sist



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

| Contents | | | | |
|----------|---------------------------------------|---|----------------------------------|--|
| Fore | word | | iv | |
| Intro | oductio | on | v | |
| 1 | | oe | | |
| _ | - | | | |
| 2 | Normative references | | | |
| 3 | Tern | ns and definitions | 1 | |
| 4 | Methods | | | |
| | 4.1 | General requirements | | |
| | | 4.1.1 Soil collection and characterization | 2 | |
| | | 4.1.2 Test material | | |
| | | 4.1.3 Incubation conditions | | |
| | 4.2 | Choice of incubation systems | | |
| | 4.3 | Flow-through system | | |
| | | 4.3.1 Principle | | |
| | | 4.3.2 Materials and reagents | | |
| | | 4.3.3 Apparatus and glassware | | |
| | | 4.3.4 Procedure | | |
| | 4.4 | Soda-lime column system | | |
| | | 4.4.1 Principle | | |
| | | 4.4.2 Materials and reagents | | |
| | | 4.4.3 Apparatus and glassware 4.4.4 Procedure | | |
| | 4.5 | | | |
| | 4.5 | Biometer system | | |
| | | 4.5.1 Principle 4.5.2 Materials and reagents | | |
| | | 4.5.3 Apparatus and glassware 4.5.3 Apparatus and glassware 4.5.3 Apparatus and glassware 4.5.4 Apparatus | 11/ | |
| | | 4.5.4 Procedure | 14 161 42 4 - 40 / - i - t 14 | |
| | 4.6 | Radiorespirometer | | |
| | 7.0 | 4.6.1 Principle | | |
| | | 4.6.2 Materials and reagents | | |
| | | 4.6.3 Apparatus, glass- and plastic-ware | | |
| | | 4.6.4 Procedure | | |
| | 4.7 | Microradiorespirometer | | |
| | | 4.7.1 Principle | | |
| | | 4.7.2 Materials and reagents | | |
| | | 4.7.3 Apparatus, and plastic-ware | | |
| | | 4.7.4 Procedure | | |
| | 4.8 | Miniaturized respirometer | 17 | |
| | | 4.8.1 Principle | 17 | |
| | | 4.8.2 Materials and reagents | 18 | |
| | | 4.8.3 Apparatus, and plastic-ware | 18 | |
| | | 4.8.4 Procedure | 19 | |
| 5 | Calculation and expression of results | | | |
| - | 5.1 For unlabelled test materials | | | |
| | 5.2 | For ¹⁴ C-labelled test materials | | |
| _ | | | | |
| 6 | Test report | | | |
| Ribli | iogranl | 987 | 21 | |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological methods*.

This second edition cancels and replaces the first edition (ISO 14239:1997), which has been technically revised. The main changes are the inclusion of two additional incubation systems.

Introduction

This document describes incubation systems for determining the mineralization of organic compounds in soil under aerobic conditions.

Mineralization is only one of the parameters which can be used to assess the biodegradation of organic compounds in soil. If mineralization is not extensive, this does not necessarily mean that the test material is not biodegradable. Material balance studies to assess the production of metabolites, in addition to mineralization studies, provide a comprehensive assessment of biodegradation.

It is essential that this document be used in conjunction with ISO 11266, which gives general guidance on the information needed to assess the potential of an organic compound to be degraded in soil.

Depending on the aim of the study, it is feasible to use a range of incubation conditions, described below, and different methods of analysis.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 14239:2020</u> https://standards.iteh.ai/catalog/standards/sist/a3e5dbff-2b6d-4f73-8d85-e572f1d24e40/sist **oSIST prEN ISO 14239:2020**

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 14239:2020</u>

https://standards.iteh.ai/catalog/standards/sist/a3e5dbff-2b6d-4f73-8d85-e572f1d24e40/sist en-iso-14239-2020

Soil quality — Laboratory incubation systems for measuring the mineralization of organic chemicals in soil under aerobic conditions

WARNING — The methods in this document use several materials of a hazardous nature. Due care is necessary in their handling and disposal. In particular, all pertinent national regulations should be complied with.

1 Scope

This document specifies six suitable incubation systems for measuring the rates and extent of mineralization of organic compounds in soil by measurement of carbon dioxide (CO_2) evolution. All incubation systems are applicable to soluble or insoluble compounds but choice of system depends on the overall purposes of the study.

This document does not apply to the use of such systems for material balance studies, which are often test-substance specific.

2 Normative references A NID A D D D D

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11266, Soil quality — Guidance on laboratory testing for biodegradation of organic chemicals in soil under aerobic conditions (catalog/standards/sist/a3e5dbff-2b6d-4f73-8d85-e572ffd24e40/sist-

ISO 11269-2:2012, Soil quality — Determination of the effects of pollutants on soil flora — Part 2: Effects of contaminated soil on the emergence and early growth of higher plants

ISO 11274, Soil quality — Determination of the water-retention characteristic — Laboratory methods

ISO 18400-206,¹⁾Soil quality — Sampling — Part 206: Guidance on the collection, handling and storage of soil for the assessment of biological functional and structural endpoints in the laboratory

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Methods

4.1 General requirements

The following procedures shall be followed, whichever incubation system is selected.

1

¹⁾ Under preparation. Stage at the time of publication: ISO/DIS 18400-206:2017.

4.1.1 Soil collection and characterization

Soil shall be collected and handled in accordance with ISO 18400-206¹⁾. The soil shall be characterized in accordance with ISO 11266.

4.1.2 Test material

The test material shall be characterized in accordance with ISO 11266.

4.1.3 Incubation conditions

The following conditions shall be used unless there is a specific reason for using different conditions:—

Temperature: (20 ± 2) °C

- Pore water pressure of soil: -0.01 MPa to -0.03 MPa (measured to ± 5 %) as determined in with ISO 11274 (or between 40 % and 60 % max. water holding capacity (WHC measured to ± 5 %) accordance with ISO 11269-2:2012, Annex A)
- Incubation: in the dark

The incubation conditions should be reported in the test report. If they differ from those above, the reasons for changing them should also be reported in the test report.

A temperature of (20 ± 2) °C has been chosen as a standard for comparative purposes and because it gives relatively rapid results. Temperatures outside this range can be used if they are more appropriate (for example, because of local conditions, lack of cooling equipment).

4.2 Choice of incubation systems

One of the six systems described in this document shall be used:

- the flow-through system (4.3); $\frac{(4.3)}{(4.3)}$;
- the soda-lime column system (4.4);
- the biometer system (4.5);
- the radiorespirometer (4.6);
- the microradiorespirometer (4.7);
- the miniaturized respirometer (4.8).

Data on the mineralization of organic chemicals can most reliably be obtained from experiments with radiolabelled compounds.

Recoveries of CO_2 in the six systems can be measured using known quantities of unlabelled or ¹⁴C-labelled calcium carbonate and adding sufficient hydrochloric acid to dissolve fully the calcium carbonate.

The main advantages and disadvantages of the systems are described in Table 1 below.

 $Table \ 1-Advantages \ and \ disadvantages \ of the incubation \ systems$

| Device | Advantages | Disadvantages |
|----------------------------|---|---|
| flow-through system | — sufficient oxygen for long-term, aerobic degradation studies; | — difficulties with complete recoveries when volatile ¹⁴ C-compounds are under investigation; |
| | — uses standard laboratory glassware; | |
| | — allows measurement of unlabelled CO ₂ (titration), ¹⁴ CO ₂ (scintillation counting), and/or ¹⁴ C-labelled volatile products (scintillation counting). | — sensitivity to leaks in the system. |
| soda-lime column system | — free access of oxygen for long-term degradation studies; | — ¹⁴ CO ₂ trapped in soda lime has to be released and re-adsorbed in liquid for scintillation counting; |
| | — uses standard laboratory glassware; | G. |
| | requires little space; | — water content of soils has to be adjusted at least once per month. |
| | — adaptable without changes for use with standing or shaken aerobic sediments, pure cultures of microorganisms, algae or plant cell cultures; | |
| | — problem-free incubation under various environmental conditions; | |
| iTeh | — full recoveries of applied radioactivity in short- or long-term material balance studies. | EVIEW |
| biometer system | — requires little space; | — not ideal for long-term incubations |
| | — adaptable without changes for use with standing cultures of aerobic sediments; | due to lack of free access of air and re- duction of partial pressure of oxygen in chamber during incubation; |
| https://standards.iteh.a | — pure cultures of microorganisms or algae; | — requires special glassware. |
| 1 | — problem-free incubation under various environmental conditions; ease of measurement of non-radioactive CO ₂ (titration), ¹⁴ CO ₂ (scintillation counting or ¹⁴ C-labelled volatile products (scintillation counting). | |