# INTERNATIONAL STANDARD



First edition 2018-11

# Fine bubble technology — General principles for usage and measurement of fine bubbles —

Part 2: Categorization of the attributes of fine bubbles iTeh STANDARD PREVIEW

(S Technologie des fines bulles — Principes généraux pour l'utilisation et la mesure des fines bulles —

Partie 2; Classification des attributs des fines bulles

https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-67d5c088e960/iso-20480-2-2018



Reference number ISO 20480-2:2018(E)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 20480-2:2018</u> https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-67d5c088e960/iso-20480-2-2018



#### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Page

### Contents

Fore	word	iv
Intro	oduction	v
1	Scope	
2	Normative references	
3	Terms and definitions	
4	General principles for usage and measurement of fine bubbles4.1Standards system of fine bubble technology4.2Quality of liquid medium	<b>1</b> 
5	<ul> <li>Expression of attributes for fine bubbles</li> <li>5.1 Application of size index and number concentration index</li> <li>5.1.1 General</li> <li>5.1.2 Size index rules</li> <li>5.1.3 Number concentration principles</li> <li>5.1.4 Number concentration index rules</li> <li>5.2 Expression of class of fine bubbles in dimensional characteristics</li> </ul>	2 2 2 3 3 3 3 3 3 3
6 Anne	<ul> <li>Classification of the attributes of fine bubbles by rise velocity.</li> <li>6.1 Attributes of fine bubbles by rise velocity.</li> <li>6.2 Classification of fine bubbles by rise velocity.</li> <li>6.2.1 General STANDARD PREVIEW.</li> <li>6.2.2 Classification and definition of regions.</li> </ul>	4 4 5 5 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Bibli	ography	10
	https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-	

67d5c088e960/iso-20480-2-2018

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 281 Fine bubble technology.

A list of all parts in the ISO 20480 series can be found on the ISO website 4-4ce2-9dc4-

67d5c088e960/iso-20480-2-2018

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

#### Introduction

In recent years, readily available measurement techniques of bubbles have made it possible to characterize microbubbles and ultrafine bubbles. Such techniques have shown that ultrafine bubbles can almost remain as they are for a number of months.

Fine bubble technologies are very new, and their applications are useful in a number of fields today. Developing appropriate terminology for such a diverse area of technology is therefore critical to business trade or product acceptance, in view of the wide range of users of fine bubbles.

For better communication among the users of fine bubbles, this document introduces the quality criteria of a medium such as water, as well as two indices, one for size and the other for number concentration. This document also provides an explanation for classifying fine bubbles by dimensional characteristics and by rise velocity.

It should be noted that the motion of bubbles in a medium can be determined by buoyancy forces or randomly and thermally activated processes leading to Brownian motion. For this reason, larger bubbles can display buoyant behaviour (rise upwards) and smaller bubbles remain in the liquid medium displaying random motion. This document focuses on the definitions of such entities.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 20480-2:2018</u> https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-67d5c088e960/iso-20480-2-2018

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 20480-2:2018</u> https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-67d5c088e960/iso-20480-2-2018

# Fine bubble technology — General principles for usage and measurement of fine bubbles —

# Part 2: Categorization of the attributes of fine bubbles

#### 1 Scope

This document establishes the general principles and descriptors to allow users to describe the quality of the liquid media and the size and concentration of fine bubbles. It is also intended to allow users to classify fine bubbles by rise velocity.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 20480-1, Fine bubble technology General principles for usage and measurement of fine bubbles — Part 1: Terminology (standards.iteh.ai)

#### 3 Terms and definitions

ISO 20480-2:2018

https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-For the purposes of this document, the terms and definitions given in ISO 20480-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1

#### rise velocity

velocity of a fine bubble upwards in liquid

#### 3.2

#### terminal rise velocity

balancing velocity between the buoyancy of fine bubbles and the viscous drag

Note 1 to entry: It is the velocity in the opposite direction to the terminal settling velocity. If a rise velocity were to be defined as the terminal settling velocity, the rise velocity would be negative. Therefore, in the classification of fine bubbles, terminal rise velocity is preferred over terminal settling velocity to avoid confusion.

#### 4 General principles for usage and measurement of fine bubbles

#### 4.1 Standards system of fine bubble technology

The purpose of this document is to provide people who develop standards for fine bubble technology with an overall framework and guidelines, and to facilitate communication among users of fine bubbles. To assist in the preparation of consistent standards, a three-layered standard system has been established.

This consists of the following.

- a) The **first layer (basic standards)** covers common terminology, basic concepts, and principles for measurement and usage that can be applied to fine bubble technology. This document is part of the basic standards, and is intended to be used as a basis for the next two layers.
- b) The **second layer (measurement standards)** covers various measurement methodologies for characterization, such as bubble diameter and number concentration index, as well as common methods for sampling and sample preparation.
- c) The **third layer (individual application standards)** covers individual applications in areas including:
  - 1) food, plant cultivation, agriculture, drinking water, and cosmetics industries;
  - 2) the medical and pharmaceutical fields;
  - 3) manufacturing of new functional materials, solar cells, semiconductors, and liquid crystals;
  - 4) processes such as cleaning, toilet flushing, soil washing, water treatment, etc.

#### 4.2 Quality of liquid medium

The performance of the liquid medium with fine bubbles is strongly dependent on its pH value and the inorganic and organic substances contained therein. Therefore, the important properties of the liquid medium should be measured and clarified. This includes properties such as electrical conductivity, total organic carbon concentration, concentration of silica, sodium, oxygen component of oxidizable substance, evaporation residue heated at 100 °C in the case of fresh water and pH, optical absorbance at 25 °C for wavelength 254 nm and path length 1 cm and evaporation residue after heating at 110 °C in the case of fresh water. Typical examples of standards for the quality of fresh water are ISO 3696, ASTM D1193 and CODEX STAN 108[3].

https://standards.iteh.ai/catalog/standards/sist/24c95d4e-6534-4ce2-9dc4-

67d5c088e960/iso-20480-2-2018

#### 5 Expression of attributes for fine bubbles

#### 5.1 Application of size index and number concentration index

#### 5.1.1 General

The terms "size index" and "number concentration index" are intended to benefit those who are exclusively engaged in the application of fine bubble technology.

A bubble is a closed interface between gas and liquid. An ideal size measurement would distinguish a bubble from solid particles or liquid droplets (such as oil), which may also be present in the medium. The measurement would be able to size each material separately.

Most currently available measurement methods that use optical scattering or acoustic characteristics cannot differentiate one type of phase from another, and will characterize them as an ensemble (even if the particle types are different). Although the reported values for size and concentration may not be entirely due to bubbles, in most cases they are accurate enough for users in their work. The terms "size index" and "number concentration index" should be used in preference to size and number concentration to better reflect the uncertainties involved.

#### 5.1.2 Size index rules

The following rules apply to the use of the term "size index".

- a) The size index shall be accompanied with a description of the relevant measurement method and applicable field for relevant fine bubbles.
  - 1) The "measurement method" in practice includes an industrially available and agreed method.
  - 2) The "applicable field" in practice includes a description of the application specific functional components other than fine bubbles.
  - 3) Example: "size index measured by the particle tracking analysis (PTA) method on untreated raw water for aquafarming technology".

NOTE For more information on particle tracking analysis (PTA), see ISO 19430.

- b) Size indices from different techniques are not comparable.
- c) The size index is preferably to be accompanied with an acknowledgement of the uncertainty inherent in the definition of fine bubbles size.

#### 5.1.3 Number concentration principles

A practical measurement of number concentration assumes a measurement principle. For example, optical measurement cannot identify a fine bubble from a solid particle in a given fine bubble water sample. But users can estimate the number concentration contribution of solid particles once they know the history of the sample's generation. (standards.iteh.ai)

A very clean generator will not add any solid particles to the original water sample. Thus, the number concentration index of fine bubbles in the generated water can be estimated by subtracting the concentration of solid particles in the original water sample from the total number concentration. The uncertainty can be assigned by estimating, for example, how clean the generator is.

Alternatively, if it is possible to run the sample through the generator without generation of bubbles occurring, it could be used as a background measure that would take into account any contamination from pipes/tank walls.

#### 5.1.4 Number concentration index rules

The following rules apply to the use of the number concentration index:

- a) the number concentration index shall be accompanied with a description of the measurement method and applicable field for relevant fine bubbles;
- b) different types of number concentration indices are not comparable;
- c) the number concentration index is preferably to be accompanied with an acknowledgement of the uncertainty inherent in the definition of fine bubbles size.

#### 5.2 Expression of class of fine bubbles in dimensional characteristics

Since the definition of fine bubbles ranges over 5 decades in size and 11 decades in number concentration, many physical, chemical and mechanical characteristics can differ according to the dimensional range of fine bubbles.

While detailed and precise specifications of the size and number concentration ranges will be useful for the fine bubble community, the wide scope over several decades will be useful for all those engaged in fine bubble applications.