

SLOVENSKI STANDARD oSIST prEN ISO 17225-9:2020

01-november-2020

Trdna biogoriva - Specifikacije goriv in razredi - 9. del: Klasifikacija grobo drobljenega lesa in sekancev za industrijsko uporabo (ISO/DIS 17225-9:2020)

Solid biofuels - Fuel specifications and classes - Part 9: Graded hog fuel and wood chips for industrial use (ISO/DIS 17225-9:2020)

Biogene Festbrennstoffe - Brennstoffspezifikationen und -klassen - Teil 9: Klassifizierung von grobem Schredderholz und Holzhackschnitzel für die industrielle Verwendung (ISO/DIS 17225-9:2020)

(standards.iteh.ai)

Biocombustibles solides - Classes et spécifications des combustibles - Partie 9: Plaquettes et broyat de bois à usage industriel (ISO/DIS⁰17225-9:2020)

6b5b9e61105a/osist-pren-iso-17225-9-2020

Ta slovenski standard je istoveten z: prEN ISO 17225-9

ICS:

75.160.10 Trda goriva

Solid fuels

oSIST prEN ISO 17225-9:2020

en,fr,de

oSIST prEN ISO 17225-9:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 17225-9:2020 https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-6b5b9e61105a/osist-pren-iso-17225-9-2020

DRAFT INTERNATIONAL STANDARD ISO/DIS 17225-9

ISO/TC 238

Voting begins on: **2020-09-15**

Secretariat: SIS

Voting terminates on: 2020-12-08

Solid biofuels — Fuel specifications and classes —

Part 9: Graded hog fuel and wood chips for industrial use

Biocombustibles solides — Classes et spécifications des combustibles — Partie 9: Plaquettes et broyat de bois à usage industriel

ICS: 27.190; 75.160.40

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 17225-9:2020 https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-6b5b9e61105a/osist-pren-iso-17225-9-2020

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION. This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number ISO/DIS 17225-9:2020(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 17225-9:2020 https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-6b5b9e61105a/osist-pren-iso-17225-9-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

ISO/DIS 17225-9:2020(E)

Page

Contents

Forew	ordi	v
Introductionv		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Symbols and abbreviated terms	2
5	Specification of graded hog fuel and wood chips for industrial use	3
Biblio	graphy	8

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 17225-9:2020 https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-6b5b9e61105a/osist-pren-iso-17225-9-2020

ISO/DIS 17225-9:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 238, Solid biofuels.

This is the first edition (ISO 17225d9)] which has been technically revised-4759-84a6-

6b5b9e61105a/osist-pren-iso-17225-9-2020 A list of all parts in the ISO 17225 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

The objective of the ISO 17225 series is to provide unambiguous and clear classification principles for solid biofuels; to serve as a tool to enable efficient trading of biofuels; to enable good understanding between seller and buyer as well as a tool for communication with equipment manufacturers. It also facilitates authority permission procedures and reporting.

This document supports the use of graded hog fuel and wood chips for industrial heat and power generation applications, which require graded hog fuel and/or wood chips.

NOTE 1 For individual contracts, ISO 17225-1 can be used.

Although this document may be obtained separately, it requires a general understanding of the standards based on and supporting ISO 17225-1. It is recommended to obtain and use ISO 17225-1 in conjunction with this document.

The International Organization for Standardization (ISO) [and/or] International Electrotechnical Commission (IEC) draw[s] attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

ISO [and/or] IEC take[s] no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO [and/or] IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO [and/or] IEC. Information may be obtained from the patent database available at www.iso.org/patents.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO [and/or] IEC shall not be held responsible for identifying any or all such patent rights pren ISO 17225-9:2020

https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-6b5b9e61105a/osist-pren-iso-17225-9-2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

oSIST prEN ISO 17225-9:2020 https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-6b5b9e61105a/osist-pren-iso-17225-9-2020

Solid biofuels — Fuel specifications and classes —

Part 9: Graded hog fuel and wood chips for industrial use

1 Scope

This document determines the fuel quality classes and specifications of graded hog fuel and wood chips for industrial use. It covers only hog fuel and wood chips produced from the following raw materials (see ISO 17225-1:—, Table 1):

- 1.1 forest, plantation and other virgin wood;
- 1.2 by-products and residues from wood processing industry;
- 1.3.1 chemically untreated used wood;
- 1.4 blends and mixtures.

This document covers hog fuel, which is produced with blunt tools, and wood chips, which are produced with sharp tools. 11 en SIANDARD PREV

1.2.2 By-products and residues from wood processing industry, which can include chemically treated NOTE 1 material (e.g. glued, painted, laminated) are not allowed include halogenated organic compounds or heavy metals at levels higher than those in typical virgin material values (see Annex B in ISO 17225-1) or higher than typical values of the country of origin. https://standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-

If class 14 includes chemically treated used wood [1:3:2]⁰ it can be only used in the installations NOTE 2 permitted to use 1.3.2.

Normative references 2

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14780, Solid biofuels — Sample preparation

ISO 16559, Solid biofuels — Terminology, definitions and descriptions

ISO 16948, Solid biofuels — Determination of total content of carbon, hydrogen and nitrogen

ISO 16968, Solid biofuels — Determination of minor elements

ISO 16994, Solid biofuels — Determination of total content of sulfur and chlorine

ISO 17225-1, Solid biofuels — Fuel specifications and classes — Part 1: General requirements

ISO 17827-1, Solid biofuels — Determination of particle size distribution for uncompressed fuels — Part 1: *Oscillating screen method using sieves with apertures of 3,15 mm and above*

ISO 18122, Solid biofuels — Determination of ash content

ISO 18125, Solid biofuels — Determination of calorific value

ISO/DIS 17225-9:2020(E)

ISO 18134-2, Solid biofuels — Determination of moisture content — Oven dry method — Part 2: Total moisture — Simplified method

ISO 18135, Solid Biofuels — Sampling

ISO 19743, Solid biofuels — Determination of content of heavy extraneous materials larger than 3,15 mm

Terms and definitions 3

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>

IEC Electropedia: available at http://www.electropedia.org/

3.1

chemical treatment

any treatment with chemicals other than air, water or heat

EXAMPLE Glue, paint, laminate.

Note 1 to entry: Examples of chemical treatment are listed in ISO 17225-1:--, Annex A.

3.2

contamination

occurrence of any undesirable matter such as chemical, physical and/or microbiological matter in the product

[SOURCE: ISO 22716:2007, 2.10]

(standards.iteh.ai)

3.3

oSIST prEN ISO 17225-9:2020 heavy extraneous materials//standards.iteh.ai/catalog/standards/sist/3584ddd7-dc89-4759-84a6-EM_d 6b5b9e61105a/osist-pren-iso-17225-9-2020 extraneous substances \geq 3,15 mm with a specific density >1 g/cm³ of the dry matter in the fuel.

Note 1 to entry: Most of the particles are inorganic material, e.g. stones, glass or metal, but it also can include particles of non-biogenic origin e.g. plastic or rubber.

3.4

inorganic matter

non-combustible fraction of a fuel

[SOURCE: ISO 16559:2014, 4.123]

Symbols and abbreviated terms 4

The symbols and abbreviated terms used in document comply with the SI system of units as far as possible.

- Α Designation for ash content on dry basis, A_d [% in mass]
- as received ar
- Designation for bulk density as received, ρ_{ar} [kg/m³ loose] BD
- dry (dry basis) d
- Designation for amount of heavy extraneous material on dry basis [% in mass] EM_d
- F Designation for amount of fines (<3,15 mm) on analysis moisture basis [% in mass]