

# ETSI TS 129 522 V16.17.0 (2024-07)



**5G;  
5G System;  
Network Exposure Function Northbound APIs;  
Stage 3  
(3GPP TS 29.522 version 16.17.0 Release 16)**

[ETSI TS 129 522 V16.17.0 \(2024-07\)](https://standards.iteh.ai/catalog/standards/etsi/120e22b1-4a18-4342-b307-1a8de5db5b3d/etsi-ts-129-522-v16-17-0-2024-07)

<https://standards.iteh.ai/catalog/standards/etsi/120e22b1-4a18-4342-b307-1a8de5db5b3d/etsi-ts-129-522-v16-17-0-2024-07>



---

**Reference**

RTS/TSGC-0329522vgh0

---

**Keywords**

5G

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

The present document can be downloaded from the  
ETSI [Search & Browse Standards application](#).

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#).

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.  
All rights reserved.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

## Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables. (2024-07)

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope .....	11
2 References .....	11
3 Definitions and abbreviations.....	12
3.1 Definitions .....	12
3.2 Abbreviations .....	12
4 NEF Northbound Interface .....	13
4.1 Overview .....	13
4.2 Reference model.....	14
4.3 Functional elements.....	15
4.3.1 NEF.....	15
4.3.2 AF .....	15
4.4 Procedures over NEF Northbound Interface .....	16
4.4.1 Introduction.....	16
4.4.2 Procedures for Monitoring.....	16
4.4.3 Procedures for Device Triggering.....	18
4.4.4 Procedures for resource management of Background Data Transfer.....	18
4.4.5 Procedures for CP Parameters Provisioning .....	19
4.4.6 Procedures for PFD Management.....	19
4.4.7 Procedures for Traffic Influence .....	19
4.4.7.1 General .....	19
4.4.7.2 AF request identified by UE address.....	20
4.4.7.3 AF request not identified by UE address.....	20
4.4.7.4 Handling of UP path management event notification .....	21
4.4.8 Procedures for changing the chargeable party at session set up or during the session.....	21
4.4.9 Procedures for setting up an AF session with required QoS.....	22
4.4.10 Procedures for MSISDN-less Mobile Originated SMS .....	23
4.4.11 Procedures for Network Configuration Parameters Provisioning.....	23
4.4.12 Procedures for Non-IP data delivery.....	23
4.4.12.1 General .....	23
4.4.12.2 NIDD configuration Triggered by the NEF .....	23
4.4.12.3 NIDD configuration triggered by the AF and NIDD delivery .....	24
4.4.13 Procedures for RACS Parameter Provisioning .....	24
4.4.14 Procedures for analytics information exposure.....	24
4.4.14.1 Subscription/unsubscription to notification of analytics information .....	24
4.4.14.2 Fetch analytics information.....	26
4.4.15 Procedures for 5G LAN Parameter Provisioning.....	26
4.4.15.1 General .....	26
4.4.15.2 Creation of a new subscription for 5G LAN parameter provisioning .....	26
4.4.15.3 Modification of an existing subscription for 5G LAN parameter provisioning .....	27
4.4.15.4 Deletion of an existing subscription for 5G LAN parameter provisioning .....	27
4.4.16 Procedures for applying BDT policy .....	27
4.4.17 Procedures for Enhanced Coverage Restriction Control.....	28
4.4.18 Procedures for IPTV Configuration.....	28
4.4.20 Procedures for service specific parameter provisioning .....	29
4.4.21 Procedures for ACS configuration parameter provisioning.....	31
4.4.22 Procedures for Mobile Originated Location Request.....	31
4.4.22.1 General .....	31
4.4.22.2 Location Update Notification triggered by UE .....	31
5 NEF Northbound APIs .....	32

5.1	Introduction .....	32
5.2	Information applicable to several APIs .....	32
5.3	Reused APIs .....	32
5.4	TrafficInfluence API .....	33
5.4.1	Resources .....	33
5.4.1.1	Overview .....	33
5.4.1.2	Resource: Traffic Influence Subscription .....	34
5.4.1.2.1	Introduction .....	34
5.4.1.2.2	Resource Definition .....	34
5.4.1.2.3	Resource Methods .....	34
5.4.1.2.3.1	General .....	34
5.4.1.2.3.2	GET .....	35
5.4.1.2.3.3	POST .....	35
5.4.1.3	Resource: Individual Traffic Influence Subscription .....	36
5.4.1.3.1	Introduction .....	36
5.4.1.3.2	Resource Definition .....	36
5.4.1.3.3	Resource Methods .....	36
5.4.1.3.3.1	General .....	36
5.4.1.3.3.2	GET .....	36
5.4.1.3.3.3	PUT .....	37
5.4.1.3.3.4	PATCH .....	38
5.4.1.3.3.5	DELETE .....	39
5.4.2	Notifications .....	40
5.4.2.1	Introduction .....	40
5.4.2.2	Event Notification .....	40
5.4.2.2.1	Description .....	40
5.4.2.2.2	Target URI .....	40
5.4.2.2.3	Operation Definition .....	41
5.4.2.3	Acknowledgement of event notification .....	41
5.4.2.3.1	Description .....	41
5.4.2.3.2	Target URI .....	42
5.4.2.3.3	Operation Definition .....	42
5.4.2.3.3.1	Notification via HTTP POST .....	42
5.4.3	Data Model .....	43
5.4.3.1	General .....	43
5.4.3.2	Reused data types .....	43
5.4.3.3	Structured data types .....	43
5.4.3.3.1	Introduction .....	43
5.4.3.3.2	Type: TrafficInfluSub .....	43
5.4.3.3.3	Type: TrafficInfluSubPatch .....	47
5.4.3.3.4	Type: EventNotification .....	48
5.4.3.3.5	Type: AfResultInfo .....	49
5.4.3.3.6	Type AfAckInfo .....	49
5.4.3.4	Simple data types and enumerations .....	49
5.4.3.4.1	Introduction .....	49
5.4.3.4.2	Simple data types .....	49
5.4.3.4.3	Enumeration: SubscribedEvent .....	49
5.4.3.4.4	Enumeration: AfResultStatus .....	49
5.4.4	Used Features .....	50
5.5	NiddConfigurationTrigger API .....	50
5.5.1	Resources .....	50
5.5.2	Notifications .....	50
5.5.2.1	Introduction .....	50
5.5.2.2	Event Notification .....	50
5.5.2.3	Operation Definition .....	51
5.5.2.3.1	Notification via HTTP POST .....	51
5.5.2.3.2	Notification via WebSocket .....	51
5.5.3	Data Model .....	52
5.5.3.1	General .....	52
5.5.3.2	Reused data types .....	52
5.5.3.3	Structured data types .....	52
5.5.3.3.1	Introduction .....	52

5.5.3.3.2 Type: NiddConfigurationTrigger.....52

5.5.3.3.3 Type: NiddConfigurationTriggerReply.....52

5.5.3.4 Simple data types and enumerations.....53

5.5.3.4.1 Introduction.....53

5.5.3.4.2 Simple data types.....53

5.5.4 Used Features.....53

5.6 AnalyticsExposure API.....53

5.6.1 Resources.....53

5.6.1.1 Overview.....53

5.6.1.2 Resource: Analytics Exposure Subscriptions.....54

5.6.1.2.1 Introduction.....54

5.6.1.2.2 Resource Definition.....54

5.6.1.2.3 Resource Methods.....54

5.6.1.2.3.1 General.....54

5.6.1.2.3.2 GET.....54

5.6.1.2.3.3 POST.....55

5.6.1.3 Resource: Individual Analytics Exposure Subscription.....56

5.6.1.3.1 Introduction.....56

5.6.1.3.2 Resource Definition.....56

5.6.1.3.3 Resource Methods.....56

5.6.1.3.3.1 General.....56

5.6.1.3.3.2 GET.....56

5.6.1.3.3.3 PUT.....57

5.6.1.3.3.4 DELETE.....58

5.6.1a Custom Operations without associated resources.....59

5.6.1a.1 Overview.....59

5.6.1a.2 Operation: fetch.....59

5.6.1a.2.1 Description.....59

5.6.1a.2.2 Operation Definition.....59

5.6.2 Notifications.....60

5.6.2.1 Introduction.....60

5.6.2.2 Event Notification.....60

5.6.2.3 Operation Definition.....61

5.6.2.3.1 Notification via HTTP POST.....61

5.6.2.3.2 Notification via Websocket.....61

5.6.3 Data Model.....61

5.6.3.1 General.....61

5.6.3.2 Reused data types.....62

5.6.3.3 Structured data types.....62

5.6.3.3.1 Introduction.....62

5.6.3.3.2 Type: AnalyticsExposureSubsc.....62

5.6.3.3.3 Type: AnalyticsEventNotification.....64

5.6.3.3.4 Type: AnalyticsEventNotif.....64

5.6.3.3.5 Type: AnalyticsEventSubsc.....65

5.6.3.3.6 Type: AnalyticsEventFilterSubsc.....66

5.6.3.3.7 Type TargetUeId.....68

5.6.3.3.8 Void.....69

5.6.3.3.9 Type UeMobilityExposure.....69

5.6.3.3.10 Type UeLocationInfo.....69

5.6.3.3.11 Void.....69

5.6.3.3.12 Type: AnalyticsRequest.....70

5.6.3.3.13 Type AnalyticsEventFilter.....71

5.6.3.3.14 Type AnalyticsData.....72

5.6.3.3.15 Type AbnormalExposure.....73

5.6.3.3.16 Type CongestInfo.....73

5.6.3.3.17 Type CongestionAnalytics.....73

5.6.3.3.18 Type QosSustainabilityExposure.....74

5.6.3.3.19 Type NetworkPerfExposure.....74

5.6.3.3.20 Type AnalyticsFailureEventInfo.....74

5.6.3.4 Simple data types and enumerations.....75

5.6.3.4.1 Introduction.....75

5.6.3.4.2 Simple data types.....75

5.6.3.4.3	Enumeration: AnalyticsEvent .....	75
5.6.3.4.4	Enumeration: AnalyticsFailureCode .....	75
5.6.4	Used Features.....	75
5.6.5	Error handling .....	76
5.6.5.1	General .....	76
5.6.5.2	Protocol Errors .....	76
5.6.5.3	Application Errors .....	76
5.7	5GLANParameterProvision API.....	77
5.7.1	Resources.....	77
5.7.1.1	Overview .....	77
5.7.1.2	Resource: 5GLAN Parameters Provision Subscriptions .....	77
5.7.1.2.1	Introduction .....	77
5.7.1.2.2	Resource Definition.....	78
5.7.1.2.3	Resource Methods .....	78
5.7.1.2.3.1	General.....	78
5.7.1.2.3.2	GET.....	78
5.7.1.2.3.3	POST.....	79
5.7.1.3	Resource: Individual 5GLAN Parameters Provision Subscription .....	79
5.7.1.3.1	Introduction .....	79
5.7.1.3.2	Resource Definition.....	79
5.7.1.3.3	Resource Methods .....	80
5.7.1.3.3.1	General.....	80
5.7.1.3.3.2	GET.....	80
5.7.1.3.3.3	PUT.....	81
5.7.1.3.3.4	DELETE .....	81
5.7.1.3.3.5	PATCH .....	82
5.7.1a	Notifications .....	83
5.7.2	Data Model .....	83
5.7.2.1	General .....	83
5.7.2.2	Reused data types.....	83
5.7.2.3	Structured data types .....	84
5.7.2.3.1	Introduction .....	84
5.7.2.3.2	Type: 5GLanParametersProvision.....	84
5.7.2.3.3	Type: 5GLanParameters .....	84
5.7.2.3.4	Type: AppDescriptor .....	85
5.7.2.3.5	Type: 5GLanParametersProvisionPatch .....	86
5.7.2.3.6	Type: 5GLanParametersPatch .....	86
5.7.2.3.7	Type: AppDescriptorRm .....	86
5.7.2.3.8	Enumeration: AaaUsage .....	86
5.7.2.4	Simple data types and enumerations .....	86
5.7.2.4.1	Introduction .....	86
5.7.2.4.2	Simple data types.....	87
5.7.3	Used Features.....	87
5.8	ApplyingBdtPolicy API .....	87
5.8.1	Resources.....	87
5.8.1.1	Overview .....	87
5.8.1.2	Resource: Applied BDT Policy Subscriptions .....	88
5.8.1.2.1	Introduction .....	88
5.8.1.2.2	Resource Definition.....	88
5.8.1.2.3	Resource Methods .....	88
5.8.1.2.3.1	General.....	88
5.8.1.2.3.2	GET.....	88
5.8.1.2.3.3	POST.....	89
5.8.1.3	Resource: Individual Applied BDT Policy Subscription .....	90
5.8.1.3.1	Introduction .....	90
5.8.1.3.2	Resource Definition.....	90
5.8.1.3.3	Resource Methods .....	90
5.8.1.3.3.1	General.....	90
5.8.1.3.3.2	GET.....	90
5.8.1.3.3.3	PATCH .....	91
5.8.1.3.3.4	DELETE .....	92
5.8.2	Notifications .....	93

5.8.3	Data Model .....	93
5.8.3.1	General .....	93
5.8.3.2	Reused data types .....	93
5.8.3.3	Structured data types .....	93
5.8.3.3.1	Introduction .....	93
5.8.3.3.2	Type: AppliedBdtPolicy .....	93
5.8.3.3.3	Type: AppliedBdtPolicyPatch .....	94
5.8.3.4	Simple data types and enumerations .....	94
5.8.3.4.1	Introduction .....	94
5.8.3.4.2	Simple data types .....	94
5.8.4	Used Features .....	94
5.9	IPTVConfiguration API .....	95
5.9.1	Resources .....	95
5.9.1.1	Overview .....	95
5.9.1.2	Resource: IPTV Configurations .....	96
5.9.1.2.1	Introduction .....	96
5.9.1.2.2	Resource Definition .....	96
5.9.1.2.3	Resource Methods .....	96
5.9.1.2.3.1	General .....	96
5.9.1.2.3.2	GET .....	96
5.9.1.2.3.3	POST .....	97
5.9.1.3	Resource: Individual IPTV Configuration .....	98
5.9.1.3.1	Introduction .....	98
5.9.1.3.2	Resource Definition .....	98
5.9.1.3.3	Resource Methods .....	98
5.9.1.3.3.1	General .....	98
5.9.1.3.3.2	GET .....	98
5.9.1.3.3.3	PUT .....	99
5.9.1.3.3.4	DELETE .....	100
5.9.1.3.3.5	PATCH .....	101
5.9.1A	Notifications .....	101
5.9.2	Data Model .....	102
5.9.2.1	General .....	102
5.9.2.2	Reused data types .....	102
5.9.2.3	Structured data types .....	102
5.9.2.3.1	Introduction .....	102
5.9.2.3.2	Type: IptvConfigData .....	102
5.9.2.3.3	Type: MulticastAccessControl .....	103
5.9.2.3.4	Type: IptvConfigDataPatch .....	103
5.9.2.4	Simple data types and enumerations .....	103
5.9.2.4.1	Introduction .....	103
5.9.2.4.2	Simple data types .....	103
5.9.2.4.3	Enumeration: AccessRightStatus .....	103
5.9.3	Used Features .....	104
5.10	LpiParameterProvision API .....	104
5.10.1	Resources .....	104
5.10.1.1	Overview .....	104
5.10.1.2	Resource: LPI Parameters Provisionings .....	105
5.10.1.2.1	Introduction .....	105
5.10.1.2.2	Resource Definition .....	105
5.10.1.2.3	Resource Methods .....	105
5.10.1.2.3.1	General .....	105
5.10.1.2.3.2	GET .....	105
5.10.1.2.3.3	POST .....	106
5.10.1.3	Resource: Individual LPI Parameters Provisioning .....	107
5.10.1.3.1	Introduction .....	107
5.10.1.3.2	Resource Definition .....	107
5.10.1.3.3	Resource Methods .....	107
5.10.1.3.3.1	General .....	107
5.10.1.3.3.2	GET .....	107
5.10.1.3.3.3	PUT .....	108
5.10.1.3.3.4	DELETE .....	109

5.10.2	Data Model .....	110
5.10.2.1	General .....	110
5.10.2.2	Reused data types .....	110
5.10.2.3	Structured data types .....	110
5.10.2.3.1	Introduction .....	110
5.10.2.3.2	Type: LpiParametersProvision .....	111
5.10.2.4	Simple data types and enumerations .....	111
5.10.2.4.1	Introduction .....	111
5.10.2.4.2	Simple data types .....	111
5.10.3	Used Features .....	111
5.11	ServiceParameter API .....	112
5.11.1	Resources .....	112
5.11.1.1	Overview .....	112
5.11.1.2	Resource: Service Parameter Subscriptions .....	112
5.11.1.2.1	Introduction .....	112
5.11.1.2.2	Resource Definition .....	112
5.11.1.2.3	Resource Methods .....	113
5.11.1.2.3.1	General .....	113
5.11.1.2.3.2	GET .....	113
5.11.1.2.3.3	POST .....	114
5.11.1.3	Resource: Individual Service Parameter Subscription .....	114
5.11.1.3.1	Introduction .....	114
5.11.1.3.2	Resource Definition .....	114
5.11.1.3.3	Resource Methods .....	115
5.11.1.3.3.1	General .....	115
5.11.1.3.3.2	GET .....	115
5.11.1.3.3.3	PUT .....	116
5.11.1.3.3.4	DELETE .....	116
5.11.1.3.3.5	PATCH .....	117
5.11.2	Data Model .....	118
5.11.2.1	General .....	118
5.11.2.2	Reused data types .....	118
5.11.2.3	Structured data types .....	119
5.11.2.3.1	Introduction .....	119
5.11.2.3.2	Type: ServiceParameterData .....	119
5.11.2.3.3	Type: ServiceParameterDataPatch .....	120
5.11.2.4	Simple data types and enumerations .....	120
5.11.2.4.1	Introduction .....	120
5.11.2.4.2	Simple data types .....	120
5.11.3	Used Features .....	120
5.12	ACSPParameterProvision API .....	121
5.12.1	Resources .....	121
5.12.1.1	Overview .....	121
5.12.1.2	Resource: ACS Configuration Subscriptions .....	121
5.12.1.2.1	Introduction .....	121
5.12.1.2.2	Resource Definition .....	121
5.12.1.2.3	Resource Methods .....	122
5.12.1.2.3.1	General .....	122
5.12.1.2.3.2	GET .....	122
5.12.1.2.3.3	POST .....	123
5.12.1.3	Resource: Individual ACS Configuration Subscription .....	123
5.12.1.3.1	Introduction .....	123
5.12.1.3.2	Resource Definition .....	123
5.12.1.3.3	Resource Methods .....	124
5.12.1.3.3.1	General .....	124
5.12.1.3.3.2	GET .....	124
5.12.1.3.3.3	PUT .....	125
5.12.1.3.3.4	DELETE .....	125
5.12.2	Data Model .....	126
5.12.2.1	General .....	126
5.12.2.2	Reused data types .....	126
5.12.2.3	Structured data types .....	127

5.12.2.3.1	Introduction .....	127
5.12.2.3.2	Type: AcsConfigurationData .....	127
5.12.2.4	Simple data types and enumerations .....	127
5.12.2.4.1	Introduction .....	127
5.12.2.4.2	Simple data types.....	127
5.12.3	Used Features.....	128
5.13	MoLcsNotify API.....	128
5.13.1	Resources.....	128
5.13.2	Notifications .....	128
5.13.2.1	Introduction.....	128
5.13.2.2	Event Notification.....	128
5.13.2.3	Operation Definition .....	128
5.13.2.3.1	Notification via HTTP POST .....	128
5.13.3	Data Model .....	129
5.13.3.1	General.....	129
5.13.3.2	Reused data types.....	129
5.13.3.3	Structured data types .....	129
5.13.3.3.1	Introduction .....	129
5.13.3.3.2	Type: LocUpdateData .....	130
5.13.3.3.3	Type: LocUpdateDataReply .....	130
5.13.3.4	Simple data types and enumerations .....	130
5.13.3.4.1	Introduction .....	130
5.13.3.4.2	Simple data types.....	130
5.13.4	Used Features.....	130
6	Security.....	131
7	Using Common API Framework.....	131
7.1	General .....	131
7.2	Security .....	131
<b>Annex A (normative):</b>	<b>OpenAPI representation for NEF Northbound APIs.....</b>	<b>132</b>
A.1	General .....	132
A.2	TrafficInfluence API .....	132
A.3	NiddConfigurationTrigger API.....	140
A.4	AnalyticsExposure API.....	141
A.5	5GLANParameterProvision API.....	151
A.6	ApplyingBdtPolicy API .....	157
A.7	IPTVConfiguration API .....	161
A.8	LpiParameterProvision API .....	166
A.9	ServiceParameter API .....	170
A.10	ACSPParameterProvision API.....	175
A.11	MoLcsNotify API.....	178
<b>Annex B (informative):</b>	<b>Change history .....</b>	<b>181</b>
History .....		187

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ETSI TS 129 522 V16.17.0 \(2024-07\)](https://standards.iteh.ai/catalog/standards/etsi/120e22b1-4a18-4342-b307-1a8de5db5b3d/etsi-ts-129-522-v16-17-0-2024-07)

<https://standards.iteh.ai/catalog/standards/etsi/120e22b1-4a18-4342-b307-1a8de5db5b3d/etsi-ts-129-522-v16-17-0-2024-07>

---

# 1 Scope

The present specification describes the protocol for the NEF Northbound interface between the NEF and the AF. The NEF Northbound interface and the related stage 2 functional requirements are defined in 3GPP TS 23.502 [2], 3GPP TS 23.316 [28] and 3GPP TS 23.288 [29].

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.502: "Procedures for the 5G system".
- [3] 3GPP TS 23.501: "System Architecture for the 5G".
- [4] 3GPP TS 29.122: "T8 reference point for northbound Application Programming Interfaces (APIs)".
- [5] Open API Initiative, "OpenAPI 3.0.0 Specification", <https://github.com/OAI/OpenAPI-Specification/blob/master/versions/3.0.0.md>.
- [6] 3GPP TS 33.501: "Security architecture and procedures for 5G System".
- [7] 3GPP TS 29.514: "5G System; Policy Authorization Service; Stage 3".
- [8] 3GPP TS 29.571: "5G System; Common Data Types for Service Based Interfaces; Stage 3".
- [9] 3GPP TS 29.521: "5G System; Binding Support Management Service; Stage 3".
- [10] Void.
- [11] 3GPP TS 23.222: "Common API Framework for 3GPP Northbound APIs; Stage 2".
- [12] 3GPP TS 29.222: "Common API Framework for 3GPP Northbound APIs; Stage 3".
- [13] IETF RFC 6749: "The OAuth 2.0 Authorization Framework".
- [14] 3GPP TS 33.122: "Security Aspects of Common API Framework for 3GPP Northbound APIs".
- [15] Void.
- [16] IETF RFC 5246: "The Transport Layer Security (TLS) Protocol Version 1.2".
- [17] 3GPP TS 29.503: "5G System; Unified Data Management Services; Stage 3".
- [18] 3GPP TS 29.518: "5G System; Access and Mobility Management Services; Stage 3".
- [19] 3GPP TS 29.554: "5G System; Background Data Transfer Policy Control Service; Stage 3".
- [20] 3GPP TS 29.504: "5G System; Unified Data Repository Services; Stage 3".
- [21] 3GPP TR 21.900: "Technical Specification Group working methods".

- [22] 3GPP TS 29.523: "5G System; Policy Control Event Exposure Service; Stage 3".
- [23] 3GPP TS 29.519: "5G System; Usage of the Unified Data Repository service for Policy Control Data, Application Data and Structured Data for Exposure; Stage 3".
- [24] 3GPP TS 29.541: "5G System; Network Exposure (NE) function services for Non-IP Data Delivery (NIDD); Stage 3".
- [25] 3GPP TS 29.542: "5G System, Session management services for Non-IP Data Delivery (NIDD); Stage 3".
- [26] 3GPP TS 29.508: "5G System; Session Management Event Exposure Service; Stage 3".
- [27] 3GPP TS 29.520: "5G System; Network Data Analytics Services; Stage 3".
- [28] 3GPP TS 23.316: "Wireless and wireline convergence access support for the 5G system (5GS)".
- [29] 3GPP TS 23.288: "Architecture enhancements for 5G System (5GS) to support network data analytics services".
- [30] 3GPP TS 23.032: "Universal Geographical Area Description (GAD)".
- [31] 3GPP TS 23.287: "Architecture enhancements for 5G System (5GS) to Vehicle-to-Everything (V2X) services".
- [32] 3GPP TS 29.501: "5G System; Principles and Guidelines for Services Definition; Stage 3".
- [33] 3GPP TS 24.588: "Vehicle-to-Everything (V2X) services in 5G System (5GS); User Equipment (UE) policies; Stage 3".
- [34] 3GPP TS 29.572: "5G System; Location Management Services; Stage 3".
- [35] 3GPP TS 29.515: "5G System; Gateway Mobile Location Services; Stage 3".
- [36] 3GPP TS 23.273: "5G System Location Services (LCS)".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

### 3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

ACS	Auto-Configuration Server
AF	Application Function
BDT	Background Data Transfer
CAPIF	Common API Framework
CP	Communication Pattern
DN	Data Network
DNAI	DN Access Identifier
DNN	Data Network Name
GMLC	Global Mobile Location Centre
GPSI	Generic Public Subscription Identifier
IPTV	Internet Protocol Television

MO-LR	Mobile Originated Location Request
NEF	Network Exposure Function
PCF	Policy Control Function
PCRF	Policy and Charging Rule Function
PFD	Packet Flow Description
PFDf	Packet Flow Description Function
REST	Representational State Transfer
SCEF	Service Capability Exposure Function
S-NSSAI	Single Network Slice Selection Assistance Information
UDR	Unified Data Repository
UP	User Plane
WB	Wide Band

---

## 4 NEF Northbound Interface

### 4.1 Overview

The NEF Northbound interface is between the NEF and the AF. It specifies RESTful APIs that allow the AF to access the services and capabilities provided by 3GPP network entities and securely exposed by the NEF.

This document also specifies the procedures triggered at the NEF by API requests from the AF and by event notifications received from 3GPP network entities.

The stage 2 level requirements and signalling flows for the NEF Northbound interface are defined in 3GPP TS 23.502 [2].

The NEF Northbound interface supports the following procedures:

- 1) Procedures for Monitoring
- 2) Procedures for Device Triggering
- 3) Procedures for resource management of Background Data Transfer
- 4) Procedures for CP Parameters, Network Configuration Parameters Provisioning, 5G LAN Parameters Provisioning, ACS Configuration Parameter Provisioning and Location Privacy Indication Parameters Provisioning
- 5) Procedures for PFD Management
- 6) Procedures for Traffic Influence
- 7) Procedures for changing the chargeable party at session set up or during the session
- 8) Procedures for setting up an AF session with required QoS
- 9) Procedures for MSISDN-less Mobile Originated SMS
- 10) Procedures for non-IP data delivery
- 11) Procedures for analytics information exposure
- 12) Procedure for applying BDT policy
- 13) Procedures for Enhanced Coverage Restriction Control
- 14) Procedures for IPTV Configuration
- 15) Procedures for Service Parameter Provisioning
- 16) Procedures for RACS Parameter Provisioning
- 17) Procedures for Mobile Originated Location Request