

ISO/TC 134

Secretariat: ISIRI

Voting begins on:
2020-05-14

Voting terminates on:
2020-07-09

Fertilizers and liming materials — Sampling and sample preparation —

Part 3: Sampling of static

*Engrais et amendements minéraux basiques — Echantillonnage et
préparation de l'échantillon —*

Partie 3: Echantillonnage des tas statiques

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.



Reference number
ISO/FDIS 14820-3:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/13d657e3-5965-45fe-8585-dd5e786b2c5f/iso-fdis-14820-3>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Sampling plans and quantitative data	2
4.1 General.....	2
4.2 Characterization of the lot to be sampled.....	2
4.3 Sampling plan.....	2
4.3.1 General.....	2
4.3.2 Elements of the sampling plan.....	2
4.4 Determination of the volume/mass of the lot.....	4
4.5 Determination of sampling units and sampling points.....	4
4.5.1 Determination of the number and location of the sampling units.....	4
4.5.2 Minimum total number of sampling units.....	4
4.5.3 Determination of sampling units from which incremental samples shall be taken.....	4
4.5.4 Determination of the minimum number of sampling points from which sub-samples are to be taken.....	4
4.6 Quantitative data.....	4
4.6.1 Determination of the minimum mass of increments.....	4
4.6.2 Mass of increments.....	5
4.6.3 Aggregate/reduced and final samples.....	5
5 Incremental sampling methods	5
5.1 General.....	5
5.2 Sampling apparatus.....	5
5.3 Procedure.....	7
5.4 Aggregate and reduced samples.....	8
6 Final samples	8
6.1 Division into final samples.....	8
6.2 Practical arrangements for final (laboratory) samples.....	8
6.2.1 Final sample packaging materials.....	8
6.2.2 Dealing with final samples.....	8
7 Sampling report	8
Annex A (informative) Determination of mass/volume of a static heap	9
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 134, *Fertilizers, soil conditioners and beneficial substances*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The establishment of European Standards for methods of sampling and analysis is of utmost importance to guarantee a uniform application and control of the European legislation in all Member States. Standardized methods of sampling and analysis are essential elements in guaranteeing a high level of quality and safety of EC fertilizers for the benefit of purchasers. In order to avoid any improper use of the term “EC fertilizer” Member States are required to check the nutrient content of such fertilizers. To achieve this, representative sampling is essential for reliable analytical results.

Competent authorities have limited resources for conformity assessment and these are most efficiently deployed at the downstream end of the supply chain. The purpose of Regulation (EC) No 2003/2003^[3] is to ensure that the fertilizer meets European requirements and complies with the declaration of the required characteristics applied to it when delivered to a purchaser. EN 1482-1:2007 might not fully satisfy the needs of Member States when a large quantity of fertilizer is stored in a static heap that cannot be realistically put into motion. An evaluation was requested to be carried out by CEN to see what, if any, static heaps of fertilizer could be representatively sampled at affordable costs see (see Reference ^[2]).

The fundamental principle of representative sampling is that every particle has an equal chance of being sampled. This principle cannot easily be complied with in the case of bulk static heaps of solid fertilizers as a large proportion of the material cannot practically be reached by any sampling device. Wherever possible, this fertilizer should be sampled during transfer, during the building up of the heap, during dispatch or where it can practically be moved solely for sampling purposes. However, in some cases, sampling in the way described is not practicable. The European Commission asked CEN/TC 260/WG 1 to draft a European Standard in response to mandate M/454, which requires the development of a method of sampling static heaps that could not be sampled according to EN 1482-1:2007. This states that the sampling of static heaps should only be carried out when the product is in motion.

In response to the mandate, sampling methods to sample static heaps have been developed and standardized as specified in this document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/13d657e3-5965-45fe-8585-dd5e786b2c5f/iso-fdis-14820-3>

Fertilizers and liming materials — Sampling and sample preparation —

Part 3: Sampling of static

1 Scope

This document is applicable to the sampling of mineral fertilizers and liming materials supplied or ready for supply to third parties, as a lot or in smaller lots, where such supply or readiness for supply is subject to legal requirements.

This document specifies plans and methods of sampling of a lot of solid fertilizer or liming material, if sampling in motion is not possible, to obtain samples from static bulk heaps in order to ascertain compliance with legal requirements, in particular in relation to the accuracy of compulsory or permitted statutory declarations. The methods specified in this document are not applicable to obtain samples for physical size analysis or for the chemical analysis which may be altered by particle granulometric segregation.

This document is applicable to single nutrient fertilizers, to uniform complex fertilizers and to milled or granulated fertilizers and liming materials.

The methods described in this document are not suitable for sampling other types of fertilizer, for example blended fertilizers.

NOTE The term 'fertilizer' is used throughout the body of this document and includes liming materials unless otherwise indicated.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14820-1:2016, *Fertilizers and liming materials — Sampling and sample preparation — Part 1: Sampling*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14820-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 fertilizer

solid inorganic material designated for use as a fertilizer including liming materials

3.2

sampling point

point in the sampling unit from which a sub-sample is taken

Note 1 to entry: For the definition of sub-sample/partial sample, see ISO 14820-1:2016, note in 3.5.

3.3

static heap

quantity of fertilizer stored in bulk in a single mass

4 Sampling plans and quantitative data

4.1 General

The objective of sampling is to acquire a sample of the lot to establish its composition and properties. The methods to be used for sampling static heaps are specified in the following clauses.

4.2 Characterization of the lot to be sampled

Before a sampling plan is determined, a description of the characteristics of the lot that is intended to be sampled shall be undertaken. In particular, the following physical characteristics shall be noted:

- kind/type,
- texture,
- colour,
- storage conditions (e.g. uncovered/covered),
- foreign matters.

If the owner of the material is applying the same description and statutory information to the whole lot, sampling should proceed in accordance with this document. Only if there is evidence of deterioration or contamination should consideration be given to the dividing of the lot into parts from which separate samples should be taken.

4.3 Sampling plan

4.3.1 General

The sampling plan shall be determined after the characteristics according to 4.2 have been considered. Any variations from the stated sampling plan shall be documented in written form.

The sampling plan shall define the course of the sampling process, and associated provisions, in reproducible manner.


Sampling only around the base of the heap or from a single part of the heap does not supply a representative sample.

4.3.2 Elements of the sampling plan


Within the sampling plan, the following elements shall be stated:

- boundary of the lot,
- determination of the volume/mass of the lot,
- determination of the number and location of sampling units,

- determination of sampling units from which the increments shall be taken,
- if necessary, preparation of a sketch-map of the sampling areas (see Figure 1),
- determination of the minimum number of sampling points from which sub-samples are to be taken to form the incremental sample,
- determination of minimum volume/mass of increments.



Key

- | | |
|---|--|
| 1 | conveyor belt |
| 1 to 32 | number of sampling units of equivalent surface |
|  | 10 random selected sampling units for sampling |
| + | sampling points (random distribution in the sampling unit) |
| top ring | 2 sampling units (180° each) |
| second ring | 6 sampling units (60° each) |
| third ring | 8 sampling units (45° each) |
| fourth ring | 16 sampling units (22,5° each) |

Characteristics of the heap:

- | | |
|------------------|--------------------|
| angle of repose: | 36° |
| base diameter: | 12 m |
| height: | 5,3 m |
| circumference: | 37,70 m |
| ridge: | 8 m |
| volume: | 200 m ³ |

Figure 1 — Example of sampling plan for a conical heap (developed)