



**SLOVENSKI STANDARD**  
**SIST-TS CEN/TS 17788:2023**

**01-februar-2023**

---

**Organsko-mineralna gnojila - Določanje deleža kompleksiranih mikrohranil**

Organo-mineral fertilizers - Determination of the fraction of complexed micronutrients

Organisch-mineralische Düngemittel - Bestimmung des Anteils an komplexierten Spurennährstoffen

Engrais organo-minéraux - Détermination de la fraction d'oligo-éléments complexés

**Ta slovenski standard je istoveten z: CEN/TS 17788:2022**

---

**ICS:**

65.080                      Gnojila    Fertilizers

**SIST-TS CEN/TS 17788:2023**    **en,fr,de**



TECHNICAL SPECIFICATION  
SPÉCIFICATION TECHNIQUE  
TECHNISCHE SPEZIFIKATION

**CEN/TS 17788**

April 2022

ICS 65.080

English Version

**Organo-mineral fertilizers - Determination of the fraction  
of complexed micronutrients**

Engrais organo-minéraux - Détermination de la  
fraction d'oligo-éléments complexés

Organisch-mineralische Düngemittel - Bestimmung des  
Anteils an komplexierten Spurennährstoffen

This Technical Specification (CEN/TS) was approved by CEN on 21 February 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

[SIST-TS CEN/TS 17788:2023](https://standards.iteh.ai/catalog/standards/sist/2a371d23-2b41-4660-a57c-96ae4a7dd003/sist-ts-cen-ts-17788-2023)

<https://standards.iteh.ai/catalog/standards/sist/2a371d23-2b41-4660-a57c-96ae4a7dd003/sist-ts-cen-ts-17788-2023>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>3</b>
<b>Introduction</b> .....	<b>4</b>
<b>1 Scope</b> .....	<b>5</b>
<b>2 Normative references</b> .....	<b>5</b>
<b>3 Terms and definitions</b> .....	<b>5</b>
<b>4 Principle</b> .....	<b>5</b>
<b>5 Interferences</b> .....	<b>6</b>
<b>6 Reagents</b> .....	<b>6</b>
<b>7 Apparatus</b> .....	<b>6</b>
<b>8 Sampling and sample preparation</b> .....	<b>7</b>
<b>9 Procedure</b> .....	<b>7</b>
<b>9.1 Preparation of the sample solution</b> .....	<b>7</b>
<b>9.2 Precipitation</b> .....	<b>7</b>
<b>9.3 Spectrometric determination</b> .....	<b>8</b>
<b>9.4 Water-soluble micronutrient content determination</b> .....	<b>8</b>
<b>10 Expression of results</b> .....	<b>8</b>
<b>10.1 Complexed micronutrient content in the fertilizer</b> .....	<b>8</b>
<b>10.2 Complexed fraction of a micronutrient in the fertilizer</b> .....	<b>8</b>
<b>11 Test report</b> .....	<b>9</b>
<b>Bibliography</b> .....	<b>10</b>

## European foreword

This document (CEN/TS 17788:2022) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST-TS CEN/TS 17788:2023](https://standards.iteh.ai/catalog/standards/sist/2a371d23-2b41-4660-a57c-96ae4a7dd003/sist-ts-cen-ts-17788-2023)

<https://standards.iteh.ai/catalog/standards/sist/2a371d23-2b41-4660-a57c-96ae4a7dd003/sist-ts-cen-ts-17788-2023>

## Introduction

Micronutrients are considered to be, in plant nutrition, a number of elements known to be needed in small amounts for proper plant growth and development. The most common are Iron (Fe), Manganese (Mn), Molybdenum (Mo), Copper (Cu), Zinc (Zn) and Boron (B).

If an organo-mineral fertilizer contains a substance, or one of the substances in the mixture, which is intended to enhance the long-term availability to plants of micronutrients in the EU fertilizing product, that substance can be either a chelating agent or a complexing agent.

The incorporation of complexing agents in organo-mineral fertilizers is intended to enhance the long-term availability to plants of micronutrients in such EU fertilizing products.

**WARNING** – Users of this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety issues, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national regulatory conditions.

**IMPORTANT** – It is absolutely essential that tests conducted according to this document are carried out by suitably trained staff.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST-TS CEN/TS 17788:2023](https://standards.iteh.ai/catalog/standards/sist/2a371d23-2b41-4660-a57c-96ae4a7dd003/sist-ts-cen-ts-17788-2023)

<https://standards.iteh.ai/catalog/standards/sist/2a371d23-2b41-4660-a57c-96ae4a7dd003/sist-ts-cen-ts-17788-2023>

## 1 Scope

This document specifies a general method for the determination of the micronutrients complexed by complexing agents in organo-mineral fertilizers. The method allows the determination of the total concentration of each complexed micronutrient in complexes after subtraction of the chelated micronutrients content, but it does not identify the individual complexing agents.

This procedure concerns EU organo-mineral fertilizing products which contain complexed micronutrients covered by Regulation (EU) 2019/1009 [6]. The method is applicable to a mass fraction of the metal complexed of at least 0,07 %, 0,006 % and 0,035 % of Fe, Mn and Zn respectively (see [7]). A lower limit of quantification has not been established for Cu and Co.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12944-1, *Fertilizers and liming materials — Vocabulary — Part 1: General terms*

EN 12944-2, *Fertilizers and liming materials — Vocabulary — Part 2: Terms relating to fertilizers*

EN 16962, *Fertilizers — Extraction of water soluble micro-nutrients in fertilizers and removal of organic compounds from fertilizer extracts*

EN 16963, *Fertilizers — Determination of boron, cobalt, copper, iron, manganese, molybdenum and zinc using ICP-AES*

EN 16965, *Fertilizers — Determination of cobalt, copper, iron, manganese and zinc using flame atomic absorption spectrometry (FAAS)*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1 and EN 12944-2 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

### 3.1

#### **complexing agent**

organic substance forming a flat or steric structure with one di- or tri-valent transition metal cation (zinc (Zn), copper (Cu), iron (Fe), manganese (Mn) or cobalt (Co))

## 4 Principle

The method is based on the precipitation of the inorganic forms at pH 9. Then the complexed forms of an element remain in solution and are separated from the non-complexed forms. The complexed forms are collected and their content determined by spectrometry, as well as the soluble element content.

NOTE For additional information see [7] and [8].

**CEN/TS 17788:2022 (E)****5 Interferences**

Any substance combining with a micro-nutrient to form a stable soluble compound (chelate or complex) at pH 9, will prevent the precipitation of the metal, and account for a certain degree of complexation. This is the case for chelating agents. If the presence of chelates is suspected the appropriate analytical method should be used (CEN/TS 17786-1 and CEN/TS 17786-2) to identify and quantify the amount of element chelated, that should be subtracted from the amount of the element given by this method in order to obtain the actual amount of element complexed.

**6 Reagents**

All reagents shall be of recognized analytical grade.

**6.1 Water**

All water used should conform to EN ISO 3696, be degassed and be free of organic contaminants.

**6.2 Hydrogen peroxide**, H<sub>2</sub>O<sub>2</sub>, 30 % to 33 %.

**6.3 Sodium hydroxide solution**, substance concentration  $c(\text{NaOH}) = 0,5 \text{ mol/l}$ .

Carefully dissolve 20,0 g of NaOH in water and dilute to 1 l.

This solution is also available commercially.

**6.4 Sodium hydroxide solution**,  $c(\text{NaOH}) = 0,05 \text{ mol/l}$ .

Carefully dissolve 2,0 g of NaOH in water and dilute to 1 l.

This solution is also available commercially.

**6.5 Buffer solution**, pH = 7,0.

**6.6 Buffer solution**, pH = 10,0.

**7 Apparatus**

Usual laboratory equipment, glassware, and the following:

**7.1 Magnetic stirrer.**

**7.2 Balance**, capable of weighing to the nearest 1 mg.

**7.3 pH-meter**, equipped with a glass electrode.

The system shall be calibrated with pH 7 and pH 10 calibration buffers.

**7.4 Membrane filters**, micro-membrane filters resistant to aqueous solutions, with porosity of 0,45  $\mu\text{m}$ .

**7.5 Cellulose filters**, fast filtration quantitative cellulose filters.



## 8 Sampling and sample preparation

Sampling and sample preparation are not part of the method specified in this document.

Recommended sampling methods are given in EN 1482-1 and, for sample preparation, in EN 1482-2.

For the size reduction of samples with a high amount of complexing agents, it is not recommended to use a high speed laboratory mill. It is more convenient to grind the sample to a particle size less than 1 mm by the use of a mortar and pestle.

## 9 Procedure

### 9.1 Preparation of the sample solution

Weigh, to the nearest 1 mg, a quantity of the fertilizer between 5 g and 10 g, depending on the declared content of the metal complex, into a 250 ml or 500 ml beaker. Add 200 ml or 400 ml of water. Stir using a magnetic stirrer (7.1) for 1 h. Transfer quantitatively into a 250 ml or 500 ml volumetric flask. Dilute to the mark with water and homogenize. The mass of the test sample and volume of extract should be taken according to Table 1.

**Table 1 — Preparation of sample solution**

Parameter	Declared content of complexed micronutrient in the fertilizer	
	< 0,5 %	≥ 0,5 %
Mass of test portion (g)	10	5
Mass of element in the sample (mg)	< 50	≥ 25
Volume of the extract (ml)	250	500
Concentration of the element in the extract after precipitation (mg/l)	< 40	≥ 10

If insoluble matter is observed, filter immediately after the final volume has been reached using cellulose filters (7.5).

### 9.2 Precipitation

Pipette 20 ml of the solution (9.1) into a 50 ml beaker. Add two drops of H<sub>2</sub>O<sub>2</sub> (6.2), stir and rise pH, with NaOH 0,5 mol/l (6.3) or 0,05 mol/l (6.4), to 9,0 as fast as possible in order to avoid reaction with atmospheric carbon dioxide. Cover the beaker. Rise pH again to 9,0 after 30 min and cover the beaker again. Let the solution stand for a minimum of 18 h and a maximum of 24 h in the dark. Readjust the pH to 9,0, transfer the sample to a 100 ml volumetric flask and dilute to the mark with water (6.1). Filtrate the solution through the membrane filter (7.4). If precipitation is observed and filtration is difficult then samples may be centrifuged at 7 500 min<sup>-1</sup> at 20 °C to 25 °C for 10 min before filtration.

The acidification of the solution required for the spectrometric determination (9.3) should be made as soon as possible after the precipitation process, in order to stabilize the solution.

**CEN/TS 17788:2022 (E)****9.3 Spectrometric determination**

Determine the micronutrient concentration in the filtrate after precipitation procedure (9.2) specified in EN 16965 (flame atomic absorption spectrometry (FAAS)) or EN 16963 (inductively coupled plasma atomic emission spectrometry (ICP-AES)). If FAAS is used, removal of the organic compounds is required, and should be made in accordance with EN 16962.

Let  $d_{(i)}$  be the micronutrient concentration of the filtrate, in milligrams per litre.

**9.4 Water-soluble micronutrient content determination**

Extract the water-soluble micronutrient content following method EN 16962. Determine the water-soluble micronutrient content in the sample according to EN 16965 (flame atomic absorption spectrometry (FAAS)) or to EN 16963 (inductively coupled plasma atomic emission spectrometry (ICP-AES)). If FAAS is used, removal of the organic compounds is required, and should be made in accordance with EN 16962.

Let  $S_{(i)}$  be the water-soluble micro-nutrient content in the sample, expressed as mass fraction in percent.

**10 Expression of results****10.1 Complexed micronutrient content in the fertilizer**

The content of a complexed micronutrient (i) in the fertilizer,  $w_{(i)}$ , expressed as mass fraction in percent, is given by the following Formula (1):

$$w_{(i)} = \frac{c_{(i)} \times V}{2000 \times m} \quad (1)$$

where

$c_{(i)}$  is the micronutrient (i) concentration of the filtrate solution, in mg/l;

$m$  is the mass of the test portion, in g;

$V$  is the volume of the extract in ml.

**10.2 Complexed fraction of a micronutrient in the fertilizer**

The complexed fraction  $F_{(i)}$  of a micronutrient (i) is the ratio of the complexed micronutrient content  $w_{(i)}$  to the water-soluble micronutrient content  $S_{(i)}$  in the fertilizer, expressed as a percentage, and is given by the following Formula (2):

$$F_{(i)} = 100 \times \frac{w_{(i)}}{S_{(i)}} \quad (2)$$

where

$w_{(i)}$  is the complexed micro-nutrient (i) content in percent (mass fraction);

$S_{(i)}$  is the water-soluble micro-nutrient (i) content in percent (mass fraction).