

SLOVENSKI STANDARD kSIST-TS FprCEN/TS 17789-2:2021

01-december-2021

[Not translated]

Organo-mineral fertilizers - Identification of chelating agents - Part 2: Determination of Fe chelated by [0,0] EDDHA, [0,0] EDDHMA and HBED, or the amount of chelating agents by ion pair chromatography

Organisch-mineralische Düngemittel - Identifizierung von Chelatbildnern - Teil 2: Bestimmung von Fe chelatisiert mit [0,0] EDDHA, [0,0] EDDHMA und HBED oder der Menge der Chelatbildner mittels Ionenpaarchromatographie (standards.iten.ai)

kSIST-TS FprCEN/TS 17789-2:2021 https://standards.iteh.ai/catalog/standards/sist/27628d5c-17b6-421f-8bccd99d51c758a0/ksist-ts_fprcen_ts_17789-2-2021 Ta slovenski standard je istoveten Z: FprCEN/TS 17789-2

ICS:

65.080 Gnojila

Fertilizers

en,fr,de

kSIST-TS FprCEN/TS 17789-2:2021

2003-01. Slovenski inštitut za standardizacijo. Razmnoževanje celote ali delov tega standarda ni dovoljeno.

kSIST-TS FprCEN/TS 17789-2:2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TS FprCEN/TS 17789-2:2021 https://standards.iteh.ai/catalog/standards/sist/27628d5c-17b6-421f-8bccd99d51c758a0/ksist-ts-fprcen-ts-17789-2-2021

kSIST-TS FprCEN/TS 17789-2:2021

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

FINAL DRAFT FprCEN/TS 17789-2

October 2021

ICS 65.080

English Version

Organo-mineral fertilizers - Identification of chelating agents - Part 2: Determination of Fe chelated by [0,0] EDDHA, [0,0] EDDHMA and HBED, or the amount of chelating agents by ion pair chromatography

Organisch-mineralische Düngemittel - Identifizierung von Chelatbildnern - Teil 2: Bestimmung von Fe chelatisiert mit [o,o] EDDHA, [o,o] EDDHMA und HBED oder der Menge der Chelatbildner mittels Ionenpaarchromatographie

This draft Technical Specification is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 260.

CEN members are the national standards **bodies of Austria**, **Belgium**, **Bulgaria**, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/27628d5c-17b6-421f-8bcc-

Recipients of this draft are invited to submit/with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2021 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. FprCEN/TS 17789-2:2021 E

kSIST-TS FprCEN/TS 17789-2:2021

FprCEN/TS 17789-2:2021 (E)

Contents

Europ	ean foreword	.3	
Introd	Introduction4		
1	Scope	.5	
2	Normative references	5	
3	Terms and definitions	5	
4	Principle	5	
5	Interferences	6	
6	Reagents	6	
7	Apparatus	.7	
8	Sampling and sample preparation	8	
9	Procedure	8	
9.1	Preparation of the sample solution for iron chelates	8	
9.2	Preparation of the sample solution for other micronutrient chelates	8	
9.3	Prenaration of the calibration solutions ARD PREVIEW	9	
94	Chromatographic analysis ((1 1 1 + 1	à	
J. T	(Standards.iten.ai)	. /	
10	Expression of results	12	
10.1	Fe in Fe-chelatesksist.ts.fmcFN/Ts.17789.30031	12	
10.2	Chelating agent in organo, mineral fertilizers	13	
11	Test report d99d51c758a0/ksist-ts-fprcen-ts-17789-2-2021	14	
Annex	A (informative) Complete names of chelating agents	15	
Annex B (informative) General procedure for the determination of the titrimetric purity of the			
	chelating agents using a photometric automatic titrator	16	
Biblio	Bibliography		
210110			

European foreword

This document (FprCEN/TS 17789-2:2021) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials", the secretariat of which is held by DIN.

This document is currently submitted to the Vote on TS.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TS FprCEN/TS 17789-2:2021 https://standards.iteh.ai/catalog/standards/sist/27628d5c-17b6-421f-8bccd99d51c758a0/ksist-ts-fprcen-ts-17789-2-2021

Introduction

Micronutrients are considered to be, in plant nutrition, a number of elements known to be needed in small amounts for proper plant growth and development. The most common are Iron (Fe), Manganese (Mn), Molybdenum (Mo), Copper (Cu), Zinc (Zn) and Boron (B).

If an organo-mineral fertilizer contains a substance, or one of the substances in the mixture, which is intended to enhance the long term availability to plants of micronutrients in the EU fertilizing product, that substance is either a chelating agent or a complexing agent.

The chelating agents are divided into two groups¹:

- Group 1: EDTA, DTPA, HEEDTA, IDHA and [S,S]-EDDS;
- Group 2: Chelating agents present in UVCB (unknown or variable composition, complex reaction products or biological materials) chelates including [0,0] EDDHA, [0,p] EDDHA, [0,0] EDDHMA, HBED and EDDHSA.

This document defines the test method to be used in order to identify and determine the content of UVCB micronutrient chelated by [o,o] EDDHA, [o,o] EDDHMA and HBED in organo-mineral fertilizers (product function category (PFC) 1(B) according to Regulation (EU) 2019/1009 [4]).

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST-TS FprCEN/TS 17789-2:2021 https://standards.iteh.ai/catalog/standards/sist/27628d5c-17b6-421f-8bccd99d51c758a0/ksist-ts-fprcen-ts-17789-2-2021

¹ Abbreviated terms are described in Annex A.

1 Scope

This document specifies a method for the determination by ion pair chromatography of the iron chelated by each individual *ortho*(hydroxy)-*ortho*(hydroxy) isomer of the chelating agents [o,o] EDDHA, [o,o] EDDHMA and by HBED in organo-mineral fertilizers, having an organic matrix based on vegetal residues (cocoa shells, grape residue, soybean residue, ...), algae extract, and animal meal (feather, bones, blood, ...) and containing one or more of these substances, except for [o,o] EDDHMA and HBED mixes.

The method allows the identification and the determination of the total concentration of water soluble iron chelates of these chelating agents. Also, after derivatization with Fe, the soluble amount of the chelating agents can be determined when other micronutrients beside Fe are present in organo-mineral fertilizers containing [0,0] EDDHA, [0,0] EDDHMA or HBED.

This method is applicable to a mass fraction of the metal chelated of at least 0,625 %.

NOTE 1 The substances EDDHA and EDDHMA exist as several different isomeric forms. Positional isomers for the hydroxyl or methyl groups (in *ortho, meta,* and *para* positions) as well as stereo isomers (*meso* and dl-racemic forms) are known. Both *meso* and dl-racemic forms of the [*ortho,ortho*] EDDHA and [*ortho,ortho*]. Since *para, meta and ortho* methyl positional isomers of the EDDHMA present quite similar stability, they could be grouped: in the method here described the *para, meta* and *ortho* methyl positional isomers of the [*o*,o] EDDHMA are considered together. HBED (N,N'-bis(2-hydroxybenzyl)-ethylenediamine-N,N'-diacetic acid) does not present isomeric forms.

NOTE 2 At present, analytically pure standards only exist for [*ortho,ortho*] EDDHA, [*ortho,ortho*] EDDHMA and HBED. All other substances being unavailable as a standard, the influence of their eventual presence in the samples (with respect to the sensitivity and the selectivity of this method) has not been studied.

NOTE 3 The *meso* and the dl-racemic forms of [0,0] EDDHA and [0,0] EDDHMA can be determined separately by this method. (standards.iteh.ai)

2 Normative references kSIST-TS FprCEN/TS 17789-2:2021

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12944-1, Fertilizers and liming materials and soil improvers - Vocabulary - Part 1: General terms

EN 12944-2, Fertilizers and liming materials and soil improvers - Vocabulary - Part 2: Terms relating to fertilizers

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1 and EN 12944-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at <u>https://www.electropedia.org/</u>

4 Principle

The iron chelates are separated and determined by isocratic ion-pair high-performance liquid chromatography. When an iron chelate (anion) is added to a polar fluid (eluent), containing a large cation, an ion pair is formed. This ion pair is retained by a non-polar solid phase (stationary phase). The strength of the retention depends on the molecular size and its acidity. Then, each iron chelate presents a characteristic retention time depending on the chelating agent, and it is separated from the other substances present in the sample. The separation is carried out on a reverse phase silica column and an

FprCEN/TS 17789-2:2021 (E)

aqueous solution of TBA⁺ (tetrabutylammonium) and acetonitrile as eluent. The detection is based on photometry at 280 nm.

For metal chelates different from Fe, a derivatization method may be used to form the Fe chelates, and then the chelating agent can be determined by the isocratic ion-pair high-performance liquid chromatography here presented.

5 Interferences

No interferences have been detected. Iron chelates with HBEP, EDDHSA, EDTA, DTPA, CDTA, HEEDTA, [p,p] EDDHA, [o,p] EDDHA, IDHA as well as the chelating agents do not interfere since they are separated from Fe-[o,o] EDDHA, Fe-[o,o] EDDHMA or Fe-HBED. Fe-[o,o] EDDHA does not interfere with Fe-[o,o] EDDHMA or Fe-HBED. In the case that Fe-[o,o] EDDHMA and Fe-HBED are present in the same sample, an overlapping of the meso isomer of the Fe-[o,o] EDDHMA and Fe-HBED peaks can occur with some equipment depending on the column used. The use of a different column of the same type can solve this problem.

6 Reagents

All reagents shall be of recognized analytical grade.

If products with a declared purity of less than 99 % are used for the preparation of standard solutions, a correction should be made in order to obtain exactly the required concentration in the solution.

If there is any doubt of the purity of the standard, it is necessary to determine it.

NOTE For this determination, a titrimetric method can be used. See Annex B for a general method using an automatic titrator. Manual titration could also be adequate.

6.1 Water.

kSIST-TS FprCEN/TS 17789-2:2021 https://standards.iteh.ai/catalog/standards/sist/27628d5c-17b6-421f-8bcc-

All water used should conform to EN ISO 3696, be degassed and be free of organic contaminants.

6.2 Sodium hydroxide solution, substance concentration *c*(NaOH) = 0,1 mol/l.

Dissolve 4 g of NaOH in pellet form in a 1 l volumetric flask with water (6.1). Dilute to the mark and homogenize.

The incorporation of CO_2 from the atmosphere should be carefully avoided. Otherwise, the dissolution of chelating agents (see 6.6, 6.7 and 6.8) can be incomplete.

6.3 Hydrochloric acid solution, *c*(HCl) = 1,0 mol/l.

Dilute 88 ml of hydrochloric acid (mass fraction 35 % HCl) to 1 000 ml with water (6.1).

6.4 Hydrochloric acid solution, c(HCl) = 0,1 mol/l.

Dilute 50 ml of hydrochloric acid 1,0 mol/l (6.3) to 500 ml with water (6.1).

6.5 Iron-nitrate solution, mass concentration ρ (Fe) = 1 050 mg/l.

Dissolve 0,759 4 g of ferric nitrate 9-hydrate (Fe(NO₃)₃·9H₂O) in 100 ml of water. Check (for example by AAS) that the Fe concentration in this solution amounts 1 050 mg/l \pm 30 mg/l.

NOTE As the $Fe(NO_3)_3 \cdot 9H_2O$ is deliquescent it will be added in solution of a known concentration.

6.6 Fe-[o,o] EDDHA solution, ρ (Fe) = 100 mg/l.

Depending on the availability, either 6.6.1 or 6.6.2 procedures can be used to prepare the standard stock solution.

6.6.1 Preparation from Fe-[0,0] EDDHA.

Dissolve 5/SP g (where SP is the purity of the solid standard in percentage of Fe chelated), in 50 ml of water (6.1) in a 100 ml beaker and make up to 500 ml in a volumetric flask with water. The standard obtained in this way may be stored in darkness for one year.

6.6.2 Preparation from [0,0] EDDHA.

Dissolve 0,322 1 g (see 6.1) of ethylenediamine-N,N'-di[(*ortho*-hydroxyphenyl)acetic acid] in 350 ml of water (6.1) and 27 ml of NaOH (6.2) in a 500 ml beaker. Add 50 ml of the Fe solution (6.5) to the chelating agent solution, stirring for about 5 min.

Adjust the solution to pH 7,0 with NaOH solution (6.2). Let the solution stand overnight in darkness to allow excess Fe to precipitate as oxide. Filter quantitatively through a cellulose filter and make up to 500 ml in a volumetric flask with water (6.1). The standard obtained in this way may be stored in darkness for one year.

6.7 Fe-[o,o] EDDHMA solution, ρ (Fe) = 100 mg/l.

Dissolve 0,347 1 g (see 6.1) of ethylenediamine-N,N'-di[(*ortho*-hydroxy-*para*-methylphenyl)acetic acid] [the *para*methyl isomer of [0,0] EDDHMA, (see 1, Note 1)] in 350 ml of water (6.1) and 27 ml of NaOH (6.2) in a 500 ml beaker. Add 50 ml of the Fe solution (6.5) to the chelating agent solution, stirring for about 5 min.

Adjust the solution to pH 7,0 with NaOH solution (6.2). Let the solution stand overnight in darkness to allow excess Fe to precipitate as oxide. Filter quantitatively through a cellulose filter and make up to 500 ml in a volumetric flask with water (6.1). The standard obtained in this way may be stored in darkness for one year.

6.8 Fe-HBED solution, ρ (Fe) = 100 mg/l.

Dissolve 0,347 1 g (see 6.1) of N,N'-bis(2-hydroxybenzyl)-ethylenediamine-N,N'-diacetic acid (HBED) or 0,379 7 g if HBED·HCI is used in 350 ml of water (6.1) and 27 ml of NaOH (6.2) in a 500 ml beaker. Add 50 ml of the Fe solution (6.5) to the chelating agent solution, stirring for about 5 min.

Adjust the solution to pH 5,0 with HCI solution (6.4) or NaOH solution (6.2). Let the solution stand overnight in darkness to allow excess Fe to precipitate as oxide. Filter quantitatively through a cellulose filter and make up to 500 ml in a volumetric flask with water (6.1). The standard obtained in this way may be stored in darkness for one year.

6.9 Eluent for the determination.

Add 20 ml of TBAOH (mass fraction 40 % Tetrabutylammonium hydroxide solution in water) to 600 ml of water (6.1). Adjust to pH 6,0 with hydrochloric acid solution (6.3 and 6.4). Add 300 ml of acetonitrile (HPLC grade) and make up to volume in a 1 l volumetric flask with water. Filter through a 0,2 μ m membrane filter (7.4 b) and degas.

TBACl (Tetrabutylammonium chloride) or TBABr (Tetrabutylammonium bromide) may be used, providing that pH is adjusted to 6,0 with NaOH or HCl.

7 Apparatus

Usual laboratory equipment, glassware and the following:

FprCEN/TS 17789-2:2021 (E)

7.1 Magnetic stirrer.

- 7.2 **Chromatograph**, equipped with:
- a) an isocratic pump delivering the eluent at a flow rate of 1,5 ml/min;
- b) an injection valve with a 20 μ l injection loop;
- c) a C-18 column; internal diameter: 3,9 mm; column length: 150 mm; particle diameter = $5 \mu m^{2}$;
- d) a C-18 guard column (recommended);
- e) a UV/VIS-detector with a 280 nm-filter;
- f) an integrator.
- 7.3 Balance, capable of weighing to the nearest 0,1 mg.

7.4 Membrane filters, including:

- a) micro membrane filters resistant to aqueous solutions, with porosity of 0,45 µm;
- b) micro membrane filters resistant to organic solutions (e.g. polyamide 66 micro membrane filters), with porosity of 0,2 μm. **iTeh STANDARD PREVIEW**

8 Sampling and sample preparationdards.iteh.ai)

Sampling and sample preparation are not part of the method specified in this document. Recommended sampling methods are given in EN 1482-1 and, for sample preparation, in EN 1482-2.

For the size reduction of samples with a high amount of chelating agents, it is not recommended to use a high speed laboratory mill. It is more convenient to grind the sample to a particle size less than 1 mm with a mortar.

9 Procedure

9.1 Preparation of the sample solution for iron chelates

Weigh, to the nearest 0,1 mg, 200 mg of the iron chelate into a 250 ml beaker. Add 200 ml of water (6.1). Stir using a magnetic stirrer for 1 h. Transfer quantitatively into a 250 ml volumetric flask. Dilute to the mark with water and homogenize.

For samples declaring more than 5 % of chelated Fe, use a 500 ml volumetric flask.

For liquid samples, weigh an amount equivalent to 200 mg of solid.

9.2 Preparation of the sample solution for other micronutrient chelates

Weigh, to the nearest 0,1 mg, 1 g of the chelate into a 250 ml beaker. Add 200 ml of water (6.1). Stir using a magnetic stirrer for 1 h. Transfer quantitatively into a 250 ml volumetric flask. Dilute to the mark with water (6.1) and homogenize. Filter through a paper filter. Pipette 20 ml of the solution into a 50 ml beaker. Add 10 ml of the iron(III) solution (6.5), homogenize, and allow to stand for 15 min. Adjust the

²⁾ SYMMETRY[™] C18, from WATERS, LiChroCART® Purospher® RP-18, from MERCK or equivalent are examples of suitable products available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by CEN of these products.