



**SLOVENSKI STANDARD**  
**oSIST prEN ISO 374-1:2022**

**01-december-2022**

---

**Varovalne rokavice za zaščito pred nevarnimi kemikalijami in mikroorganizmi - 1. del: Izrazje in zahtevane lastnosti za zaščito pred kemičnimi tveganji (ISO/DIS 374-1:2022)**

Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks (ISO/DIS 374-1:2022)

Schutzhandschuhe gegen gefährliche Chemikalien und Mikroorganismen - Teil 1: Terminologie und Leistungsanforderungen für chemische Risiken (ISO/DIS 374-1:2022)

Gants de protection contre les produits chimiques dangereux et les micro-organismes - Partie 1: Terminologie et exigences de performance pour les risques chimiques (ISO/DIS 374-1:2022)

**Ta slovenski standard je istoveten z: prEN ISO 374-1**

---

**ICS:**

01.040.13	Okolje. Varovanje zdravja. Varnost (Slovarji)	Environment. Health protection. Safety (Vocabularies)
13.340.40	Varovanje dlani in rok	Hand and arm protection

**oSIST prEN ISO 374-1:2022**

**en,fr,de**



# DRAFT INTERNATIONAL STANDARD

## ISO/DIS 374-1

ISO/TC 94/SC 13

Secretariat: SNV

Voting begins on:  
2022-10-12Voting terminates on:  
2023-01-04

---

---

## Protective gloves against dangerous chemicals and micro-organisms —

### Part 1: Terminology and performance requirements for chemical risks

*Gants de protection contre les produits chimiques dangereux et les micro-organismes —**Partie 1: Terminologie et exigences de performance pour les risques chimiques*

iTeh STANDARD PREVIEW

ICS: 13.340.40; 01.040.13 ([standards.iteh.ai](https://standards.iteh.ai))

[oSIST prEN ISO 374-1:2022](https://standards.iteh.ai/catalog/standards/sist/e054677c-b5ea-408b-af12-feb55b0e153a/osist-pren-iso-374-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/e054677c-b5ea-408b-af12-feb55b0e153a/osist-pren-iso-374-1-2022>

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

**ISO/CEN PARALLEL PROCESSING**



Reference number  
ISO/DIS 374-1:2022(E)

© ISO 2022

# iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 374-1:2022](https://standards.iteh.ai/catalog/standards/sist/e054677c-b5ea-408b-af12-feb55b0e153a/osist-pren-iso-374-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/e054677c-b5ea-408b-af12-feb55b0e153a/osist-pren-iso-374-1-2022>



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	iv
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Sampling.....</b>	<b>2</b>
4.1 Sampling for permeation.....	2
4.2 Sampling for penetration testing.....	3
4.3 Sampling for degradation testing.....	3
<b>5 Performance requirement.....</b>	<b>3</b>
5.1 General requirements.....	3
5.2 Requirement for penetration resistance.....	3
5.3 Requirement for degradation resistance.....	4
5.4 Requirement for permeation resistance.....	4
5.4.1 Permeation tests.....	4
5.4.2 Types of gloves.....	5
5.5 Requirements for glove protecting against dangerous chemicals (types A, B and C).....	6
<b>6 Marking.....</b>	<b>6</b>
6.1 Marking of Type A gloves.....	6
6.2 Marking of Type B gloves.....	7
6.3 Marking of Type C gloves.....	7
<b>7 Information supplied by the manufacturer.....</b>	<b>8</b>
<b>Annex A (informative) Other possible permeation test method.....</b>	<b>9</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/425 aimed to be covered.....</b>	<b>11</b>

## ISO/DIS 374-1:2022(E)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

ISO 374-1 was prepared by the European Committee for Standardization (CEN) in collaboration with ISO Technical Committee ISO/TC 94, *Personal safety — Protective clothing and equipment*, Subcommittee SC 13 *Protective clothing* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 374 consists of the following parts, under the general title *Protective gloves against dangerous chemicals and micro-organisms*:

- *Part 1: Terminology and performance requirements for chemical risks*
- *Part 2: Determination of resistance to penetration*
- *Part 4: Determination of resistance to degradation by chemicals*
- *Part 5: Terminology and performance requirements for micro-organism risks*
- *Part 6: Protective gloves for hairdressers*

This document will supersede EN ISO 374-1:2016+A1:2018.

In comparison with the previous edition, the following major changes have been made:

- Reference to new standard, EN ISO 21420:2020+A1:2022;
- new requirement for penetration;
- New [Figure 2](#), changes in [figure 4](#), [5](#), [6](#)
- New expression of permeation results [5.4.1.2](#)
- New [Annex A](#) with reference to ISO 6529
- New [Annex ZA](#) with reference to Regulation (EU) 2016/425.

This document has been prepared under the standardization request M/571 given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Regulation (EU) 2016/425.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[oSIST prEN ISO 374-1:2022](https://standards.iteh.ai/catalog/standards/sist/e054677c-b5ea-408b-af12-feb55b0e153a/osist-pren-iso-374-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/e054677c-b5ea-408b-af12-feb55b0e153a/osist-pren-iso-374-1-2022>



# Protective gloves against dangerous chemicals and micro-organisms —

## Part 1: Terminology and performance requirements for chemical risks

### 1 Scope

This part of ISO 374 specifies the requirements for protective gloves intended to protect the user against dangerous chemicals and defines terms to be used.

NOTE If other protection features have to be covered, e.g., mechanical risks, thermal risks, electrostatic dissipation etc., the appropriate specific performance standard is to be used in addition. Further information on protective gloves standards can be found in the ISO 21420:2020+A1:2022.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 374-2:2019, *Protective gloves against dangerous chemicals and micro-organisms — Part 2: Determination of resistance to penetration*

ISO 374-4:2019, *Protective gloves against dangerous chemicals and micro-organisms — Part 4: Determination of resistance to degradation by chemicals*

ISO 6529:2013, *Protective clothing — Protection against chemicals — Determination of resistance of protective clothing materials to permeation by liquids and gases*

ISO 7000, *Graphical symbols for use on equipment — Registered symbols*

EN 16523-1:2015+A1:2018, *Determination of material resistance to permeation by chemicals — Part 1: Permeation by liquid chemical under conditions of continuous contact*

ISO 21420:2020+A1:2022, *Protective gloves — General requirements and test methods*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions in EN 16523-1:2015+A1:2018 and the following apply.

#### 3.1

##### **dangerous chemicals**

chemical substance potentially hazardous for the health (carcinogenic, mutagenic, reprotoxic, toxic, harmful, corrosive, irritant, sensitizing), as defined in any national regulation

#### 3.2

##### **protective glove material**

any material or combination of materials used in a protective glove for the purpose of isolating the hands or hands and arms from direct contact with a dangerous chemical

## ISO/DIS 374-1:2022(E)

### 3.3

#### **protective gloves against dangerous chemical risks**

protective gloves which form a protective barrier to *dangerous chemicals* (3.1)

### 3.4

#### **degradation**

deleterious change in one or more properties of a *protective glove material* (3.2) due to contact with a chemical

Note 1 to entry: Indications of degradation may include flaking, swelling, disintegration, embrittlement, colour change, dimensional change, appearance, hardening, softening, etc.

### 3.5

#### **penetration**

movement of a chemical through materials, seams, pinholes, or other imperfections in a *protective glove material* (3.2) on a non-molecular level

### 3.6

#### **permeation**

process by which a chemical moves through a *protective glove material* (3.2) on a molecular level

Note 1 to entry: Permeation involves the following:

- absorption of molecules of the chemical into the contacted (outside) surface of a material;
- diffusion of the absorbed molecules in the material;
- desorption of the molecules from the opposite (inside) surface of the material.

### 3.7

#### **test chemical**

chemical substance, or mixture of chemical substances, potentially hazardous to the health that is used under laboratory test conditions to determine the breakthrough time

## 4 Sampling

### 4.1 Sampling for permeation

Each material specimen to be tested shall conform to the requirement in EN 16523-1:2015+A1:2018, Clause 7, so that the material can be sealed inside the test cell.

Three test specimens shall be taken from the palm area. If the glove is longer than or equal to 400 mm and if the cuff is claimed to protect against chemical risks, three additional test specimens shall be taken where the centre is 80 mm from the end of the cuff (see [Figure 1](#)).

Other parts of the glove can be tested on request. In the case of seams in the hand area, this area shall be tested. For multilayer chemical protective gloves, in the case of layers not bonded to the chemical protective layer, the layers not claiming any effect on the chemical protection can be removed, i.e. thermal insulation layer.