



**SLOVENSKI STANDARD**  
**oSIST prEN ISO 7434:2023**  
**01-maj-2023**

---

**Vežni elementi - Navojni zatiči z zarezo in končino s konico (ISO/DIS 7434:2023)**

Fasteners - Slotted set screws with cone point (ISO/DIS 7434:2023)

Verbindungselemente - Gewindestifte mit Schlitz und Spitze (ISO/DIS 7434:2023)

Fixations - Vis sans tête fendues à bout pointeau (ISO/DIS 7434:2023)

**Ta slovenski standard je istoveten z: prEN ISO 7434**

<https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023>

**ICS:**

21.060.10      Sorniki, vijaki, stebelni vijaki      Bolts, screws, studs

**oSIST prEN ISO 7434:2023**

**en,fr,de**



# DRAFT INTERNATIONAL STANDARD

## ISO/DIS 7434

ISO/TC 2/SC 11

Secretariat: DIN

Voting begins on:  
2023-03-08Voting terminates on:  
2023-05-31

---

---

## Fasteners — Slotted set screws with cone point

ICS: 21.060.10

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[oSIST prEN ISO 7434:2023](https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023)

<https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023>

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

**ISO/CEN PARALLEL PROCESSING**



Reference number  
ISO/DIS 7434:2023(E)

© ISO 2023

# iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 7434:2023](https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023)

<https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023>



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

|   | Page     |
|---|----------|
| Foreword.....   | iv       |
| <b>1 Scope</b> .....  | <b>1</b> |
| <b>2 Normative references</b> .....                               | <b>1</b> |
| <b>3 Terms and definitions</b> .....                              | <b>1</b> |
| <b>4 Dimensions</b> .....   | <b>1</b> |
| <b>5 Requirements and reference International Standards</b> ..... | <b>3</b> |
| <b>6 Marking and labelling</b> .....                              | <b>4</b> |
| 6.1 Marking on product.....                                       | 4        |
| 6.2 Labelling on package.....                                     | 4        |
| <b>7 Designation</b> .....  | <b>4</b> |
| <b>Bibliography</b> .....   | <b>6</b> |

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN ISO 7434:2023](https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023)

<https://standards.iteh.ai/catalog/standards/sist/0fbbc424-1dc9-4517-8a64-c5c8ffe68aba/osist-pren-iso-7434-2023>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 2, *Fasteners*, Subcommittee SC 11, *Fasteners with metric external thread*.

This second edition cancels and replaces the first edition (ISO 7434:1983), which has been technically revised.

The main changes compared to the previous edition are as follows:

- angle of the point,  $\beta$ ,  $90^\circ \pm 2^\circ$  and  $120^\circ \pm 2^\circ$  changed to reference value without tolerance, i.e.  $\beta_{ref}$  shall be  $90^\circ$  or  $120^\circ$ ;
- for M2, M3 and M3,5,  $l = 3$ ,  $l = 4$  and  $l = 5$  have been classified to short standard length separately in order to get 4,5 to 6 full thread turns;
- for stainless steel screws, grades A2 and A4 with hardness classes 12H and 21H have been added;
- non-ferrous metal screws have been deleted;
- mechanical properties of steel and stainless steel screws have been added for  $d < 1,6$  mm ("As agreed") in [Table 2](#);
- "plain" has been changed to "as processed" for steel screws and to "Clean and bright" for stainless steel screws in [Table 2](#);
- non-electrolytically applied zinc flake coating has been added for steel screws, and "Passivated" has been added for stainless steel screws in [Table 2](#);
- the requirement of surface discontinuities has been added for steel screws;
- specifications for marking and labelling have been added as [Clause 6](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Fasteners — Slotted set screws with cone point

## 1 Scope

This document specifies the characteristics of slotted set screws with cone point, in steel and stainless steel, with coarse pitch threads M1,2 to M12, and with product grade A.

NOTE If in certain cases other specifications are requested, hardness classes and stainless steel grades can be selected from ISO 898-5 or ISO 3506-3, and dimensional options from ISO 888.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 225, *Fasteners — Bolts, screws, studs and nuts — Symbols and descriptions of dimensions*

ISO 888, *Bolts, screws and studs — Nominal lengths, and thread lengths for general purpose bolts*

ISO 898-5, *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 5: Set screws and similar threaded fasteners with specified hardness classes — Coarse thread and fine pitch thread*

ISO 965-1, *ISO general purpose metric screw threads — Tolerances — Part 1: Principles and basic data*

ISO 3269, *Fasteners — Acceptance inspection*

ISO 3506-3, *Mechanical properties of corrosion-resistant stainless steel fasteners — Part 3: Set screws and similar fasteners not under tensile stress*

ISO 4042, *Fasteners — Electroplated coating systems*

ISO 4759-1, *Tolerances for fasteners — Part 1: Bolts, screws, studs and nuts — Product grades A, B and C*

ISO 6157-1, *Fasteners — Surface discontinuities — Part 1: Bolts, screws and studs for general requirements*

ISO 8991, *Designation system for fasteners*

ISO 8992, *Fasteners — General requirements for bolts, screws, studs and nuts*

ISO 10683, *Fasteners — Non-electrolytically applied zinc flake coating systems*

## 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:


- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

## 4 Dimensions

Dimensions shall be in accordance with [Figure 1](#) and with [Table 1](#).

ISO/DIS 7434:2023(E)

Symbols and descriptions of dimensions are defined in ISO 225.



Key

- <sup>a</sup> For regular standard lengths,  $\alpha_{ref}$  shall be 90° or 120° at the choice of the manufacturer.
- <sup>b</sup> For short standard lengths,  $\alpha_{ref}$  shall be 120° in accordance with [Table 1](#).
- <sup>c</sup>  $\beta$  applies only to the portion of the point below the root diameter of the thread. For regular standard lengths,  $\beta_{ref}$  shall be 90°; for short standard lengths  $\beta_{ref}$  shall be 120°, in accordance with [Table 1](#).
- <sup>d</sup> Incomplete thread  $u \leq 2P$ .

Figure 1 — Slotted set screws with cone point

Table 1 — Dimensions

Dimensions in millimetres

| Thread, <i>d</i>                  | M1,2                    | M1,6 | M2   | M2,5 | M3   | (M3,5) | M4   | M5   | M6                            | M8   | M10  | M12  |
|-----------------------------------|-------------------------|------|--|------|------|--------|------|------|-------------------------------|------|------|------|
| <i>P</i> <sup>a</sup>             | 0,25                    | 0,35 | 0,4  | 0,45 | 0,5  | 0,6    | 0,7  | 0,8  | 1                             | 1,25 | 1,5  | 1,75 |
| <i>d<sub>f</sub></i>              | ≈ Minor thread diameter |      |  |      |      |        |      |      |                               |      |      |      |
| <i>d<sub>t</sub></i> <sup>b</sup> | min.                    | —    | —  | —    | —    | —      | —    | —    | —                             | —    | —    | —    |
|                                   | max.                    | 0,12 | 0,16   | 0,20 | 0,25 | 0,30   | 0,35 | 0,40 | 0,50                          | 1,50 | 2,00 | 3,00 |
| <i>n</i>                          | nom.                    | 0,2  | 0,25   | 0,25 | 0,4  | 0,4    | 0,5  | 0,6  | 0,8                           | 1    | 1,2  | 2    |
|                                   | min.                    | 0,26 | 0,31   | 0,31 | 0,46 | 0,46   | 0,56 | 0,66 | 0,86                          | 1,06 | 1,26 | 1,66 |
|                                   | max.                    | 0,40 | 0,45   | 0,45 | 0,60 | 0,60   | 0,70 | 0,80 | 1,00                          | 1,20 | 1,51 | 1,91 |
| <i>t</i>                          | min.                    | 0,40 | 0,56   | 0,64 | 0,72 | 0,80   | 0,96 | 1,12 | 1,28                          | 1,60 | 2,00 | 2,40 |
|                                   | max.                    | 0,52 | 0,74   | 0,84 | 0,95 | 1,05   | 1,21 | 1,42 | 1,63                          | 2,00 | 2,50 | 3,00 |
| <i>l</i> <sup>d</sup>             |                         |      | Range of standard lengths between the stepped bold lines |      |      |        |      |      |                               |      |      |      |
| nom.                              | min.                    | max. |  |      |      |        |      |      |                               |      |      |      |
| <b>2</b>                          | 1,8                     | 2,2  | c  | c    |      |        |      |      |                               |      |      |      |
| <b>2,5</b>                        | 2,3                     | 2,7  |  | c    |      |        |      |      |                               |      |      |      |
| <b>3</b>                          | 2,8                     | 3,2  |  |      | c    | c      |      |      | Screws with too short lengths |      |      |      |
| <b>4</b>                          | 3,7                     | 4,3  |  |      |      | c      |      |      |                               |      |      |      |
| <b>5</b>                          | 4,7                     | 5,3  |  |      |      |        | c    |      |                               |      |      |      |
| <b>6</b>                          | 5,7                     | 6,3  |  |      |      |        |      |      |                               |      |      |      |
| <b>8</b>                          | 7,7                     | 8,3  |  |      |      |        |      |      |                               |      |      |      |
| <b>10</b>                         | 9,7                     | 10,3 |  |      |      |        |      |      |                               |      |      |      |

NOTE Sizes shown in brackets are non-preferred dimensions.

- <sup>a</sup> *P* is the pitch of the thread.
- <sup>b</sup>  $d \leq M5$  no flat part on the cone required; the point may be slightly rounded.
- <sup>c</sup> For short standard lengths,  $\alpha_{ref}$  shall be 120°,  $\beta_{ref}$  shall be 120°.
- <sup>d</sup> Minimum and maximum values in accordance with ISO 4759-1, but rounded to one decimal place.



Table 1 (continued)

| Thread, $d$ |      |      | M1,2 | M1,6 | M2   | M2,5 | M3 | (M3,5) | M4 | M5 | M6 | M8 | M10 | M12 |
|-------------|------|------|------|------|--|------|----|--------|----|----|----|----|-----|-----|
| 12          | 11,6 | 12,4 |      |      |  |      |    |        |    |    |    |    |     |     |
| (14)        | 13,6 | 14,4 |      |      |  |      |    |        |    |    |    |    |     |     |
| 16          | 15,6 | 16,4 |      |      |  |      |    |        |    |    |    |    |     |     |
| 20          | 19,6 | 20,4 |      |      |  |      |    |        |    |    |    |    |     |     |
| 25          | 24,6 | 25,4 |      |      |  |      |    |        |    |    |    |    |     |     |
| 30          | 29,6 | 30,4 |      |      |  |      |    |        |    |    |    |    |     |     |
| 35          | 34,5 | 35,5 |      |      | Lengths by agreement<br>in accordance with ISO 888 |      |    |        |    |    |    |    |     |     |
| 40          | 39,5 | 40,5 |      |      |  |      |    |        |    |    |    |    |     |     |
| 45          | 44,5 | 45,5 |      |      |  |      |    |        |    |    |    |    |     |     |
| 50          | 49,5 | 50,5 |      |      |  |      |    |        |    |    |    |    |     |     |
| 55          | 54,4 | 55,6 |      |      |  |      |    |        |    |    |    |    |     |     |
| 60          | 59,4 | 60,6 |      |      |  |      |    |        |    |    |    |    |     |     |

NOTE Sizes shown in brackets are non-preferred dimensions.

<sup>a</sup>  $P$  is the pitch of the thread.

<sup>b</sup>  $d \leq M5$  no flat part on the cone required; the point may be slightly rounded.

<sup>c</sup> For short standard lengths,  $\alpha_{ref}$  shall be 120°,  $\beta_{ref}$  shall be 120°.

<sup>d</sup> Minimum and maximum values in accordance with ISO 4759-1, but rounded to one decimal place.

## 5 Requirements and reference International Standards

The requirements specified in the International Standards listed in Table 2 shall apply.

Table 2 — Requirements and reference International Standards

| Material              |                                 | Steel   | Stainless steel  |
|-----------------------|---------------------------------|---|--|
| General requirements  | International Standard          | ISO 8992  |  |
|                       | Tolerance class                 | 6g <sup>a</sup>                                   |  |
| Thread                | International Standard          | ISO 965-1   |  |
|                       | Hardness class symbol           | M1,6 ≤ $d$ ≤ M12 14H, 22H<br>$d$ < M1,6 As agreed | —  |
| Mechanical properties | Grade and hardness class symbol | —   | M1,6 ≤ $d$ ≤ M12 A1-12H, A2-12H, A4-12H, A2-21H and A4-21H<br>$d$ < M1,6 As agreed |
|                       | International Standards         | ISO 898-5   | ISO 3506-3   |
|                       | Product grade                   | A   |  |
| Tolerances            | International Standard          | ISO 4759-1  |  |

<sup>a</sup> Depending on the type of coating to be applied, another tolerance position of the thread may be specified for the uncoated fastener in accordance with the relevant coating standard.

<sup>b</sup> See e.g. ISO 16048.

<sup>c</sup> See e.g. ISO 6157-1.

**Table 2 (continued)**

| Material  | Steel  | Stainless steel  |
|---|--|--|
| <b>Surface condition</b>  | As processed (no coating)<br>Electroplated coatings as specified in ISO 4042<br>Non-electrolytically applied zinc flake coatings as specified in ISO 10683<br>Additional requirements or other finishes or coatings shall be agreed between the supplier and the purchaser | Clean and bright<br>and /or<br>Passivated <sup>b</sup> |
| <b>Surface integrity</b>  | Limits for surface discontinuities as specified in ISO 6157-1.   | As agreed <sup>c</sup>                                 |
| <b>Acceptability</b>  | Acceptance inspection as specified in ISO 3269   |  |
| <sup>a</sup> Depending on the type of coating to be applied, another tolerance position of the thread may be specified for the uncoated fastener in accordance with the relevant coating standard.<br><sup>b</sup> See e.g. ISO 16048.<br><sup>c</sup> See e.g. ISO 6157-1. |  |  |

## 6 Marking and labelling

### 6.1 Marking on product

Marking shall be:

- for steel fasteners, as specified in ISO 898-5,
- for stainless steel fasteners, as specified in ISO 3506-3.

### 6.2 Labelling on package

Labelling on the package shall be in accordance with ISO 898-5 or ISO 3506-3, and shall include at least:

- the reference to this document, i.e., ISO 4766;
- the thread size  $d$  and nominal length  $l$ ;
- the symbol of the hardness class for steel fasteners;
- the grade and symbol of the hardness class for stainless steel fasteners;
- the type of surface condition (finish and/or coating);
- the manufacturer's and/or distributor's identification and/or name;
- the manufacturing lot number as specified in ISO 1891-4;
- the quantity of pieces in the package.

## 7 Designation

The designation requirements as specified in ISO 8991 shall apply for all sizes, with:

- the symbol of the hardness class for steel fasteners, as specified in ISO 898-5,
- the grade and symbol of the hardness class for stainless steel fasteners, as specified in ISO 3506-3.