
**Respiratory protective devices —
Human factors —**

**Part 5:
Thermal effects**

Dispositifs de protection respiratoire — Facteurs humains —

Partie 5: Effets thermiques
iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TS 16976-5:2020

<https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/TS 16976-5:2020](https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020)
<https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviations	1
3.1 Terms and definitions.....	1
3.2 Abbreviated terms and symbols.....	2
4 Local thermal effects	2
4.1 General.....	2
4.2 Effects on skin contact by the RPD.....	2
4.3 Hot surfaces.....	3
4.4 Cold surfaces.....	4
4.5 Effects of inhaled breathable gas to, airways and lung tissues.....	8
4.5.1 General mask function.....	8
4.5.2 Effects caused by hot breathable gas.....	8
4.5.3 Effect caused by cold breathable gas.....	9
5 Effects on whole body heat balance	10
5.1 Respiratory heat exchange.....	10
5.2 Skin surface heat exchange.....	11
5.3 Increased metabolic rate.....	11
5.4 Thermoneutral conditions.....	12
5.5 Heat stress.....	12
5.6 Cold stress.....	13
Bibliography	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94, *Personal safety — Personal protective equipment*, Subcommittee SC 15, *Respiratory protective devices*.

This second edition cancels and replaces the first edition (ISO/TS 16976-5:2013), which has been technically revised.

A list of all parts in the ISO/TS 16976 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

For an appropriate design, selection and use of respiratory protective devices, basic physiological demands of the user should be considered. The function of a respiratory protective device, the way it is designed and used and the properties of its material can have a thermal effect on the human body.

This document belongs to a series of documents providing basic physiological and anthropometric data on humans. It contains information about thermal effects associated with wearing respiratory protective devices

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/TS 16976-5:2020](https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020)

<https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/TS 16976-5:2020

<https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020>

Respiratory protective devices — Human factors —

Part 5: Thermal effects

1 Scope

This document is one part of a series of Technical Specifications that provide information on factors related to human anthropometry, physiology, ergonomics and performance for the preparation of standards for design, testing and use of respiratory protective devices. This document contains information related to thermal effects of respiratory protective devices on the human body. In particular information is given for:

- temperatures of surfaces associated with discomfort sensation and harmful effects on human tissues;
- thermal effects of breathing gas temperatures on lung airways and tissues;
- effects of breathing gas temperature and humidity on respiratory heat exchange;
- effects of respiratory protective devices on overall body heat exchange.

The information represents data for adult healthy men and women in the age 20 years to 60 years.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11079, *Ergonomics of the thermal environment — Determination and interpretation of cold stress when using required clothing insulation (IREQ) and local cooling effects*

ISO 13732-1, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 1: Hot surfaces*

ISO 13732-3, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 3: Cold surfaces*

ISO 16972, *Respiratory protective devices — Terms, definitions, graphical symbols and units of measurement*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 16972 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1.1

added MR

added metabolic rate in percent due to the extra weight of RPD and any other PPE

3.1.2

clo

unit for the expression of the thermal insulation of clothing

Note 1 to entry: 1 clo is equal to 0,155 K m²/W.

3.1.3

insulation required

IREQ

cold stress index

Note 1 to entry: As determined according to ISO 11079.

3.1.4

predicted heat strain

PHS

heat stress index

Note 1 to entry: As determined according to ISO 7933.

3.2 Abbreviated terms and symbols

iTeh STANDARD PREVIEW
(standards.iteh.ai)

IREQ	Insulation required
PHS	Predicted heat strain
PPE	Personal protective equipment
PMV	Predicted mean vote
PPD	Predicted percentage dissatisfied
RPD	Respiratory protective device
SCBA	Self-contained breathing apparatus
T_s	Surface temperature (temperature of the surface contacted by skin)
T_a	Ambient temperature (temperature of the air surrounding the body or inhaled)
T_c	Contact temperature (temperature of the interface between skin and contacted surface)

4 Local thermal effects

4.1 General

The effects of heat and cold described in this document will vary according to individual sensitivity.

Notice should be taken of the assessment scales given in ISO 8996.

4.2 Effects on skin contact by the RPD

Heat transfer by conduction takes place via the hands when handling the equipment and via face, head and torso during the actual use of the equipment.

Parts of RPD are, by their very nature, in more or less direct contact with naked human skin, e.g. the face. In contact areas heat exchange will be affected. The magnitude of this effect is dependent on contact pressure, structure of surfaces, size of contact area, mass of material in contact, thermal conditions and thermal properties of materials in contact.

Materials used in RPD are mostly made of materials with low conductive heat transfer properties. Exceptions are metal parts, in particular, if they are not insulated.

In extreme hot or cold environments the ambient conditions can heat or cool the RPD or parts of it, thereby increasing the risk of a thermal effect on the skin.

A risk assessment of contact cooling or heating of the bare skin shall be based on

- ISO 13732-1, for hot surfaces and
- ISO 13732-3, for cold surfaces.

Exposure values and criteria used in the figures below are based on hand or body skin surface contacts. Face skin is likely to be more sensitive in particular to discomfort and more conservative values should be used.


4.3 Hot surfaces

ISO 13732-1 provides comprehensive information about the risk of bare skin contacting different types of materials at different temperatures. [Figure 1](#) shows surface temperatures of polished aluminium metal that can cause skin burns. This condition appears to be the most severe case, but other metals such as steel and copper can be as harmful at similar or slightly higher temperatures. Other materials like plastic, glass and ceramics require considerably higher temperature to cause harm to bare skin.

For these materials the zone 3 “safe surface” in [Figure 1](#) moves up to the line 4, i.e. upper limit.

[ISO/TS 16976-5:2020](#)

<https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020>



Key

- t time, in s
- T_s surface temperature, in °C
- 1 zone 1 indicates a high risk of skin burn
- 2 zone 2 indicates a possible risk of skin burn
- 3 zone 3 indicates safe surface temperatures
- 4 upper limit
- 5 lower limit

STANDARD PREVIEW
(standards.iteh.ai)

ISO/TS 16976-5:2020

Figure 1 — Surface temperature of uncoated, polished metal that can cause skin burns

RPD is likely to be used for short duration timed in minutes and longer duration timed in hours. [Table 1](#) indicates burn thresholds for contact periods of 1 minute and longer for different materials (modified from ISO 13732-1). Values apply for contact areas that are less than 10 % of the body surface, so they should apply for most RPD.

Table 1 — Burn threshold for contact periods of 1 min and longer

Material	1 min	10 min °C	8 h and longer
Uncoated metal	51	48	43
Coated metal	51		
Ceramics, glass and stone materials	56		
Plastics	60		
Wood	60		

4.4 Cold surfaces


ISO 13732-3 provides detailed information about the assessment of cooling effects on skin in contact with various types of cold surfaces. Information is given about five types of materials: aluminium, steel, stone, plastic and wood. For each of the materials three criteria for cooling are applied.

As with a hot surface contact with a small skin surface area with cold, metallic goods can rapidly cool the skin and eventually result in local frostbite. [Figure 2](#) and [3](#) shows cooling curves obtained with the fingertip touching surfaces of steel and aluminium at temperature of -20 °C, -30 °C and -40 °C. The contact temperature, T_c , which is likely to be very close to the skin surface temperature drops to below

0 °C within few seconds when touching the metallic surfaces (see [Figure 2](#) and [3](#)). The risk of developing local frostbite is highly probable.

Studies^[6] have shown that:

- Cooling to a skin temperature of 0 °C is associated with an imminent risk of tissue freezing “frostbite”.
- Cooling to a skin temperature of +7 °C is associated with the gradual development of numbness.
- Cooling to a skin temperature of +15 °C is associated with the experience of pain.



Key

t time, in s

T_c contact temperature, in °C

1 -20 °C

2 -30 °C

3 -40 °C

iTeh STANDARD PREVIEW

(standards.iteh.ai)

[ISO/TS 16976-5:2020](https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020)

<https://standards.iteh.ai/catalog/standards/sist/ee7ee798-9481-4139-af8a-1af3a04b22ed/iso-ts-16976-5-2020>

Figure 2 — Change in T_c of finger in contact with steel surfaces at temperatures of -20 °C, -30 °C and -40 °C