



Designation: E2710 – 11

Standard Guide for Preservation of Charred Documents¹

This standard is issued under the fixed designation E2710; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide provides procedures that should be used by forensic document examiners (Guide E444) for the preservation of charred documents.

1.2 These procedures include evaluation of the sufficiency of the material requiring preservation.

1.3 The particular methods employed in a given case will depend upon the nature of the material available for preservation.

1.4 This guide does not cover all procedures to preserve charred documents. Consultation with a document conservator, archivist, or related material expert, as well as reference materials, may be necessary.

1.5 This guide does not replace knowledge, skill, ability, experience, education, or training (Guide E2388) and should be used in conjunction with professional judgment.

1.6 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

- 2.1 *ASTM Standards*:²
- E444 Guide for Scope of Work of Forensic Document Examiners
 - E2388 Guide for Minimum Training Requirements for Forensic Document Examiners

3. Terminology

3.1 *Definitions of Terms Specific to This Standard:*

3.1.1 *bone folder, n*—a piece of shaped bone or other material, such as plastic or Teflon, typically used by bookbinders to crease paper and to separate pieces of paper that are stuck together.

¹ This guide is under the jurisdiction of ASTM Committee E30 on Forensic Sciences and is the direct responsibility of Subcommittee E30.02 on Questioned Documents.

Current edition approved March 1, 2011. Published March 2011. DOI: 10.1520/E2710-11.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

3.1.2 *charred documents, n*—documents damaged by heat or fire.

3.1.3 *parylene processing, n*—the deposition of a clear polymer coating on a document(s) within a vacuum chamber to strengthen and stabilize the document(s).

3.1.4 *polyester film encapsulation, n*—a process whereby a document is sealed between two sheets of polyester film to preserve, stabilize, and facilitate handling.

3.1.5 *submersion, v*—the placement of a document(s) into an appropriate liquid to facilitate cleaning, unfolding, or separation of the document(s).

4. Significance and Use

4.1 The procedures outlined here are grounded in the generally accepted body of knowledge and experience in the field of forensic document examination and related fields. By following these procedures, a forensic document examiner can reliably process charred documents to optimize their preservation.

5. Interferences

5.1 Items submitted for examination may have inherent limitations that interfere with the procedures in this Guide. Limitations should be noted and recorded.

5.2 The results of prior storage, handling, testing, or processing can adversely affect the preservation of the document(s). The document(s) should be immobilized as soon as possible to minimize damage prior to its preservation.

5.3 The extensive time required for some procedures and the type of procedures chosen can conflict with investigative needs and other forensic examinations. Coordination with the submitter, experts in other forensic disciplines, and other relevant individuals might be warranted.

5.4 Take necessary precautions to prevent disturbance of the charred documents by air circulation in the examination area.

6. Equipment and Requirements

6.1 Appropriate light source(s) of sufficient intensity to allow fine detail to be distinguished.

NOTE 1—Natural light, incandescent, LED or fluorescent sources, or fiber optic lighting systems are generally utilized. Transmitted lighting, side lighting, and vertical incident lighting have been found useful in a variety of situations.