
**Essential oil of lemon myrtle
(*Backhousia citriodora* F. Muell.), citral
type**

*Huile essentielle de myrte citronnée (Backhousia citriodora F. Muell.),
type citral*

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[ISO 5093:2021](https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021)

<https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021>



iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 5093:2021

<https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	1
4.1 General requirements.....	1
4.2 Chromatographic profile.....	2
5 Flash point	2
6 Sampling	3
7 Packaging labelling, marking and storage	3
Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of lemon myrtle (<i>Backhousia citriodora</i> F. Muell.), citral type	4
Annex B (informative) Flashpoint	7
Bibliography	8

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 5093:2021](https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021)

<https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 54, *Essential oils*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Essential oil of lemon myrtle (*Backhousia citriodora* F. Muell.), citral type

1 Scope

This document specifies certain characteristics of the essential oil of lemon myrtle (*Backhousia citriodora* F. Muell.), citral type, with a view to facilitating the assessment of its quality.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 210, *Essential oils — General rules for packaging, conditioning and storage*

ISO/TS 211, *Essential oils — General rules for labelling and marking of containers*

ISO 212, *Essential oils — Sampling*

ISO 279, *Essential oils — Determination of relative density at 20 °C — Reference method*

ISO 280, *Essential oils — Determination of refractive index*

ISO 592, *Essential oils — Determination of optical rotation*

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*

ISO 1271, *Essential oils — Determination of carbonyl value — Free hydroxylamine method*

ISO 11024 (all parts), *Essential oils — General guidance on chromatographic profiles*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <https://www.electropedia.org/>

3.1

essential oil of lemon myrtle

essential oil obtained by steam distillation of the leaves and twigs of *Backhousia citriodora* F. Muell., citral type (lemon myrtle) of the Myrtaceae family

Note 1 to entry: For information on CAS number, see ISO/TR 21092.

4 Requirements

4.1 General requirements

Essential oil of lemon myrtle (*Backhousia citriodora* F. Muell.), citral type shall meet the requirements as given in [Table 1](#).

Table 1 — Requirements for the essential oil of lemon myrtle (*Backhousia citriodora* F. Muell.), citral type

Characteristics	Requirements	ISO test method
Appearance	Clear, mobile at 20 °C	—
Colour	Pale yellow to yellow liquid	—
Odour	Characteristic lemon odour	—
Relative density at 20 °C d_{20}^{20}	0,880 to 0,910	ISO 279
Refractive index at 20 °C	1,484 to 1,491	ISO 280
Optical rotation at 20 °C	Range from -1,5° to +1,5°	ISO 592
Miscibility in ethanol	One volume of the essential oil of lemon myrtle (<i>Backhousia citriodora</i> F. Muell.), citral type shall completely dissolve in three volumes of 70 % (volume fraction) ethanol at 20 °C	ISO 875
Carbonyl value	Corresponding to 85 % minimum of carbonyl compounds content expressed as citral	ISO 1271

4.2 Chromatographic profile

Carry out the analysis of the essential oil by gas chromatography. Determine the chromatographic profile in accordance with the ISO 11024 series. Identify in the chromatogram obtained, the representative and characteristic components shown in [Table 2](#). The proportions of these components, indicated by the integrator, shall be as shown in [Table 2](#). This constitutes the chromatographic profile of the essential oil.

Table 2 — Chromatographic profile

Component	Min %	Max %
6-Methylhept-5-en-2-one	0,3	2,9
2,3-Dehydro-1,8-cineole	0,3	0,9
β -Myrcene	0,2	0,7
Linalool	0,5	1,0
exo-Isocitral	0,1	2,0
Citronellal	traces ^a	1,0
cis-Isocitral	0,2	2,7
trans-Isocitral	0,3	4,3
Neral	36,0	44,0
Geranial	44,0	56,0
Geraniol	0,5	2,5
Total Citral	80,6	98,0

^a < 0,01 %.

NOTE 1 Total citral is the addition of all 5 citral isomers.

NOTE 2 The chromatographic profile is normative, contrary to typical chromatograms given for information in [Annex A](#), see [Figures A.1](#) and [A.2](#).

5 Flash point

Information on the flash point is given in [Annex B](#).

6 Sampling

Sampling shall be performed in accordance with ISO 212. The minimum test sample volume is 50 ml.

NOTE This volume allows each of the tests specified in this document to be carried out at least once.

7 Packaging labelling, marking and storage

Packaging labelling, marking and storage shall be in accordance with ISO/TS 210 and ISO/TS 211.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 5093:2021](https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021)

<https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021>


Annex A
(informative)

**Typical chromatograms of the analysis by gas chromatography of
the essential oil of lemon myrtle (*Backhousia citriodora* F. Muell.),
citral type**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 5093:2021](https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021)

<https://standards.iteh.ai/catalog/standards/sist/38b707a2-b00d-4ec1-9336-5a246289d58d/iso-5093-2021>

**Peak identification**

- 1 6-Methylhept-5-en-2-one
 2 2,3-Dehydro-1,8-cineole
 3 β -Myrcene
 4 Linalool
 5 *exo*-Isocitral
 6 Citronellal
 7 *cis*-Isocitral
 8 *trans*-Isocitral
 9 Neral + Nerol
 10 Geraniol
 11 Geranial

Key

- Y detector response (pA)
 X time (min)


Operating conditions

Column: FSOT, length 30 m, 0,25 mm
 Stationary phase: BP1 Methyl Silicone^a
 Film thickness: 0,2 μ m
 Split ratio: 1:50
 Detector: FID
 Injector temperature: 200 °C
 Detector temperature: 300 °C
 Carrier gas: hydrogen
 Oven temperature: initial: 40 °C for 1 min
 Program rate: 9 °C/min
 Final: 240 °C for 10 min
 Linear velocity: 30 cm/s
 Injected volume: 1,0 μ l (1 % solution^b)

^a BP1 Methyl Silicone is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

^b Caution: Hexane and other non-alcoholic solvents are recommended as ethanol and methanol can form acetals and hemiacetals with citrals.

Figure A.1 — Typical chromatogram taken on an apolar column

**Peak identification**

- | | |
|----|-------------------------|
| 1 | β -Myrcene |
| 2 | 2,3-Dehydro-1,8-cineole |
| 3 | 6-Methylhept-5-en-2-one |
| 4 | Citronellal |
| 5 | <i>exo</i> -Isocitral |
| 6 | <i>cis</i> -Isocitral |
| 7 | Linalool |
| 8 | <i>trans</i> -Isocitral |
| 9 | Neral |
| 10 | Geranial |
| 11 | Nerol |
| 12 | Geraniol |

Key

- | | |
|---|------------------------|
| Y | detector response (pA) |
| X | time (min) |

Operating conditions

Column: FSOT, length 60 m, diameter 0,53 mm

Stationary phase: J&W DB-Wax^a

Film thickness: 1 μ m

Split ratio: splitless

Detector: FID

Injector temperature: 210 °C

Detector temperature: 250 °C

Carrier gas: helium

Oven temperature: initial: 50 °C for 5 min

Program rate: 3 °C/min

Final: 220 °C for 15 min

Linear velocity: 33 cm/s

Injected volume: 1,0 μ l (1 % solution^b)

^aJ&W DB-Wax is an example of a suitable product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of this product.

^b Caution: Hexane and other non-alcoholic solvents are recommended as ethanol and methanol can form acetals and hemiacetals with citrals.

Figure A.2 — Typical chromatogram taken on a polar column