



**International  
Standard**

**ISO 17828**

**Solid biofuels — Determination of  
bulk density**

*Biocombustibles solides — Détermination de la masse volumique  
apparente*

**Second edition  
2025-03**

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

[ISO 17828:2025](https://standards.itih.ai/catalog/standards/iso/b6849b23-6a7b-4e74-846f-40a662620e70/iso-17828-2025)

<https://standards.itih.ai/catalog/standards/iso/b6849b23-6a7b-4e74-846f-40a662620e70/iso-17828-2025>

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ISO 17828:2025](https://standards.iteh.ai/catalog/standards/iso/b6849b23-6a7b-4e74-846f-40a662620e70/iso-17828-2025)

<https://standards.iteh.ai/catalog/standards/iso/b6849b23-6a7b-4e74-846f-40a662620e70/iso-17828-2025>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>1</b>
<b>5 Apparatus</b> .....	<b>2</b>
5.1 Measuring containers.....	2
5.1.1 Standardized containers.....	2
5.1.2 Large standardized measuring container.....	2
5.1.3 Small standardized measuring container.....	2
5.1.4 Measuring container for coarse biofuels.....	3
5.2 Balances.....	3
5.2.1 Balance 1.....	3
5.2.2 Balance 2.....	3
5.2.3 Balance 3.....	3
5.3 Scantlings.....	3
5.4 Wooden board and impact surface.....	4
5.5 Apparatus for controlled shock exposure (optional).....	4
5.6 Spill prevention aid (optional).....	4
<b>6 Sample preparation</b> .....	<b>4</b>
<b>7 Procedure</b> .....	<b>4</b>
7.1 Determination of the container volume.....	4
7.2 Container selection.....	5
7.3 Measurement procedure.....	5
7.3.1 Procedure for standardized containers according to <a href="#">5.1.2</a> and <a href="#">5.1.3</a> .....	5
7.3.2 Procedure for non-standardized containers according to <a href="#">5.1.4</a> .....	5
<b>8 Calculation</b> .....	<b>6</b>
8.1 Calculation of bulk density as received.....	6
8.2 Calculation of bulk density on dry basis (optional).....	6
<b>9 Performance characteristics</b> .....	<b>7</b>
9.1 General.....	7
9.2 Repeatability.....	7
9.3 Reproducibility.....	7
<b>10 Test report</b> .....	<b>7</b>
<b>Annex A (informative) Measuring differences of sample treatment with and without shock exposure</b> .....	<b>8</b>
<b>Annex B (informative) Example of an apparatus for controlled shock exposure</b> .....	<b>9</b>
<b>Bibliography</b> .....	<b>10</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 238, *Solid biofuels and pyrogenic biocarbon*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 335, *Solid biofuels and pyrogenic biocarbon*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 17828:2015), which has been technically revised.

<https://standards.iteh.ai/catalog/standards/iso/b6849b23-6a7b-4e74-846f-40a662620e70/iso-17828-2025>

The main changes are as follows:

- introduction has been revised;
- dimensions of the small standardised container were modified to better reflect industry standard equipment, its volume has not changed;
- scope has been expanded to cover coarse fuels having a nominal top size larger than 63 mm;
- procedure for measuring bulk density of the newly included coarse fuels has been added;
- for newly included coarse fuels, a new measuring container has been defined;
- for fuels having a nominal top size of 63 mm and below, the optional use of an apparatus for controlled shock exposure is described; an example of such apparatus is added as informative [Annex B](#);
- option to use a spill prevention aid has been included;
- rule for rounding reported result in the test report has been changed;
- test report clause has been revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Bulk density is an important parameter for fuel deliveries on volume basis, and together with the net calorific value, it determines the energy density. It also facilitates the estimation of space requirements for transport and storage. This document describes the determination of the bulk density of pourable solid biofuels which can be conveyed in a continuous material flow. For practical reasons, containers with different volumes are applied:

- standardized container of 5 l, e.g. for pellets, shavings, sawdust or grain kernels;
- standardized container of 50 l, for materials with a nominal top size of up to 63 mm;
- non-standardized container of more than 1 m<sup>3</sup> volume, for coarse bulk material with larger particle sizes.

The actual storage volume of a solid biofuel depends on the storage conditions, which can differ markedly from the conditions of sample analysis (e.g. height of heap versus volume of the standard measuring container, moisture content).

The described method using the standardized containers includes a defined shock exposure of the bulk material for several reasons. A shock leads to a certain volume reduction, which accounts for compaction effects occurring during the production chain. These compaction effects are mainly due to the fact that the fuel is usually transported and/or stored in containers or silos that are much larger than the measuring container as chosen for the described method. Thus, in practice, the higher mass load leads to an increased load pressure and to settling of the material. Vibrations during transportation can further increase this effect.

A procedure which applies a controlled shock to the sample was thus believed to reflect the practically prevailing bulk density in a better way than a method without shock. This is particularly true when the mass of a delivered fuel has to be estimated from the volume load of a transporting vehicle, which is a common procedure in many countries. Furthermore, in practice, the falling height of the bulk material during filling or unloading operations is greater than the falling height of the particles selected for the test. This will result in a respectively higher compaction due to the increased kinetic energy of the particles falling.

For a rough estimation on how susceptible the different solid biofuels are towards the shock exposure, some research data are given in [Annex A](#). The data shows a compaction effect between 6 % and 18 % for different biomass fuels.

The determination of the bulk density of coarse bulk material with a larger particle size requires a larger container. Due to the size of the container, the compaction by shock exposure is omitted. The influence of container size and omitting the compaction should be taken into account when evaluating the results.

