

ETSI TS 123 379 V19.10.0 (2026-04)



TECHNICAL SPECIFICATION

LTE;
Functional architecture and information flows to support
Mission Critical Push To Talk (MCPTT);
Stage 2
(3GPP TS 23.379 version 19.10.0 Release 19)



ReferenceRTS/TSGS-0623379vja0

KeywordsLTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our [Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found at [3GPP to ETSI numbering cross-referencing](#).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	12
1 Scope	13
2 References	13
3 Definitions, symbols and abbreviations	14
3.1 Definitions	14
3.2 Symbols.....	15
3.3 Abbreviations	16
4 Introduction	17
5 Architectural requirements	17
5.1 Media routing requirements	17
5.2 Requirements for user identity management	17
5.3 MCPTT group affiliation and MCPTT group de-affiliation.....	18
5.4 MCPTT call requirements	18
5.4.1 General.....	18
5.4.2 Group call requirements.....	18
5.5 GCS AS requirements for the MCPTT service	18
5.6 Group selection	18
5.7 Bearer management.....	18
5.7.1 General.....	18
5.7.2 EPS bearer considerations	18
5.7.2.1 Void.....	18
5.7.2.2 Void.....	18
5.7.3 EPS unicast bearer considerations for MCPTT	18
5.7.4 MBMS bearer management	19
5.8 MCPTT system interconnect requirements	19
6 Involved business relationships.....	19
7 Functional model.....	19
7.1 General	19
7.2 Description of the planes	20
7.3 Functional model description	20
7.3.1 On-network functional model	20
7.3.2 Off-network functional model	21
7.4 Functional entities description.....	22
7.4.1 General.....	22
7.4.2 Application plane of MCPTT service	22
7.4.2.1 General	22
7.4.2.2 Common services core	22
7.4.2.3 MCPTT application service	22
7.4.2.3.1 MCPTT client.....	22
7.4.2.3.2 MCPTT server.....	22
7.4.2.3.3 Floor participant	24
7.4.2.3.4 Floor control server	24
7.4.2.3.5 Media distribution function	24
7.4.2.3.6 Media mixer	25
7.4.2.3.7 MCPTT user database	25
7.4.2.3.8 MC gateway server.....	25
7.4.3 Signalling control plane	25
7.5 Reference points	25
7.5.1 General reference point principle.....	25

7.5.2	Application plane of MCPTT service	25
7.5.2.1	General	25
7.5.2.2	Reference point MCPTT-1 (between the MCPTT client and the MCPTT server).....	25
7.5.2.3	Reference point MCPTT-2 (between the MCPTT server and the MCPTT user database).....	26
7.5.2.4	Reference point MCPTT-3 (between the MCPTT server and the MCPTT server and between the MCPTT server and the MC gateway server).....	26
7.5.2.5	Reference point MCPTT-4 (unicast between the floor control server and the floor participant)	26
7.5.2.6	Reference point MCPTT-5 (between the MCPTT server and the EPS).....	26
7.5.2.7	Reference point MCPTT-6 (between the MCPTT server and the EPS).....	26
7.5.2.8	Reference point MCPTT-7 (unicast between the media distribution function and the media mixer).....	27
7.5.2.9	Reference point MCPTT-8 (multicast between the media distribution function and the media mixer).....	27
7.5.2.10	Reference point MCPTT-9 (multicast between the floor control server and the floor participant).....	27
7.5.2.11	Reference point IWF-1 (between the MCPTT server and the interworking function to legacy systems).....	27
7.5.2.12	Reference points of common services core used in the MCPTT service	27
7.5.2.13	Reference point MCPTT-10 (between the MC gateway server and the MC gateway server in a different MCPTT system)	27
8	Identities	27
9	Application of functional model to deployments	27
10	Procedures and information flows.....	28
10.1	MCPTT service configuration.....	28
10.2	User authentication and authorization for MCPTT service	28
10.3	Affiliation and de-affiliation to/from MCPTT group(s).....	29
10.3a	Activation and de-activation of/from functional alias(es)	29
10.4	MCPTT group selection	29
10.4.1	General.....	29
10.4.2	Information flows for group selection	29
10.4.2.1	Group selection change request.....	29
10.4.2.2	Group selection change response	29
10.4.2.3	Group selection change notification.....	30
10.4.3	Authorized user remotely changes another MCPTT user's selected MCPTT group – mandatory mode....	30
10.5	Pre-established session (on-network)	31
10.5.1	General.....	31
10.5.2	Information flows for pre-established session	31
10.5.2.1	Pre-established session establishment	31
10.5.2.2	Pre-established session modification	32
10.5.2.3	Pre-established session release - client initiated.....	32
10.5.2.4	Pre-established session release - server initiated.....	33
10.5.2.5	Pre-established session call connect request	33
10.5.2.6	Pre-established session call disconnect request.....	33
10.5.3	Procedures.....	34
10.5.3.1	General	34
10.5.3.2	Call connect and disconnect procedures using pre-established session	34
10.5.3.2.1	Call connect over unicast.....	34
10.5.3.2.2	Call disconnect over unicast	35
10.6	Group call.....	35
10.6.1	General.....	35
10.6.2	On-network group call	35
10.6.2.1	General	35
10.6.2.2	Information flows for group call in on-network.....	36
10.6.2.2.1	MCPTT emergency group call request.....	36
10.6.2.2.1a	MCPTT emergency group call response	36
10.6.2.2.2	MCPTT in-progress emergency group state cancel request	36
10.6.2.2.2a	MCPTT in-progress emergency group state cancel response	37
10.6.2.2.3	Void.....	37
10.6.2.2.3a	Void.....	37
10.6.2.2.3b	Void.....	37
10.6.2.2.4	Void.....	37

10.6.2.2.4a	Void	37
10.6.2.2.5	MCPTT imminent peril group call request	37
10.6.2.2.5a	MCPTT imminent peril group call response	38
10.6.2.2.6	MCPTT in-progress imminent peril group state cancel request	38
10.6.2.2.6a	MCPTT in-progress imminent peril group state cancel response	38
10.6.2.2.7	Group call request (MCPTT client – MCPTT server)	39
10.6.2.2.8	Group call request (MCPTT server – group host MCPTT server)	39
10.6.2.2.9	Group call request (MCPTT server – MCPTT client)	40
10.6.2.2.10	Group call response (MCPTT server – MCPTT client)	40
10.6.2.2.11	Group call response (MCPTT server – MCPTT server)	41
10.6.2.2.12	Group call response (MCPTT client – MCPTT server)	41
10.6.2.2.13	Group call notify (MCPTT server – MCPTT client)	41
10.6.2.2.14	Group call release request (MCPTT server – MCPTT client)	42
10.6.2.2.14a	Group call release request (MCPTT client – MCPTT server)	42
10.6.2.2.15	Group call release request (MCPTT server – MCPTT server)	42
10.6.2.2.16	Group call release response (MCPTT client – MCPTT server)	43
10.6.2.2.17	Group call release response (MCPTT server – MCPTT server)	43
10.6.2.2.18	Group call rejoin request (MCPTT client – MCPTT server)	43
10.6.2.2.19	Group call rejoin response (MCPTT server – MCPTT client)	44
10.6.2.2.20	Group join request	44
10.6.2.2.21	Group join response	44
10.6.2.2.22	Group call leave request (MCPTT server – MCPTT client)	45
10.6.2.2.22a	Group call leave request (MCPTT client – MCPTT server)	45
10.6.2.2.23	Group call leave response (MCPTT client – MCPTT server)	45
10.6.2.2.23a	Group call leave response (MCPTT server – MCPTT client)	46
10.6.2.2.24	Group interrogate request (MCPTT server – MCPTT server)	46
10.6.2.2.25	Group interrogate response (MCPTT server – MCPTT server)	46
10.6.2.2.26	Group-broadcast group call request (MCPTT client – MCPTT server)	46
10.6.2.2.27	Group-broadcast group call request (MCPTT server – MCPTT client)	47
10.6.2.2.28	Group-broadcast group call response (MCPTT client – MCPTT server)	47
10.6.2.2.29	Group-broadcast group call response (MCPTT server – MCPTT client)	48
10.6.2.2.30	Group-broadcast group call release request (MCPTT client – MCPTT server)	48
10.6.2.2.31	Group-broadcast group call release request (MCPTT server – MCPTT client)	48
10.6.2.2.32	Group-broadcast group call release response (MCPTT server – MCPTT client)	49
10.6.2.2.33	Group-broadcast group call release response (MCPTT client – MCPTT server)	49
10.6.2.2.34	Void	50
10.6.2.2.35	Void	50
10.6.2.2.36	Void	50
10.6.2.2.37	Void	50
10.6.2.2.38	Void	50
10.6.2.2.39	Void	50
10.6.2.2.40	Void	50
10.6.2.2.41	Void	50
10.6.2.2.42	Void	50
10.6.2.2.43	Void	50
10.6.2.2.44	Void	50
10.6.2.2.45	Void	50
10.6.2.2.46	Void	50
10.6.2.2.47	Void	50
10.6.2.2.48	Void	50
10.6.2.2.49	Void	50
10.6.2.2.50	Void	50
10.6.2.2.51	MCPTT emergency floor remote trigger	50
10.6.2.3	Group call within one MCPTT system	51
10.6.2.3.1	Group call models	51
10.6.2.3.1.1	Pre-arranged group call	51
10.6.2.3.1.2	Chat group call	56
10.6.2.3.2	Exiting group call due to de-affiliation	63
10.6.2.3.3	MCPTT user leaving a group call	63
10.6.2.4	Group call involving groups from multiple MCPTT systems	64
10.6.2.4.1	Group call for non-broadcast temporary groups across multiple MCPTT systems	64
10.6.2.4.1.1	Group call setup	64

10.6.2.4.1.2	Group call release	67
10.6.2.4.2	Group call for non-broadcast temporary group formed by group regroup procedure involving multiple MCPTT systems via trusted mode	68
10.6.2.4.3	Group call for an MCPTT group defined in the partner MCPTT system	70
10.6.2.4.3.1	Pre-arranged group call setup procedure – initiating side	70
10.6.2.4.3.2	Pre-arranged group call setup – terminating side	71
10.6.2.4.3.3	Chat group call setup	71
10.6.2.4.4	Merging of groups involving multiple MCPTT systems	73
10.6.2.5	Broadcast group call	74
10.6.2.5.1	General	74
10.6.2.5.2	Common broadcast group call procedure	74
10.6.2.5.2.1	Group-broadcast group call procedure	75
10.6.2.5.2.2	Group-broadcast group call procedure when a subordinate group has an on-going MCPTT emergency group call	77
10.6.2.5.2.3	Group-broadcast group call release procedure	78
10.6.2.5.2.4	Server-initiated broadcast group call release procedure	79
10.6.2.5.3	Void	80
10.6.2.5.4	Group call for broadcast temporary groups across multiple MCPTT systems	80
10.6.2.6	Emergency and imminent peril procedures	82
10.6.2.6.1	MCPTT emergency group call	82
10.6.2.6.1.1	MCPTT emergency group call commencement	82
10.6.2.6.1.2	MCPTT group call upgraded to an MCPTT emergency group call	84
10.6.2.6.1.3	MCPTT in-progress emergency group state cancel	86
10.6.2.6.2	MCPTT imminent peril group call	88
10.6.2.6.2.1	MCPTT imminent peril group call commencement	88
10.6.2.6.2.2	Imminent peril group call upgrade	90
10.6.2.6.2.3	MCPTT in-progress imminent peril group state cancel	92
10.6.2.6.3	MCPTT emergency alert (on-network)	93
10.6.2.6.4	MCPTT emergency floor remote trigger procedure	93
10.6.2.7	Location of current talker	94
10.6.2.8	Void	96
10.6.2.8.1	Void	96
10.6.2.8.2	Void	96
10.6.2.8.3	Void	96
10.6.2.9	Group call handling with preconfigured regroup update	96
10.6.2.9.1	Void	96
10.6.2.9.2	Void	96
10.6.2.9.2.1	Void	96
10.6.2.9.2.2	Void	96
10.6.2.9.3	Regroup procedures in multiple MCPTT systems	96
10.6.2.9.3.1	Void	96
10.6.2.9.3.2	Void	96
10.6.2.9.3.3	Void	96
10.6.2.9.4	Void	96
10.6.2.9.5	Procedures	96
10.6.2.9.5.1	Call request to an MCPTT group during an in-progress preconfigured group regroup	96
10.6.2.9.5.2	Call request to a preconfigured regroup group after group regroup has been cancelled	97
10.6.2.10	User regroup using group creation procedure	98
10.6.2.10.1	General	98
10.6.2.10.2	Temporary group creation and broadcast group call by authorized user	98
10.6.2.10.3	Temporary group deletion by authorized user	99
10.6.2.11	Broadcast group regroup call using preconfigured group	99
10.6.2.11.1	General	99
10.6.2.11.2	Broadcast group regroup call procedure using preconfigured group in a single MCPTT system	100
10.6.2.12	User regroup with preconfigured group	101
10.6.2.12.1	Void	101
10.6.2.12.2	Void	101
10.6.2.12.2.1	Void	101
10.6.2.12.2.2	Void	101
10.6.2.12.3	Void	101
10.6.3	Off-network group call	101

10.6.3.1	General	101
10.6.3.2	Information flows for group call in off-network	101
10.6.3.2.1	Group call announcement	101
10.6.3.2.2	MCPTT upgrade to emergency call.....	102
10.6.3.2.3	MCPTT emergency group state cancel.....	102
10.6.3.2.4	Response.....	102
10.6.3.2.5	Void	103
10.6.3.2.6	Void	103
10.6.3.2.7	MCPTT upgrade to imminent peril call.....	103
10.6.3.2.8	MCPTT imminent peril group call cancel	103
10.6.3.3	Group call setup	103
10.6.3.4	Passive join to group call	104
10.6.3.5	Join to ongoing group call when new entry member initiates the call with on-going group call id ...	105
10.6.3.6	Immediate group call announcement to join an ongoing group call	106
10.6.3.7	Group call release due to inactivity	107
10.6.3.8	Broadcast group call.....	108
10.6.3.9	Emergency and imminent peril procedures.....	108
10.6.3.9.1	Emergency group call.....	108
10.6.3.9.2	MCPTT imminent peril	109
10.6.3.9.3	MCPTT emergency alert (off-network).....	109
10.7	Private call.....	110
10.7.1	General.....	110
10.7.2	Private call in on-network.....	110
10.7.2.1	Information flows for private call in on-network	110
10.7.2.1.1	MCPTT private call request (MCPTT client to MCPTT server).....	110
10.7.2.1.2	MCPTT private call request (MCPTT server to MCPTT server).....	111
10.7.2.1.2a	MCPTT private call request (MCPTT server to MCPTT client).....	111
10.7.2.1.3	MCPTT private call response (MCPTT client to MCPTT server)	112
10.7.2.1.4	MCPTT private call response	112
10.7.2.1.4a	MCPTT private call end request.....	113
10.7.2.1.4b	MCPTT private call end response	113
10.7.2.1.5	MCPTT emergency private call request (MCPTT client to MCPTT server)	113
10.7.2.1.5a	MCPTT emergency private call request (MCPTT server to MCPTT client)	114
10.7.2.1.6	MCPTT progress indication	114
10.7.2.1.7	MCPTT ringing	115
10.7.2.1.8	MCPTT functional alias resolution response.....	115
10.7.2.1.9	MCPTT private call cancel request (MCPTT server to MCPTT client).....	115
10.7.2.1.10	MCPTT private call cancel response (MCPTT client to MCPTT server)	115
10.7.2.1.11	MCPTT emergency private call floor remote trigger (MCPTT client to MCPTT server).....	116
10.7.2.1.12	MCPTT emergency private call floor remote trigger (MCPTT server to MCPTT client).....	116
10.7.2.2	Private call within one MCPTT system	116
10.7.2.2.1	Private call setup in automatic commencement mode.....	116
10.7.2.2.2	Private call setup in manual commencement mode	118
10.7.2.2.2.1	Description.....	118
10.7.2.2.2.2	Procedure	118
10.7.2.2.3	Private call release	121
10.7.2.2.3.1	Client initiated.....	121
10.7.2.2.3.2	Server initiated	122
10.7.2.3	Private call within several MCPTT systems	122
10.7.2.3.1	Private call setup in automatic commencement mode – MCPTT users in multiple MCPTT systems	122
10.7.2.3.2	Private call setup in manual commencement mode – MCPTT users in multiple MCPTT systems	124
10.7.2.3.3	Private call release – MCPTT users in multiple MCPTT systems	126
10.7.2.4	MCPTT emergency private call	126
10.7.2.4.1	MCPTT emergency private call commencement	126
10.7.2.4.2	MCPTT private call emergency upgrade.....	128
10.7.2.4.3	MCPTT emergency private call floor remote trigger procedure	129
10.7.3	Private call in off-network	130
10.7.3.1	Information flows for private call in off-network	130
10.7.3.1.1	Call setup request	130
10.7.3.1.2	Call setup response.....	131

10.7.3.1.3	Call release request.....	131
10.7.3.1.4	Call release response	131
10.7.3.2	Use of ProSe capability for private call.....	131
10.7.3.3	Private call setup in automatic commencement mode.....	132
10.7.3.4	Private call setup in manual commencement mode	132
10.7.3.5	Private call release.....	134
10.7.3.6	MCPTT emergency private call	134
10.7.4	MCPTT private call call-back request	135
10.7.4.1	Information flows for MCPTT private call call-back request	135
10.7.4.1.1	MCPTT private call call-back request	135
10.7.4.1.2	MCPTT private call call-back response	135
10.7.4.1.3	MCPTT private call call-back cancel request.....	135
10.7.4.1.4	MCPTT private call call-back cancel response	136
10.7.4.2	MCPTT private call call-back request within one MCPTT system	136
10.7.4.3	MCPTT private call call-back cancel request within one MCPTT system	137
10.7.4.4	MCPTT private call call-back request fulfillment within one MCPTT system	138
10.7.5	MCPTT call forwarding for private calls.....	139
10.7.5.1	General	139
10.7.5.1.1	Void	139
10.7.5.1.2	MCPTT private call forwarding request (MCPTT client to MCPTT server and MCPTT server to MCPTT server).....	139
10.7.5.1.3	MCPTT private call forwarding response (MCPTT server to MCPTT client).....	140
10.7.5.1.4	MCPTT private call forwarding request (MCPTT server to MCPTT client)	140
10.7.5.1.5	MCPTT private call forwarding response (MCPTT client to MCPTT server and MCPTT server to MCPTT server).....	140
10.7.5.2	Procedures.....	141
10.7.5.2.1	Update configuration for MCPTT private call forwarding.....	141
10.7.5.2.2	MCPTT immediate private call forwarding in a single MCPTT system.....	141
10.7.5.2.3	MCPTT private call forwarding no answer in a single MCPTT system.....	143
10.7.5.2.3a	MCPTT private call forwarding based on manual user input in a single MCPTT system	147
10.7.5.2.4	Handling of multiple MCPTT private call forwardings	150
10.7.5.2.5	MCPTT private call forwarding with target of the MCPTT private call forwarding in partner MCPTT system.....	150
10.7.5.2.6	MCPTT private call forwarding with MCPTT private call forwarding occurring in the partner MCPTT system.....	152
10.7.6	Call transfer for MCPTT private calls	154
10.7.6.1	General	154
10.7.6.1.1	MCPTT private call transfer request (MCPTT client to MCPTT server).....	154
10.7.6.1.2	MCPTT private call transfer request (MCPTT server to MCPTT client and MCPTT server to MCPTT server).....	154
10.7.6.1.3	MCPTT private call transfer response (MCPTT server to MCPTT client and MCPTT server to MCPTT server).....	155
10.7.6.1.4	MCPTT private call transfer response (MCPTT client to MCPTT server)	155
10.7.6.2	Procedures.....	155
10.7.6.2.1	MCPTT private call unannounced transfer in a single MCPTT system	155
10.7.6.2.2	MCPTT private call announced transfer in a single MCPTT system	157
10.7.6.2.3	MCPTT private call announced transfer with target in partner MCPTT system	160
10.7.6.2.4	MCPTT private call announced transfer with transferring MCPTT user in partner MCPTT system.....	163
10.8	Void.....	166
10.8.1	Void	166
10.9	Floor control.....	166
10.9.1	Floor control for on-network MCPTT service	166
10.9.1.1	General	166
10.9.1.2	Information flows for floor control for on-network	166
10.9.1.2.1	General	166
10.9.1.2.2	Floor request.....	166
10.9.1.2.3	Floor granted	167
10.9.1.2.4	Floor rejected.....	167
10.9.1.2.5	Floor request cancel.....	167
10.9.1.2.6	Floor request cancel response.....	168
10.9.1.2.7	Floor request cancel notify	168

10.9.1.2.8	Floor idle	168
10.9.1.2.9	Floor release	169
10.9.1.2.9a	Multi-talker floor release	169
10.9.1.2.10	Floor taken.....	169
10.9.1.2.10a	Multi-talker floor taken	170
10.9.1.2.11	Floor revoked	170
10.9.1.2.12	Floor acknowledgement	170
10.9.1.2.13	Queue position request	170
10.9.1.2.14	Queue position info	171
10.9.1.2.15	Unicast media stop request	171
10.9.1.2.16	Unicast media resume request	171
10.9.1.2.17	floor revoke request	172
10.9.1.3	Floor control with a single floor control server.....	172
10.9.1.3.1	Floor request, floor granted and floor taken during an MCPTT session	172
10.9.1.3.1a	Floor request, floor granted and multi-talker floor taken during an MCPTT session enhanced with multi-talker control.....	174
10.9.1.3.2	Floor override	176
10.9.1.3.2.1	Floor override using floor revoked (also floor rejected) during an MCPTT session	176
10.9.1.3.2.2	Floor override without using floor revoked during an MCPTT session	177
10.9.1.3.3	Queue position during an MCPTT session	181
10.9.1.3.4	Floor request cancellation from the floor request queue	182
10.9.1.3.4.1	Floor request cancellation from the queue – MCPTT user initiated	182
10.9.1.3.4.2	Floor request cancellation from the queue - floor control server initiated	183
10.9.1.3.5	Floor idle during an MCPTT session.....	184
10.9.1.3.6	Floor revoke by the authorized user	185
10.9.1.4	Floor control with multiple floor control servers	186
10.9.1.4.1	Partner MCPTT system routes all floor control messages to primary MCPTT system's floor control server	186
10.9.1.4.2	Partner MCPTT system performs filtering of floor control messages entering and leaving the partner MCPTT system	189
10.9.1.5	Floor control for audio cut-in enabled group	192
10.9.1.6	Unicast media stop and resume requests	194
10.9.2	Floor control for off-network MCPTT service	196
10.9.2.1	General	196
10.9.2.2	Information flows for floor control for off-network.....	197
10.9.2.2.1	General	197
10.9.2.2.2	Floor granted	197
10.9.2.3	Floor control during silence	197
10.9.2.3.1	Successful floor taken (No floor contention).....	197
10.9.2.4	Simultaneous floor requests	198
10.9.2.5	Floor request during speaking with queue	199
10.9.2.6	Floor request during speaking without queue	200
10.9.2.7	Override	201
10.9.2.8	Floor queue status	202
10.10	Use of MBMS transmission (on-network)	203
10.10.1	Information flows for MBMS Transmission	203
10.10.1.1	MapGroupToBearer	203
10.10.1.2	UnmapGroupFromBearer	204
10.10.1.3	Application paging.....	204
10.10.2	Use of pre-established MBMS bearers	204
10.10.3	Use of dynamic MBMS bearer establishment	204
10.10.4	Call connect and disconnect over MBMS.....	205
10.10.4.1	General	205
10.10.4.2	Procedure	205
10.10.4.2.1	Call connect over MBMS	205
10.10.4.2.2	Call disconnect over MBMS	206
10.10.5	Switching from MBMS bearer to unicast bearer	207
10.10.6	Enhanced MCPTT group call setup procedure with MBMS bearer	207
10.10.6.1	Description	207
10.10.6.2	Procedure	208
10.11	MCPTT resource management (on-network).....	209
10.11.1	General.....	209

10.11.2	Request for unicast resources at session establishment	209
10.11.3	Request for modification of unicast resources	209
10.11.4	Management of multicast media bearers	209
10.11.5	Request for resources with shared priority	209
10.11.5.1	General	209
10.11.5.2	Procedure	209
10.12	MCPTT media plane transmissions with partner MCPTT systems (on-network).....	209
10.13	Location information (on-network).....	211
10.14	Ambient listening call	211
10.14.1	General.....	211
10.14.2	Information flows for ambient listening call.....	211
10.14.2.1	Ambient listening call request.....	211
10.14.2.2	Ambient listening call response	212
10.14.2.3	Ambient listening call release request.....	212
10.14.2.4	Ambient listening call release response	213
10.14.2.5	Ambient listening call release notification.....	213
10.14.3	Ambient listening call procedures	213
10.14.3.1	Remotely initiated ambient listening call setup.....	213
10.14.3.2	Locally initiated ambient listening call setup.....	214
10.14.3.3	Ambient listening call release – server initiated.....	215
10.14.3.4	Remotely initiated ambient listening call release – "listening" user initiated	216
10.14.3.5	Ambient listening call release – "listened to" user initiated	217
10.15	First-to-answer call setup	218
10.15.1	Description.....	218
10.15.2	Information flows for first-to-answer call.....	218
10.15.2.1	MCPTT first-to-answer call request (MCPTT client to MCPTT server).....	218
10.15.2.2	MCPTT first-to-answer call request (MCPTT server to MCPTT client)	219
10.15.2.3	MCPTT first-to-answer call response (MCPTT client to MCPTT server).....	219
10.15.2.4	MCPTT first-to-answer call response (MCPTT server to MCPTT client).....	220
10.15.2.5	MCPTT first-to-answer call cancel request (MCPTT server to MCPTT client)	220
10.15.2.6	MCPTT first-to-answer call cancel response (MCPTT client to MCPTT server)	220
10.15.3	Procedure	221
10.16	Remotely initiated MCPTT call	224
10.16.1	General.....	224
10.16.2	Information flows for remotely initiated MCPTT call.....	224
10.16.2.1	Remotely initiated MCPTT call request.....	224
10.16.2.2	Remotely initiated MCPTT call response	224
10.16.3	Procedure	225
10.16.3.1	Remotely initiated MCPTT call request.....	225
10.17	Support for multiple devices	226
10.17.1	General.....	226
10.18	Subscription and notification for functional alias.....	226
10.18.1	General.....	226
10.18.2	Void	227
10.18.3	Void	227
10.19	Ad hoc group call	227
10.19.1	General.....	227
10.19.2	Information flows	227
10.19.2.1	Ad hoc group call request (MCPTT client – MCPTT server).....	227
10.19.2.2	Ad hoc group call request return (MCPTT server – MCPTT client)	230
10.19.2.3	Void.....	230
10.19.2.4	Ad hoc group call request (MCPTT server – MCPTT client).....	230
10.19.2.5	Ad hoc group call response (MCPTT server – MCPTT client)	231
10.19.2.6	Ad hoc group call response (MCPTT server – MCPTT server).....	232
10.19.2.7	Ad hoc group call response (MCPTT client – MCPTT server).....	232
10.19.2.8	Ad hoc group call release request (MCPTT server – MCPTT client).....	233
10.19.2.8a	Ad hoc group call release request (MCPTT client – MCPTT server).....	233
10.19.2.9	Ad hoc group call release response (MCPTT client – MCPTT server).....	233
10.19.2.9a	Ad hoc group call release response (MCPTT server – MCPTT client)	233
10.19.2.10	Ad hoc group call notify (MCPTT server – MCPTT client).....	234
10.19.2.11	Modify ad hoc group call participants request (MCPTT client – MCPTT server).....	234
10.19.2.12	Modify ad hoc group call participants response (MCPTT server – MCPTT client)	235

10.19.2.13	Ad hoc group call leave request (MCPTT server – MCPTT client).....	235
10.19.2.13a	Ad hoc group call leave request (MCPTT client – MCPTT server).....	236
10.19.2.14	Ad hoc group call leave response (MCPTT client – MCPTT server)	236
10.19.2.14a	Ad hoc group call leave response (MCPTT server – MCPTT client)	236
10.19.2.15	Ad hoc group call add user notification (MCPTT server – MCPTT server).....	237
10.19.2.16	Ad hoc group call remove user notification (MCPTT server – MCPTT server).....	237
10.19.2.17	Ad hoc group call release notification (MCPTT server – MCPTT server)	237
10.19.2.18	Ad hoc group call get userlist (MCPTT server – MCPTT server)	238
10.19.2.19	Ad hoc group call get userlist response (MCPTT server – MCPTT server)	238
10.19.2.20	Modify ad hoc group call criteria request (MCPTT client – MCPTT server).....	238
10.19.2.20a	Modify ad hoc group call criteria request (MCPTT server – MCPTT server).....	239
10.19.2.21	Modify ad hoc group call criteria response (MCPTT server – MCPTT client)	239
10.19.2.21a	Modify ad hoc group call criteria response (MCPTT server – MCPTT server).....	239
10.19.3	Procedures.....	240
10.19.3.1	Ad hoc group call procedures in single MCPTT system.....	240
10.19.3.1.1	Ad hoc group call setup	240
10.19.3.1.2	Release ad hoc group call	243
10.19.3.1.2a	Release ad hoc group call by an authorized user	244
10.19.3.1.3	Ad hoc group call setup with MCPTT server determining the participants lists	246
10.19.3.1.4	Modification of ad hoc group call participants by an authorized user.....	248
10.19.3.1.5	Modification of ad hoc group call participants by the MCPTT server	250
10.19.3.1.6	Modification of ad hoc group call criteria by an authorized user	252
10.19.3.1.7	Leave ad hoc group call.....	253
10.19.3.2	Ad hoc group call involving multiple MC systems.....	255
10.19.3.2.1	Procedure for ad hoc group call setup – Participants list provided by the Initiator	255
10.19.3.2.2	Procedure for ad hoc group call release by MCPTT server – Participants list provided by the Initiator	256
10.19.3.2.3	Ad hoc group call setup – Participants list determined by the MCPTT server.....	258
10.19.3.2.4	Modification of ad hoc group call participants by the MCPTT server	260
10.19.3.2.5	Release ad hoc group call and stop determining the ad hoc group call participants by partner MCPTT system – Participants list determined by the MCPTT server.....	262
10.19.3.2.6	Modification of ad hoc group call participants by an authorized user.....	264
10.19.3.2.7	Modification of ad hoc group call criteria by an authorized user	265
Annex A (normative): MCPTT related configuration data.....		268
A.1	General	268
A.2	MCPTT UE configuration data	269
A.3	MCPTT user profile configuration data	269
A.4	MCPTT related group configuration data	282
A.5	MCPTT service configuration data	286
Annex B (informative): Local UE settings for MCPTT		291
B.1	Local UE settings for MCPTT	291
Annex C (informative): Change history		292
History		300

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Sample Document

get full document from standards.iteh.ai

1 Scope

This document specifies the functional architecture, procedures and information flows needed to support the mission critical push to talk (MCPTT) service. The MCPTT service utilizes the common functional architecture to support MC services over LTE including the common services core defined in 3GPP TS 23.280 [16]. Support for both MCPTT group calls and MCPTT private calls operating in on-network and off-network modes of operation is specified.

The corresponding service requirements are defined in 3GPP TS 22.179 [2] and 3GPP TS 22.280 [17].

The present document is applicable primarily to MCPTT voice service using E-UTRAN access based on the EPC architecture defined in 3GPP TS 23.401 [8]. Certain application functions of the MCPTT service such as dispatch and administrative functions could also be supported via non-3GPP access networks but no additional functionality is specified to support non-3GPP access.

The MCPTT service requires preferential handling compared to normal telecommunication services e.g. in support of police or fire brigade including the handling of prioritised MCPTT calls for emergency and imminent threats.

The MCPTT service can be used for public safety applications and also for general commercial applications e.g. utility companies and railways.

In the present document, MCPTT calls between MCPTT users on different MCPTT systems are considered.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.179: "Mission Critical Push to Talk (MCPTT)"; Stage 1.
- [3] 3GPP TS 23.002: "Network Architecture".
- [4] 3GPP TS 23.203: "Policy and charging control architecture".
- [5] 3GPP TS 23.228: "IP Multimedia Subsystem (IMS); Stage 2".
- [6] 3GPP TS 23.237: "IP Multimedia Subsystem (IMS) Service Continuity; Stage 2".
- [7] 3GPP TS 23.303: "Proximity-based services (ProSe); Stage 2".
- [8] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [9] 3GPP TS 23.468: "Group Communication System Enablers for LTE (GCSE_LTE); Stage 2".
- [10] 3GPP TS 29.468: "Group Communication System Enablers for LTE (GCSE_LTE); MB2 Reference Point; Stage 3".
- [11] Void
- [12] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification".

- [13] IETF RFC 5245 (April 2010): "Interactive Connectivity Establishment (ICE): A Protocol for Network Address Translator (NAT) Traversal for Offer/Answer Protocols".
- [14] void
- [15] void
- [16] 3GPP TS 23.280: "Common functional architecture to support mission critical services".
- [17] 3GPP TS 22.280: "Mission Critical Common Requirements (MCCoRe); Stage 1".
- [18] 3GPP TS 29.283: "Diameter data management applications".
- [19] 3GPP TS 33.180: "Security of the mission critical service".
- [20] 3GPP TS 23.283: "Mission Critical Communication Interworking with Land Mobile Radio Systems; Stage 2".

3 Definitions, symbols and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

Automatic commencement mode: A mode in which the initiation of the private call does not require any action on the part of the receiving MCPTT user.

First-to-answer call: A call that is started when the first MCPTT user among multiple potential target recipients' answers. This call requires the answering MCPTT user to answer manually; automatic answer is not allowed

Group call: A mechanism by which an MCPTT user can make a one-to-many MCPTT transmission to other users that are members of MCPTT group(s).

Group home MCPTT system: The MCPTT system where the MCPTT group is defined.

Group host MCPTT server: The MCPTT server within an MCPTT system that provides centralised support for MCPTT services of an MCPTT group defined in a group home MCPTT system.

Manual commencement mode: A mode in which the initiation of the private call requires the receiving MCPTT user to perform some action to accept or reject the call setup.

MCPTT client: An instance of an MC service client that provides the client application function for the MCPTT service.

MCPTT group: An MC service group configured for MCPTT service.

MCPTT group affiliation: An MC service group affiliation for MCPTT.

MCPTT group de-affiliation: An MC service group de-affiliation for MCPTT.

MCPTT ID: An instance of an MC service ID within the MCPTT service.

MCPTT server: An instance of an MC service server that provides the server application function for the MCPTT service.

On-network MCPTT service: The collection of functions and capabilities required to provide MCPTT via EPS bearers using E-UTRAN to provide the last hop radio bearers.

Preconfigured MCPTT group: an MCPTT group used only for regrouping that has been configured in advance of a group or user regrouping operation to serve as the source of regroup group configuration.