
**Plain bearings — Quality assurance of
thin-walled half bearings — Selective
assembly of bearings to achieve a
narrow clearance range**

*Paliers lisses — Assurances qualité des demi-coussinets minces —
Assemblage sélectif des paliers pour obtenir un jeu faible*

Sample Document

get full document from standards.iteh.ai



Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Housing swell and thermal expansion	2
5 Measurement and identification	2
5.1 Housings and journals.....	2
5.2 Bearings.....	2
6 Suggested schemes for fitting	3
6.1 General.....	3
6.2 Scheme 1: Standard application, without grading.....	3
6.3 Scheme 2: Grading of bearings.....	4
6.4 Scheme 3: Grading of bearings and journals or housings.....	4
6.5 Scheme 4: Unmixed bearings (Matrix scheme).....	5
6.6 Scheme 5: Mixed bearings (Matrix scheme).....	6
6.7 Scheme 6: Mixed bearings (fine matrix).....	6

Sample Document

get full document from standards.iteh.ai

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 123, *Plain bearings*, Subcommittee SC 5, *Quality analysis and assurance*.

This second edition cancels and replaces the first edition (ISO 13778:1999), which has been technically revised.

Plain bearings — Quality assurance of thin-walled half bearings — Selective assembly of bearings to achieve a narrow clearance range

1 Scope

This document specifies the selective assembly of bearings (in accordance with ISO 3548-1).

The bearing diametral clearance is determined by the housing diameter, journal diameter and the wall thickness of the two half bearings. Typically, these components will have a total tolerance “stack up” of 50 µm to 60 µm. Current engine development and in particular, the desire for improved engine refinement, has provided a need to decrease the clearance range due to the tolerance “stack up”. This document suggests various schemes of selective assembly to achieve such ranges.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3548-1, *Plain bearings — Thin-walled half bearings with or without flange — Part 1: Tolerances, design features and methods of test*

ISO 4378-1, *Plain bearings — Terms, definitions, classification and symbols — Part 1: Design, bearing materials and their properties*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4378-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

theoretical bearing diametral clearance

C

difference between the housing diameter, D_H , less twice the half bearing wall thickness (3.3), s_3 , and the journal diameter (3.4), D_J

$$C = D_H - (2s_3 + D_J)$$

3.2

housing diameter

D_H

diameter of the housing with no bearing fitted measured perpendicular to the split line