

---

---

**Nanotechnologies — Measurement  
technique matrix for the  
characterization of nano-objects**

*Nanotechnologies — Matrice de méthodes de mesure pour les nano-objets manufacturés*

Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)



Reference number  
ISO/TR 18196:2016(E)

© ISO 2016

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
[copyright@iso.org](mailto:copyright@iso.org)  
[www.iso.org](http://www.iso.org)

# Contents

|                                                                                                       | Page     |
|-------------------------------------------------------------------------------------------------------|----------|
| Foreword .....                                                                                        | viii     |
| Introduction .....                                                                                    | ix       |
| <b>1 Scope .....</b>                                                                                  | <b>1</b> |
| <b>2 Normative references .....</b>                                                                   | <b>1</b> |
| <b>3 Terms and definitions .....</b>                                                                  | <b>1</b> |
| 3.1 General terms .....                                                                               | 1        |
| 3.2 Nano-object parameters .....                                                                      | 2        |
| <b>4 Parameters included in the matrix .....</b>                                                      | <b>3</b> |
| <b>5 Measurement techniques included in the matrix .....</b>                                          | <b>5</b> |
| 5.1 General .....                                                                                     | 5        |
| 5.2 Acoustic spectroscopy .....                                                                       | 5        |
| 5.2.1 Description .....                                                                               | 5        |
| 5.2.2 Nano-object parameters .....                                                                    | 6        |
| 5.2.3 Advantages .....                                                                                | 6        |
| 5.2.4 Limitations .....                                                                               | 6        |
| 5.2.5 Measurand .....                                                                                 | 6        |
| 5.2.6 Relevant standards .....                                                                        | 6        |
| 5.3 Analytical centrifugation (AC) .....                                                              | 6        |
| 5.3.1 Description .....                                                                               | 6        |
| 5.3.2 Nano-object parameters .....                                                                    | 7        |
| 5.3.3 Advantages .....                                                                                | 7        |
| 5.3.4 Limitations .....                                                                               | 7        |
| 5.3.5 Measurand .....                                                                                 | 7        |
| 5.3.6 Relevant standards .....                                                                        | 7        |
| 5.4 Electroacoustic spectroscopy .....                                                                | 7        |
| 5.4.1 Description .....                                                                               | 7        |
| 5.4.2 Nano-object parameters .....                                                                    | 7        |
| 5.4.3 Advantages .....                                                                                | 8        |
| 5.4.4 Limitations .....                                                                               | 8        |
| 5.4.5 Measurand .....                                                                                 | 8        |
| 5.4.6 Relevant standards .....                                                                        | 8        |
| 5.5 Aerosol particle mass analyser (AMS) .....                                                        | 8        |
| 5.5.1 Description .....                                                                               | 8        |
| 5.5.2 Nano-object parameters .....                                                                    | 9        |
| 5.5.3 Advantages .....                                                                                | 9        |
| 5.5.4 Limitations .....                                                                               | 9        |
| 5.5.5 Measurand .....                                                                                 | 9        |
| 5.5.6 Relevant standards .....                                                                        | 9        |
| 5.6 Auger electron spectroscopy (AES) .....                                                           | 9        |
| 5.6.1 Description .....                                                                               | 9        |
| 5.6.2 Nano-object parameters .....                                                                    | 9        |
| 5.6.3 Advantages .....                                                                                | 10       |
| 5.6.4 Limitations .....                                                                               | 10       |
| 5.6.5 Measurand .....                                                                                 | 10       |
| 5.6.6 Relevant standards .....                                                                        | 10       |
| 5.7 Brunauer-Emmett-Teller (BET) method for physical adsorption — Surface<br>area determination ..... | 10       |
| 5.7.1 Description .....                                                                               | 10       |
| 5.7.2 Nano-object parameters .....                                                                    | 11       |
| 5.7.3 Advantages .....                                                                                | 11       |
| 5.7.4 Limitations .....                                                                               | 11       |
| 5.7.5 Measurand .....                                                                                 | 11       |

|        |                                                             |    |
|--------|-------------------------------------------------------------|----|
| 5.7.6  | Relevant standards.....                                     | 11 |
| 5.8    | Condensation particle counter (CPC).....                    | 11 |
| 5.8.1  | Description.....                                            | 11 |
| 5.8.2  | Nano-object parameters.....                                 | 12 |
| 5.8.3  | Advantages.....                                             | 12 |
| 5.8.4  | Limitations.....                                            | 12 |
| 5.8.5  | Measurand.....                                              | 12 |
| 5.8.6  | Relevant standards.....                                     | 12 |
| 5.9    | Differential mobility analysis system (DMAS).....           | 12 |
| 5.9.1  | Description.....                                            | 12 |
| 5.9.2  | Nano-object parameters.....                                 | 13 |
| 5.9.3  | Advantages.....                                             | 13 |
| 5.9.4  | Limitations.....                                            | 13 |
| 5.9.5  | Measurand.....                                              | 13 |
| 5.9.6  | Relevant standards.....                                     | 13 |
| 5.10   | Differential scanning calorimetry (DSC).....                | 13 |
| 5.10.1 | Description.....                                            | 13 |
| 5.10.2 | Nano-object parameters.....                                 | 13 |
| 5.10.3 | Advantages.....                                             | 13 |
| 5.10.4 | Limitations.....                                            | 14 |
| 5.10.5 | Measurand.....                                              | 14 |
| 5.10.6 | Relevant standards.....                                     | 14 |
| 5.11   | Dynamic light scattering (DLS).....                         | 14 |
| 5.11.1 | Description.....                                            | 14 |
| 5.11.2 | Nano-object parameters.....                                 | 15 |
| 5.11.3 | Advantages.....                                             | 15 |
| 5.11.4 | Limitations.....                                            | 15 |
| 5.11.5 | Measurand.....                                              | 15 |
| 5.11.6 | Relevant standards.....                                     | 15 |
| 5.12   | Electron energy loss spectroscopy (transmission EELS).....  | 16 |
| 5.12.1 | Description.....                                            | 16 |
| 5.12.2 | Nano-object parameters.....                                 | 16 |
| 5.12.3 | Advantages.....                                             | 16 |
| 5.12.4 | Limitations.....                                            | 16 |
| 5.12.5 | Measurand.....                                              | 16 |
| 5.12.6 | Relevant standards.....                                     | 16 |
| 5.13   | Electrophoresis/capillary electrophoresis.....              | 16 |
| 5.13.1 | Description.....                                            | 16 |
| 5.13.2 | Nano-object parameters.....                                 | 18 |
| 5.13.3 | Advantages.....                                             | 18 |
| 5.13.4 | Limitations.....                                            | 18 |
| 5.13.5 | Measurands.....                                             | 18 |
| 5.13.6 | Relevant standards.....                                     | 18 |
| 5.14   | Energy dispersive X-ray spectrometry (EDS/EDX and WDS)..... | 18 |
| 5.14.1 | Description.....                                            | 18 |
| 5.14.2 | Nano-object parameters.....                                 | 18 |
| 5.14.3 | Advantages.....                                             | 19 |
| 5.14.4 | Limitations.....                                            | 19 |
| 5.14.5 | Measurand.....                                              | 19 |
| 5.14.6 | Relevant standards.....                                     | 19 |
| 5.15   | Field flow fractionation (FFF).....                         | 19 |
| 5.15.1 | Description.....                                            | 19 |
| 5.15.2 | Nano-object parameters.....                                 | 19 |
| 5.15.3 | Advantages.....                                             | 20 |
| 5.15.4 | Limitations.....                                            | 20 |
| 5.15.5 | Measurand.....                                              | 20 |
| 5.15.6 | Relevant standards.....                                     | 20 |
| 5.16   | Fluorescence spectroscopy.....                              | 20 |

|        |                                                                                                                                    |    |
|--------|------------------------------------------------------------------------------------------------------------------------------------|----|
| 5.16.1 | Description                                                                                                                        | 20 |
| 5.16.2 | Nano-object parameters                                                                                                             | 20 |
| 5.16.3 | Advantages                                                                                                                         | 20 |
| 5.16.4 | Limitations                                                                                                                        | 21 |
| 5.16.5 | Measurand                                                                                                                          | 21 |
| 5.16.6 | Relevant standards                                                                                                                 | 21 |
| 5.17   | Fourier transform infrared (FT-IR) spectroscopy and FT-IR imaging                                                                  | 21 |
| 5.17.1 | Description                                                                                                                        | 21 |
| 5.17.2 | Nano-object parameters                                                                                                             | 21 |
| 5.17.3 | Advantages                                                                                                                         | 21 |
| 5.17.4 | Limitations                                                                                                                        | 22 |
| 5.17.5 | Measurand                                                                                                                          | 22 |
| 5.17.6 | Relevant standards for FT-IR                                                                                                       | 22 |
| 5.18   | Induced grating method (IG)                                                                                                        | 22 |
| 5.18.1 | Description                                                                                                                        | 22 |
| 5.18.2 | Nano-object parameters                                                                                                             | 22 |
| 5.18.3 | Advantages                                                                                                                         | 22 |
| 5.18.4 | Limitations                                                                                                                        | 22 |
| 5.18.5 | Measurand                                                                                                                          | 23 |
| 5.18.6 | Relevant standards                                                                                                                 | 23 |
| 5.19   | Inductively coupled plasma–mass spectrometry (ICP-MS) and single particle inductively coupled plasma–mass spectrometry (SP-ICP-MS) | 23 |
| 5.19.1 | Description                                                                                                                        | 23 |
| 5.19.2 | Nano-object parameters                                                                                                             | 23 |
| 5.19.3 | Advantages                                                                                                                         | 23 |
| 5.19.4 | Limitations                                                                                                                        | 23 |
| 5.19.5 | Measurand                                                                                                                          | 24 |
| 5.19.6 | Relevant standards                                                                                                                 | 24 |
| 5.19.7 | Nano-hyphenated ICP/MS techniques                                                                                                  | 24 |
| 5.20   | Laser diffraction                                                                                                                  | 25 |
| 5.20.1 | Description                                                                                                                        | 25 |
| 5.20.2 | Nano-object parameters                                                                                                             | 25 |
| 5.20.3 | Advantages                                                                                                                         | 25 |
| 5.20.4 | Limitations                                                                                                                        | 25 |
| 5.20.5 | Measurand                                                                                                                          | 25 |
| 5.20.6 | Relevant standards                                                                                                                 | 25 |
| 5.21   | Liquid chromatography–mass spectrometry (LC-MS)                                                                                    | 26 |
| 5.21.1 | Description                                                                                                                        | 26 |
| 5.21.2 | Nano-object parameters                                                                                                             | 26 |
| 5.21.3 | Advantages                                                                                                                         | 26 |
| 5.21.4 | Limitations                                                                                                                        | 26 |
| 5.21.5 | Measurand                                                                                                                          | 26 |
| 5.21.6 | Relevant standards                                                                                                                 | 26 |
| 5.22   | Particle tracking analysis (PTA)                                                                                                   | 26 |
| 5.22.1 | Description                                                                                                                        | 26 |
| 5.22.2 | Nano-object parameters                                                                                                             | 27 |
| 5.22.3 | Advantages                                                                                                                         | 27 |
| 5.22.4 | Limitations                                                                                                                        | 27 |
| 5.22.5 | Measurand                                                                                                                          | 27 |
| 5.22.6 | Relevant standards                                                                                                                 | 28 |
| 5.23   | Optical absorption spectroscopy (UV/Vis/NIR)                                                                                       | 28 |
| 5.23.1 | Description                                                                                                                        | 28 |
| 5.23.2 | Nano-object parameters                                                                                                             | 28 |
| 5.23.3 | Advantages                                                                                                                         | 28 |
| 5.23.4 | Limitations                                                                                                                        | 28 |
| 5.23.5 | Measurand                                                                                                                          | 29 |
| 5.23.6 | Relevant standards for                                                                                                             | 29 |
| 5.24   | Quartz crystal microbalance (QCM)                                                                                                  | 29 |

|        |                                                                           |    |
|--------|---------------------------------------------------------------------------|----|
| 5.24.1 | Description                                                               | 29 |
| 5.24.2 | Nano-object parameters                                                    | 29 |
| 5.24.3 | Advantages                                                                | 29 |
| 5.24.4 | Limitations                                                               | 29 |
| 5.24.5 | Measurand                                                                 | 29 |
| 5.24.6 | Relevant standards                                                        | 29 |
| 5.25   | Raman spectroscopy/Raman imaging                                          | 30 |
| 5.25.1 | Description                                                               | 30 |
| 5.25.2 | Nano-object parameters                                                    | 30 |
| 5.25.3 | Advantages                                                                | 30 |
| 5.25.4 | Limitations                                                               | 30 |
| 5.25.5 | Measurand                                                                 | 30 |
| 5.25.6 | Relevant standards for Raman                                              | 30 |
| 5.26   | Resonant mass measurement (RMM)                                           | 31 |
| 5.26.1 | Description                                                               | 31 |
| 5.26.2 | Nano-object parameters                                                    | 31 |
| 5.26.3 | Advantages                                                                | 31 |
| 5.26.4 | Limitations                                                               | 31 |
| 5.26.5 | Measurand                                                                 | 31 |
| 5.26.6 | Relevant standards                                                        | 31 |
| 5.27   | Scanning electron microscopy (SEM)                                        | 31 |
| 5.27.1 | Description                                                               | 31 |
| 5.27.2 | Nano-objects parameters                                                   | 32 |
| 5.27.3 | Advantages                                                                | 32 |
| 5.27.4 | Limitations                                                               | 32 |
| 5.27.5 | Measurand                                                                 | 33 |
| 5.27.6 | Relevant standards                                                        | 33 |
| 5.28   | Scanning probe microscopy (SPM)                                           | 33 |
| 5.28.1 | Description                                                               | 33 |
| 5.28.2 | Nano-object parameters                                                    | 34 |
| 5.28.3 | Advantages                                                                | 34 |
| 5.28.4 | Limitations                                                               | 34 |
| 5.28.5 | Measurand(s)                                                              | 35 |
| 5.28.6 | Relevant standards                                                        | 35 |
| 5.29   | Secondary ion mass spectrometry (SIMS) and Time of Flight SIMS (TOF-SIMS) | 35 |
| 5.29.1 | Description                                                               | 35 |
| 5.29.2 | Nano-object parameters                                                    | 35 |
| 5.29.3 | Advantages                                                                | 35 |
| 5.29.4 | Limitations                                                               | 36 |
| 5.29.5 | Measurand                                                                 | 36 |
| 5.29.6 | Relevant standards                                                        | 36 |
| 5.30   | Small angle X-ray scattering (SAXS)                                       | 36 |
| 5.30.1 | Description                                                               | 36 |
| 5.30.2 | Nano-object parameters                                                    | 36 |
| 5.30.3 | Advantages                                                                | 37 |
| 5.30.4 | Limitations                                                               | 37 |
| 5.30.5 | Measurand                                                                 | 37 |
| 5.30.6 | Relevant standards                                                        | 38 |
| 5.31   | Static light scattering (SLS) and static multiple light scattering (SMLS) | 38 |
| 5.31.1 | Description                                                               | 38 |
| 5.31.2 | Nano-object parameters                                                    | 38 |
| 5.31.3 | Advantages                                                                | 38 |
| 5.31.4 | Limitations                                                               | 39 |
| 5.31.5 | Measurands (SLS)                                                          | 39 |
| 5.31.6 | Measurands (SMLS)                                                         | 39 |
| 5.31.7 | Relevant standards                                                        | 39 |
| 5.32   | Single particle light interaction methods                                 | 39 |
| 5.32.1 | Description                                                               | 39 |

|                                                                  |                                             |           |
|------------------------------------------------------------------|---------------------------------------------|-----------|
| 5.32.2                                                           | Nano-object parameters.....                 | 40        |
| 5.32.3                                                           | Advantages.....                             | 40        |
| 5.32.4                                                           | Limitations.....                            | 40        |
| 5.32.5                                                           | Measurand.....                              | 40        |
| 5.32.6                                                           | Relevant standards.....                     | 40        |
| 5.33                                                             | Thermogravimetric analysis (TGA).....       | 40        |
| 5.33.1                                                           | Description.....                            | 40        |
| 5.33.2                                                           | Nano-object parameters.....                 | 40        |
| 5.33.3                                                           | Advantages.....                             | 40        |
| 5.33.4                                                           | Limitations.....                            | 41        |
| 5.33.5                                                           | Measurand.....                              | 41        |
| 5.33.6                                                           | Relevant standards.....                     | 41        |
| 5.33.7                                                           | Hyphenated TGA techniques.....              | 41        |
| 5.34                                                             | Transmission electron microscopy (TEM)..... | 41        |
| 5.34.1                                                           | Description.....                            | 41        |
| 5.34.2                                                           | Nano-object parameters.....                 | 41        |
| 5.34.3                                                           | Advantages.....                             | 42        |
| 5.34.4                                                           | Limitations.....                            | 42        |
| 5.34.5                                                           | Measurand.....                              | 42        |
| 5.34.6                                                           | Relevant standards.....                     | 42        |
| 5.35                                                             | X-ray diffraction (XRD).....                | 43        |
| 5.35.1                                                           | Description.....                            | 43        |
| 5.35.2                                                           | Nano-object parameters.....                 | 43        |
| 5.35.3                                                           | Advantages.....                             | 43        |
| 5.35.4                                                           | Limitations.....                            | 43        |
| 5.35.5                                                           | Measurand.....                              | 43        |
| 5.35.6                                                           | Relevant standards.....                     | 43        |
| 5.36                                                             | X-ray photoelectron spectroscopy (XPS)..... | 44        |
| 5.36.1                                                           | Description.....                            | 44        |
| 5.36.2                                                           | Nano-object parameters.....                 | 44        |
| 5.36.3                                                           | Advantages.....                             | 44        |
| 5.36.4                                                           | Limitations.....                            | 44        |
| 5.36.5                                                           | Measurand.....                              | 44        |
| 5.36.6                                                           | Relevant standards.....                     | 44        |
| <b>Annex A (informative) Sample separation/preparation .....</b> |                                             | <b>46</b> |
| <b>Bibliography .....</b>                                        |                                             | <b>49</b> |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 229, *Nanotechnologies*.

## Introduction

This document connects the nano-object parameters that most commonly need to be measured with corresponding measurement techniques. This document will be a useful tool for nanotechnology interested parties to rapidly identify relevant information for measuring nano-objects. The common nano-object parameters are listed along the top row of the Quick-Use-Matrix (see [Table 1](#)). If a measurement technique listed in the first column of the matrix is applicable, the box in the matrix will be marked. Once a measurement technique of interest is identified, it is recommended that the reader then enter this document's body of text (see [Clause 5](#)), where you will find an alphabetical listing of the measurement techniques and descriptions of the advantages, limitations, relevant standards, measurand(s), and applicable nano-object parameters of each technique.

As scientific advances are made and additional commercial measurement techniques become available, this document will be periodically reviewed and updated to maintain its relevance.

Many of the techniques listed in this document have not been validated through round-robin testing or any other means for the measurement of nano-objects. This document is intended as a starting point and resource to help identify potentially useful and relevant techniques; it is not an exhaustive or primary source. It is recommended that once a technique has been identified, the reader refers to relevant international standards and conducts a literature search for similar or comparable applications. Other sources of information include instrument manufacturer's applications notes and technical literature.

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

# Nanotechnologies — Measurement technique matrix for the characterization of nano-objects

## 1 Scope

This document provides a matrix that guides users to commercially available techniques relevant to the measurements of common physiochemical parameters for nano-objects. Some techniques are also applicable to nanostructured materials.

NOTE Guidance on sample separation and preparation is given in [Annex A](#).

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TS 80004-1, ISO/TS 80004-6 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1 General terms

#### 3.1.1

##### **dispersion**

heterogeneous system in which a finely divided material is distributed in another material

[SOURCE: ISO 472:2013, 2.288]

#### 3.1.2

##### **measurand**

quantity intended to be measured

[SOURCE: ISO Guide 99:2007, 2.3]

#### 3.1.3

##### **nano-object**

discrete piece of material with one, two or three external dimensions in the nanoscale

Note 1 to entry: The second and third external dimensions are orthogonal to the first dimension and to each other.

[SOURCE: ISO/TS 80004-2:2015, 2.2]

#### 3.1.4

##### **nanostructured material**

material having internal or surface structure in the nanoscale

Note 1 to entry: If external dimensions are in the nanoscale, the term *nano-object* ([3.1.3](#)) is recommended.

[SOURCE: ISO/TS 80004-4:2011, 2.11]

## 3.2 Nano-object parameters

### 3.2.1

#### **chemical composition**

identity and possible quantification of a material's composite parts and its impurities

### 3.2.2

#### **concentration**

content of nano-objects in a sample, quantified as number, area, volume or mass content

Note 1 to entry: Transformation calculation from one type of quantity to another (e.g. number to volume) requires the knowledge of the complete particle size distribution and the assumption of a size-independent shape, porosity or density[6].

### 3.2.3

#### **crystal property**

effect due to the presence of three-dimensional order at the level of molecular dimensions

Note 1 to entry: See Reference [1].

### 3.2.4

#### **electrokinetic potential**

difference in electric potential between that at the slipping plane and that of the bulk liquid

Note 1 to entry: See Reference [7].

Note 2 to entry: Electrokinetic potential is expressed in volts.

Note 3 to entry: Often called "zeta potential".

### 3.2.5

#### **shape**

external geometric form of a particle

Note 1 to entry: See Reference [8].

Note 2 to entry: For quantitative description by macroshape, mesoshape or microshape descriptors, see Reference [9].

### 3.2.6

#### **size**

linear dimensions of a particle determined by a specified measurement method and under specified measurement conditions

Note 1 to entry: See Reference [10].

Note 2 to entry: Different methods of analysis are based on the measurement of different physical properties. Independent of the particle property actually measured, the particle size is reported as a linear dimension, e.g. as the equivalent spherical diameter.

Note 3 to entry: Examples of size descriptors are those based at the opening of a sieve or a statistical diameter, e.g. the Feret diameter, measured by image analysis.

Note 4 to entry: In ISO 9276-1, the symbol  $x$  is used to denote the particle size. However, it is recognized that the symbol  $d$  is also widely used to designate these values. Therefore, the symbol  $x$  can be replaced by  $d$ .

### 3.2.7

#### **particle size distribution**

cumulative distribution of particle concentration as a function of particle size

[SOURCE: ISO 14644-1:2015, 3.2.4]

Note 1 to entry: Particle size distribution is of statistical nature so it can be expressed as a function of particle size[11].

Note 2 to entry: The type of quantity (number, area, volume or mass) as well as the measurand, the measured equivalent spherical diameter, shall be indicated.

Note 3 to entry: Particle size distribution can be expressed as cumulative distribution or a distribution density (distribution of the fraction of material in a size class, divided by the width of that class).

### 3.2.8

#### surface area

extent of available surface area as determined by given method under stated conditions

Note 1 to entry: See Reference [12].

Note 2 to entry: Surface area is the quantity of accessible surface of a sample when exposed to either gaseous or liquid adsorbate phase. Surface area is conventionally expressed as a mass-specific surface area or as volume-specific surface area where the total quantity of area has been normalized either to the sample's mass or volume[13].

## 4 Parameters included in the matrix

Several comprehensive literature searches, input from ISO/TC 229 experts, and a review of current ISO work have identified frequently sought nano-object parameters that are listed across the top of the Quick-Use-Matrix (see Table 1). The parameters listed from left to right are in alphabetical order. A single technique alone often cannot provide sufficient information about all parameters of interest for a particular nano-object under study, nor is one technique likely to fully capture relevant information for a single parameter. Therefore, when available, it is recommended that more than one technique should be used for any parameter investigation.

Table 1 — Quick-Use-Matrix<sup>[4]</sup>

| Technique                                                                                               | Acronym | Chemical composition | Concentration | Crystal properties | Electrokinetic potential | Shape | Size | Size distribution | Surface area |
|---------------------------------------------------------------------------------------------------------|---------|----------------------|---------------|--------------------|--------------------------|-------|------|-------------------|--------------|
| Acoustic spectroscopy                                                                                   |         |                      | +             |                    |                          |       | +    | +                 |              |
| Analytical centrifugation                                                                               | AC      |                      |               |                    |                          |       |      | +                 |              |
| Aerosol particle mass analyser                                                                          | AMS     |                      | +             |                    |                          |       | +    |                   |              |
| Auger electron spectroscopy (scanning)                                                                  | AES     | +                    | +             |                    |                          | +     | +    |                   |              |
| Brunauer-Emmett-Teller                                                                                  | BET     |                      |               |                    |                          |       |      |                   | +            |
| Condensation particle counter                                                                           | CPC     |                      | +             |                    |                          |       |      |                   |              |
| Differential mobility analysis system <sup>a</sup>                                                      | DMAS    |                      | +             |                    |                          |       | +    | +                 |              |
| Differential scanning calorimetry                                                                       | DSC     | +                    |               |                    |                          |       |      |                   |              |
| Dynamic light scattering <sup>b</sup>                                                                   | DLS     |                      |               |                    |                          |       | +    | +                 |              |
| Electroacoustic spectroscopy                                                                            |         |                      |               |                    | +                        |       |      |                   |              |
| <sup>a</sup> Requires a special detector or additional instrumentation to obtain the desired parameter. |         |                      |               |                    |                          |       |      |                   |              |
| <sup>b</sup> Light scattering technique.                                                                |         |                      |               |                    |                          |       |      |                   |              |

Table 1 (continued)

| Technique                                                                                               | Acronym     | Chemical composition | Concentration | Crystal properties | Electrokinetic potential | Shape | Size | Size distribution | Surface area |
|---------------------------------------------------------------------------------------------------------|-------------|----------------------|---------------|--------------------|--------------------------|-------|------|-------------------|--------------|
| Electron energy loss spectroscopy <sup>a</sup>                                                          | EELS        | +                    |               |                    |                          |       |      |                   |              |
| Electrophoresis/capillary electrophoresis                                                               |             |                      |               |                    | +                        |       |      |                   |              |
| EM based X-ray spectrometry <sup>a</sup>                                                                | EDX/EDS/WDS | +                    |               |                    |                          |       |      |                   |              |
| Field flow fractionation <sup>a</sup>                                                                   | FFF         | +                    | +             |                    |                          |       | +    | +                 |              |
| Fluorescence spectroscopy                                                                               | FL          |                      | +             |                    |                          |       |      |                   |              |
| Fourier transform infrared spectroscopy/imaging                                                         | FTIR        | +                    |               |                    |                          |       |      |                   |              |
| Induced grating method                                                                                  | IG          |                      |               |                    |                          |       | +    | +                 |              |
| Inductively coupled plasma-mass spectrometry and single particle ICP-MS                                 | ICP-MS      | +                    | +             |                    |                          |       | +    | +                 |              |
| Laser diffraction <sup>b</sup>                                                                          |             |                      |               |                    |                          |       | +    | +                 |              |
| Liquid chromatography-mass spectrometry                                                                 | LC-MS       | +                    | +             |                    |                          |       |      |                   |              |
| Particle tracking analysis                                                                              | PTA         |                      |               |                    | +                        |       | +    | +                 |              |
| Optical absorption spectroscopy                                                                         | UV/Vis/NIR  | +                    | +             |                    |                          |       | +    |                   |              |
| Quartz microbalances                                                                                    | QCM         |                      |               |                    |                          |       | +    |                   |              |
| Raman spectroscopy/imaging                                                                              |             | +                    |               | +                  |                          |       |      |                   |              |
| Resonant mass measurement                                                                               | RMM         |                      |               |                    |                          |       | +    | +                 |              |
| Scanning electron microscopy <sup>a</sup>                                                               | SEM         | +                    |               | +                  |                          | +     | +    | +                 |              |
| Scanning probe microscopy                                                                               | SPM/AFM     |                      |               |                    |                          | +     | +    | +                 |              |
| Secondary ion mass spectrometry                                                                         | SIMS        |                      | +             |                    |                          |       |      |                   |              |
| Small angle X-ray scattering                                                                            | SAXS        |                      |               |                    |                          | +     | +    | +                 |              |
| <sup>a</sup> Requires a special detector or additional instrumentation to obtain the desired parameter. |             |                      |               |                    |                          |       |      |                   |              |
| <sup>b</sup> Light scattering technique.                                                                |             |                      |               |                    |                          |       |      |                   |              |

Table 1 (continued)

| Technique                                                                                               |          |                      |               |                    |                          |       |      |                   |              |
|---------------------------------------------------------------------------------------------------------|----------|----------------------|---------------|--------------------|--------------------------|-------|------|-------------------|--------------|
|                                                                                                         | Acronym  | Chemical composition | Concentration | Crystal properties | Electrokinetic potential | Shape | Size | Size distribution | Surface area |
| Static light scattering <sup>b</sup>                                                                    | SLS/SMLS |                      | +             |                    |                          |       | +    |                   |              |
| Single particle light interaction methods <sup>b</sup>                                                  |          |                      | +             |                    |                          |       | +    | +                 |              |
| Thermogravimetric analysis                                                                              | TGA      | +                    |               |                    |                          |       |      |                   |              |
| Transmission electron microscopy <sup>a</sup>                                                           | TEM      | +                    |               | +                  |                          | +     | +    | +                 |              |
| X-ray diffraction                                                                                       | XRD      |                      |               | +                  |                          |       | +    |                   |              |
| X-ray photoelectron spectroscopy                                                                        | XPS      | +                    | +             |                    |                          |       |      |                   |              |
| <sup>a</sup> Requires a special detector or additional instrumentation to obtain the desired parameter. |          |                      |               |                    |                          |       |      |                   |              |
| <sup>b</sup> Light scattering technique.                                                                |          |                      |               |                    |                          |       |      |                   |              |

## 5 Measurement techniques included in the matrix

### 5.1 General

In the following subclauses, measurement techniques are listed in alphabetical order (with some exceptions where similar techniques are grouped together). Included under each technique are the nano-object parameters that can be measured by the technique and a listing of the technique's advantages, limitations, measurands, and relevant standards. Generally, a single technique cannot provide characterization of all nano-object parameters of interest. Also, a technique may be useful to determine other parameters not listed. For comprehensive analysis of a single parameter, use of multiple techniques, where applicable, is highly recommended.

In some cases, there are multiple techniques that share a similar underlying theory of operation or physical phenomenon, but which have differences that make them uniquely applicable to different types of materials and measurement conditions. For example, different electromagnetic scattering techniques are better suited for the analysis of different materials (e.g. metals, polymers or refractories) or materials in different states (e.g. suspended in a liquid or incorporated into a solid matrix).

### 5.2 Acoustic spectroscopy

#### 5.2.1 Description

The basic concept is to measure the frequency-dependent attenuation or velocity of ultrasound as it propagates through a heterogeneous sample, e.g. colloids, dispersions and emulsions. There are two main types of vibrations: free and forced. Free vibrations are the natural or normal modes of vibration for a substance. Forced vibrations are caused by some sort of excitation to make the analyte resonate beyond its normal modes.

Both acoustic and electroacoustic spectroscopies (see 5.4) are linked to a sound propagation through a heterogeneous system such as a suspension or an emulsion. An acoustic spectrometer measures only the changes in the properties of the sound wave, whereas an electroacoustic spectrometer deals with connection between electrodynamic phenomena and the sound wave pressure field. Acoustic and electroacoustic spectroscopies are independent methods because the attenuation has little effect