



Edition 3.0 2018-11 REDLINE VERSION

INTERNATIONAL STANDARD



Switches for appliances – Standards
Part 2-5: Particular requirements for change-over selectors

Document Preview

IEC 61058-2-5:2018

ttps://standards.iteh.ai/catalog/standards/iec/a51f9d5e-0d1b-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - webstore. iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

EC 61058-2-5:2018

https://standards.iteh.ai/catalog/standards/iec/a51f9d5e-0d1b-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018





Edition 3.0 2018-11 REDLINE VERSION

INTERNATIONAL STANDARD



Switches for appliances – Teh Standards
Part 2-5: Particular requirements for change-over selectors

Document Preview

IEC 61058-2-5:2018

https://standards.iteh.ai/catalog/standards/iec/a51f9d5e-0d1b-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.120.40 ISBN 978-2-8322-6216-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOR	REWORD	.3
1	Scope	.6
2	Normative references	.6
3	Terms and definitions	.7
4	General requirements	.7
5	General notes information on tests	.7
6	Rating	.7
7	Classification	.7
8	Marking and documentation	.8
9	Protection against electric shock	.8
10	Provision for earthing	.8
11	Terminals and terminations	.8
12	Construction	.8
13	Mechanism	.9
14	Protection against ingress of solid foreign objects, ingress of water and humid conditions	.9
15	Insulation resistance and dielectric strength	.9
16	Heating	. 9
17	Endurance	.9
18	Mechanical strength	0
19	Screws, current-carrying parts and connections	0
20	Clearances, creepage distances, solid insulation and coatings of rigid printed board assemblies	0
21	board assemblies	0
22	Resistance to rusting1	1
23	Abnormal operation and fault conditions for electronic switches	1
24	Components for electronic switches	1
25	EMC requirements1	1
Tab	le 101 3 – Change-over selector information Switch information and loads placed	•

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SWITCHES FOR APPLIANCES -

Part 2-5: Particular requirements for change-over selectors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 61058-2-5 has been prepared by subcommittee 23J: Switches for appliances, of IEC technical committee 23: Electrical accessories.

– 4 –

This third edition cancels and replaces the second edition published in 2010 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) updated references due to new structure of IEC 61058-1;
- b) changes on conducting the heating test due to the corresponding changes in IEC 61058-1.

The text of this International Standard is based on the following documents:

FDIS	Report on voting		
23J/447/FDIS	23J/449/RVD		

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be used in conjunction with IEC 61058-1:2016 and IEC 61058-1-1:2016.

This document supplements or modifies the corresponding clauses in IEC 61058-1, so as to convert that publication into the IEC standard: *Particular requirements for change-over selectors*.

When a particular subclause of IEC 61058-1 is not mentioned in this document, that subclause applies as far as reasonable. Where this document states "addition" or "replacement", the relevant text of IEC 61058-1 is to be adapted accordingly.

In this standard:

- 1) the following print types are used:
 - requirements proper: in roman type;
 - test specifications: in italic type;
 - notes/explanatory matter: in smaller roman type.
- 2) subclauses, figures and tables which are additional to those in IEC 61058-1 are numbered starting from 101.

A list of all the parts in the IEC 61058 series, published under the general title *Switches for appliances*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

EC 61058-2-5:2018

https://standards.iteh.ai/catalog/standards/iec/a51f9d5e-0d1h-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018

SWITCHES FOR APPLIANCES -

Part 2-5: Particular requirements for change-over selectors

1 Scope

Replacement:

1.1 This Part of IEC 61058 applies to change-over selectors (mechanical or electronic) for appliances actuated by hand, by foot or by other human activity, to operate or control electrical appliances and other equipment for household or similar purposes with a rated voltage not exceeding 480 V and a rated current not exceeding 63 A.

These change-over selectors are intended to be operated by a person, via an actuating member or by actuating a sensing unit. The actuating member or sensing unit can be integral with or arranged separately, either physically or electrically, from the switch, and may can involve transmission of a signal, for example electrical, optical, acoustic or thermal, between the actuating member or sensing unit and the switch.

Change-over selectors which incorporate additional control functions governed by the switch function are within the scope of this document.

This document also covers the indirect actuation of the switch when the operation of the actuating member or sensing unit is provided by a remote control or a part of an appliance or equipment such as a door.

- NOTE 1 Electronic change-over selectors may can be combined with mechanical change-over selectors giving full disconnection or micro-disconnection.
- ps NOTE 2 | Electronic change-over selectors without a mechanical switch in the supply circuit provide only electronic 2018 disconnection. Therefore, the circuit on the load side is always considered to be live.
 - NOTE 3 For change-over selectors used in tropical climates, additional requirements may be necessary can apply.
 - NOTE 4 Attention is drawn to the fact that the standards for appliances may can contain additional or alternative requirements for change-over selectors.
 - NOTE 5 Throughout this document, the word "appliance" means "appliance or equipment".
 - **1.2** This document applies to change-over selectors intended to be incorporated in, on, or with an appliance.
 - 4.3 This document also applies to change-over selectors incorporating electronic devices.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 61058-1:2016, Switches for appliances – Part 1: General requirements

3 Terms and definitions

This clause of Part 1 is applicable, except as follows.

3.3 Terms and definitions relating to the different types of switches

Additional term and definition:

3.3.101

change-over selector

device designed to carry, but not to make or break, current, used for changing the connections of one or more electric circuits

4 General requirements

This clause of Part 1 is applicable.

5 General notes information on tests

This clause of Part 1 is applicable, except as follows:

5.5.1 to 5.5.3 Subclauses 5.2.2 and 5.2.9 of IEC 61058-1:2016 are not applicable.

Addition at the end of 5.4:

5.5.101 For the tests-of referred to in Clauses 13 to 18, three specimens Nes. 3 to 5 are used.

6 Rating

EC 61058-2-5:2018

ps://standards.iteh.ai/catalog/standards/iec/a51f9d5e-0d1b-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018
This clause of Part 1 is applicable.

7 Classification

This clause of Part 1 is applicable, except as follows.

7.1.2 Subclause 7.2 of IEC 61058-1:2016 is not applicable.

Additional subclause:

7.4 According to number of operating cycles

7.1.4.101 50 operating cycles.

Additional subclauses:

7.101 According to type of actuation of the switch

7.1.7.101 7.101.1 – locked change-over selector;

7.1.7.102 7.101.2 – unlocked change-over selector;

7.1.7.103 7.101.3 – change-over selector actuated with a tool.

- 8 -

NOTE 101 Complex actuation of the actuating member (e.g. by the subsequent actuation in at least two different directions to complete the operation of the switch) is regarded as being a locking means.

8 Marking and documentation

This clause of Part 1 is applicable, except as follows.

In Table 3, items Nos. 4.5 to 4.7 and 4.16 to 4.17 are not applicable.

Addition:

8.1.3 By documentation

Table 101 3 - Change-over selector information Switch information and loads placed in groups

			Means of information			
No	Characteristic of change-over selector	Subclause	Common type reference CT	Unique type reference UT		
101	TYPE OF CHANGE-OVER SELECTOR					
101.1	Symbol for change-over selector		Marking	Documentation		

8.3 8.2 Symbols

(https://standards.iteh.ai

Addition:

Symbol for change-over selector, given as a box around the symbol for the number of operating cycles

1E3

Additional subclause: 9/standards/iec/a51f9d5e-0d1b-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018

8.2.101 The different positions of the actuating member shall be clearly marked.

Compliance is checked by inspection.

9 Protection against electric shock

This clause of Part 1 is applicable.

10 Provision for earthing

This clause of Part 1 is applicable.

11 Terminals and terminations

This clause of Part 1 is applicable.

12 Construction

This clause of Part 1 is applicable, except as follows.

12.2 Constructional requirements relating to safety during mounting and normal operation of the switch

12.2.1 Addition at the end of Subclause 12.2.1:

The locking means for the actuating member shall be fixed in such a way that it cannot be displaced or removed, except by use of a tool.

Additional subclause:

12.2.101 A change-over selector shall be capable of carrying specified rated currents, and shall also be capable of carrying for a specified time currents under specified abnormal circuit conditions, such as those of short circuit, for a specified amount of time.

13 Mechanism

This clause of Part 1 is applicable, except as follows.

Subclause 13.1 is not applicable to change-over selectors classified according to 7.1.7.101 and 7.1.7.103 7.101.1 and 7.101.3.

14 Protection against ingress of solid foreign objects, ingress of water and humid conditions

This clause of Part 1 is applicable.

15 Insulation resistance and dielectric strength W

This clause of Part 1 is applicable.

attps://standards.iteh.ai/catalog/standards/iec/a51f9d5e-0d1b-4881-9e02-da9cdc0e651f/iec-61058-2-5-2018

16 Heating

This clause of Part 1 is applicable, except as follows.

For the test of Subclause 16.2.2 item j), the specimens are not subjected to the 20 operating cycles.

16.4 Heating test

Item i) does not apply.

17 Endurance

This clause of Part 1 is applicable except as follows replaced by the following:

17.2.1 and 17.2.3.4.1 to 17.2.4.9 are not applicable.

Addition:

17.101 Mechanical endurance tests

Change-over selectors classified according to 7.1.4.1 to 7.1.4.6 are 7.4.1 to 7.4.6 of IEC 61058-1:2016 shall be submitted to a mechanical endurance test. The thermal and