

Designation: B843 - 13 B843 - 18

Standard Specification for Magnesium Alloy Anodes for Cathodic Protection¹

This standard is issued under the fixed designation B843; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (8) indicates an editorial change since the last revision or reapproval.

1. Scope*

- 1.1 This specification covers magnesium alloy anodes in the form of cast and extruded shapes.
- 1.2 This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Referenced Documents

- 2.1 ASTM Standards:²
- B951 Practice for Codification of Unalloyed Magnesium and Magnesium-Alloys, Cast and Wrought
- B953 Practice for Sampling Magnesium and Magnesium Alloys for Spectrochemical Analysis
- B954 Test Method for Analysis of Magnesium and Magnesium Alloys by Atomic Emission Spectrometry
- E29 Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications
- E55 Practice for Sampling Wrought Nonferrous Metals and Alloys for Determination of Chemical Composition
- E88 Practice for Sampling Nonferrous Metals and Alloys in Cast Form for Determination of Chemical Composition
- E527 Practice for Numbering Metals and Alloys in the Unified Numbering System (UNS)
- G97 Test Method for Laboratory Evaluation of Magnesium Sacrificial Anode Test Specimens for Underground Applications
- E527 Practice for Numbering Metals and Alloys in the Unified Numbering System (UNS)

3. Significance and Use

3.1 This specification is prescriptive and not performance in nature.

4. Ordering Information

- ASTM B843-18
- 4.1 Orders for anodes under this specification shall include the following information:)53656500e6a/astm-b843-18
- 4.1.1 Grade (Section 5 and Table 1),
- 4.1.2 Quantity (number of pieces), and
- 4.1.3 Size, form, and shape as negotiated between purchaser and supplier.

5. Chemical Composition

- 5.1 Limits—The material shall conform to the chemical composition requirements prescribed in Table 1.
- 5.2 *Sampling:*
- 5.2.1 Sufficient samples shall be taken by the manufacturer to ensure conformance to the chemical composition requirements of the metal. Samples may be taken from the molten metal when the cast anode or extrusion ingot is poured following Practice B953, or from the finished anode following the requirements of Specifications B954, E55, or E88. Samples shall be representative of the material.
- 5.2.2 *Method of Analysis*—Any suitable method of chemical analysis may be used. In case of dispute, the results secured by Test Method B954 shall be the basis of acceptance. Rounding of test results obtained shall be performed as directed in ASTM E29,

¹ This specification is under the jurisdiction of ASTM Committee B07 on Light Metals and Alloys and is the direct responsibility of Subcommittee B07.04 on Magnesium Alloy Cast and Wrought Products.

Current edition approved May 1, 2013 May 1, 2018. Published June 2013 May 2018. Originally approved in 1993. Last previous edition approved in 2007 2013 as B843 – 07.B843 – 13, DOI: 10.1520/B0843-13.10.1520/B0843-18.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.