

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Household and similar electrical appliances – Safety –  
Part 2-114: Particular requirements for self-balancing personal transport devices  
for use with batteries containing alkaline or other non-acid electrolytes

Appareils électrodomestiques et analogues – Sécurité –  
Partie 2-114: Exigences particulières pour les dispositifs de transport personnel  
autoéquilibrés destinés à fonctionner avec des accumulateurs alcalins ou autres  
accumulateurs à électrolyte non acide



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms, containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).



# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –  
Part 2-114: Particular requirements for self-balancing personal transport devices  
for use with batteries containing alkaline or other non-acid electrolytes**

**Appareils électrodomestiques et analogues – Sécurité –  
Partie 2-114: Exigences particulières pour les dispositifs de transport personnel  
autoéquilibrés destinés à fonctionner avec des accumulateurs alcalins ou autres  
accumulateurs à électrolyte non acide**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 43.120

ISBN 978-2-8322-5543-8

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 General requirement.....	8
5 General conditions for the tests .....	8
6 Classification.....	8
7 Marking and instructions.....	8
8 Protection against access to live parts.....	9
9 Starting of motor-operated appliances .....	9
10 Power input and current.....	9
11 Heating.....	9
12 Void.....	10
13 Leakage current and electric strength at operating temperature.....	10
14 Transient overvoltages .....	10
15 Moisture resistance.....	10
16 Leakage current and electric strength.....	11
17 Overload protection of transformers and associated circuits .....	11
18 Endurance .....	11
19 Abnormal operation.....	11
20 Stability and mechanical hazards.....	13
21 Mechanical strength .....	13
22 Construction .....	14
23 Internal wiring.....	15
24 Components .....	15
25 Supply connection and external flexible cords .....	15
26 Terminals for external conductors.....	15
27 Provision for earthing .....	15
28 Screws and connections .....	15
29 Clearances, creepage distances and solid insulation .....	16
30 Resistance to heat and fire .....	16
31 Resistance to rusting.....	16
32 Radiation, toxicity and similar hazards.....	16
Annexes .....	17
Annex R (normative) Software evaluation .....	17
Bibliography.....	18

STANDARD PREVIEW  
(standards.iteh.ai)

[IEC 60335-2-114:2018](https://standards.iteh.ai/catalog/standards/sist/h1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018)

[standards.iteh.ai/catalog/standards/sist/h1ab60ec-768e-44b0-bbb7-](https://standards.iteh.ai/catalog/standards/sist/h1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018)

[191a58ce54fe/iec-60335-2-114-2018](https://standards.iteh.ai/catalog/standards/sist/h1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018)

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –  
SAFETY –**
**Part 2-114: Particular requirements for self-balancing personal transport  
devices for use with batteries containing alkaline  
or other non-acid electrolytes**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. [standards.iteh.ai](http://standards.iteh.ai/) [www.iec.ch](http://www.iec.ch) [www.iso.org](http://www.iso.org) <http://www.iso.org/iso/iec60335-2-114-2018>
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-114 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61/5625/FDIS	61/5632/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for self-balancing personal transport devices for use with batteries containing alkaline or other non-acid electrolytes.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this standard be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

## INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.



## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-114: Particular requirements for self-balancing personal transport devices for use with batteries containing alkaline or other non-acid electrolytes

#### 1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the electrical safety of **self-balancing personal transport devices** for use with batteries containing alkaline or other non-acid electrolytes.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
  - physical, sensory or mental capabilities; or
  - lack of experience and knowledge prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance;
- operational safety such as speed restriction, falling hazards, rapid acceleration.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national transport authorities and similar authorities.

NOTE 102 This standard does not apply to

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);

#### 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60068-2-64, *Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance*

IEC 61558-2 (all parts), *Safety of power transformers, power supplies, reactors and similar products – Part 2-x: Particular requirements and tests*



IEC 62133-1, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 1: Nickel systems*

IEC 62133-2, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications – Part 2: Lithium systems*

### 3 Terms and definitions

This clause of Part 1 is applicable except as follows.

*Addition:*

For the purposes of this standard, the terms and definitions given in IEC 62133-2 also apply.

#### 3.1 Definitions relating to physical characteristics

*Replacement:*

##### 3.1.9

##### **normal operation**

operation of the appliance under the conditions specified in 3.1.9.101 to 3.1.9.103

##### 3.1.9.101

the functional part of the **SPTD**, with a fully charged battery is operated in such a way to simulate the riding position and is operated on a continuous belt or rollers. The appliance is loaded with a mass of 100 kg or the maximum load specified in the instructions, whichever is higher. The motors are loaded to 66 % of their locked rotor current by adjusting the load on its rotational axis in the forward direction.

##### 3.1.9.102

the functional part of the **SPTD** incorporating a discharged battery that is recharged in the appliance is connected to its **detachable power supply part** and the discharged battery is fully recharged

##### 3.1.9.103

discharged batteries that are not recharged in the appliance are connected to a battery charger and fully recharged

##### 3.1.101

##### **cycle (tc)**

time required for the fully charged battery to be discharged (td) while under the conditions of **normal operation** until the appliance no longer operates plus the time required for the battery to be fully recharged (tr) from this discharged condition

Note 1 to entry:  $tc = td + tr$

#### 3.5 Definitions relating to types of appliances

##### 3.5.101

##### **self-balancing personal transport device**

##### **SPTD**

appliance comprising a **detachable power supply part** and a functional part

Note 1 to entry: The functional part has one or more wheels controlled by the self-adaption of the body of the user and is powered by rechargeable batteries with one or more motors to drive one or more wheels.

Note 2 to entry: The functional part may incorporate the battery charging circuitry and other supply unit circuitry. (See Annex B item b)).

Note 3 to entry: The term battery as used throughout this document means “secondary battery” as defined in IEC 62133-1 and 62133-2.

### 3.6 Definitions relating to parts of an appliance

#### 3.6.2 Addition:

Note 101 to entry: If a part has to be removed with a **tool** solely to discard the battery before scrapping the appliance, this part is not considered to be a **detachable part** even if the instructions state that it is to be removed.

## 4 General requirement

This clause of Part 1 is applicable.

## 5 General conditions for the tests

This clause of Part 1 is applicable.

## 6 Classification

This clause of Part 1 is applicable except as follows.

#### 6.1 Addition:

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

The functional part of a **SPTD** shall be of **class III construction**.

[IEC 60335-2-114:2018](#)

#### 6.2 Addition: <https://standards.iteh.ai/catalog/standards/sist/b1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018>

The functional part of a **SPTD** shall be at least IPX4.

## 7 Marking and instructions

This clause of Part 1 is applicable except as follows.

#### 7.1 Addition:

The functional part of the **SPTD** shall be marked with symbol IEC 60417-5001B (2004-09) and its type reference along with symbol ISO 7000-0790 (2004-01) or with the substance of the following:

Use only with <model designation> battery

Batteries that are detachable shall be marked with their type reference and with the substance of the following:

Use only with <model designation> self-balancing personal transport device

The functional part of the **SPTD** shall be marked with the maximum load in kg with which the **SPTD** can be operated.

The functional part of the **SPTD** intended for use off-road shall be marked with the IP first numeral 5.

## 7.6 Addition:



[symbol IEC 60417-5001B  
(2004-09)]

battery

## 7.12 Addition:

The instructions shall state the maximum load in kg with which the **SPTD** can be operated.

For **SPTDs** intended for use with lithium-ion batteries the instructions shall state the

- normal temperature range for charging the battery. This temperature range shall be within the range T2 to T3 specified in IEC 62133-2;
- end-of-discharge voltage;
- upper limit of the charging voltage, for batteries comprising series connected cells;
- rated capacity of the battery ( $C_5$  Ah).

## 7.14 Addition:

The height of the marking indicating the maximum load with which the **SPTD** can be operated shall be at least 10 mm.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

## 7.15 Addition:

The maximum load in kg with which the **SPTD** can be operated, shall be visible when the **SPTD** is in use.

[IEC 60335-2-114:2018](https://standards.iteh.ai/catalog/standards/sist/b1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018)

<https://standards.iteh.ai/catalog/standards/sist/b1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018>

## 8 Protection against access to live parts

This clause of Part 1 is applicable.

## 9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

## 10 Power input and current

This clause of Part 1 is applicable.

## 11 Heating

This clause of Part 1 is applicable except as follows.

### 11.2 Addition:

*The **SPTD** is placed on the floor of the test corner and away from the walls.*

### 11.5 Replacement:

For **SPTDs** where the battery is charged in the appliance, when operating as specified in 3.1.9.102, the appliance is supplied with the most unfavourable voltage between 0,94 times and 1,06 times the **rated voltage**.

#### 11.7 Replacement:

The appliance is subjected to the tests of 11.7.1, 11.7.2 and 11.7.3.

**11.7.1** For appliances supplied with only one battery that is charged within the functional part of the **SPTD**, the appliance is operated for two **cycles**.

**11.7.2** For appliances supplied with only one battery that is not charged within the **SPTD** the functional part of the **SPTD** is operated as specified in 3.1.9.101 until the appliance no longer operates. The battery is then recharged as specified in 3.1.9.103. The tests are then repeated.

**11.7.3** For appliances supplied with additional batteries, with the first battery installed or connected the functional part of the **SPTD** is operated as specified in 3.1.9.101 until the appliance no longer operates. An additional battery is then connected and the functional part of the **SPTD** is again operated as specified in 3.1.9.101 until the appliance no longer operates. The batteries are then recharged as specified in 3.1.9.102 or 3.1.9.103 as applicable. The test is then repeated using each additional battery in turn.

## 12 Void

iTeh STANDARD PREVIEW

## 13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable. [IEC 60335-2-114:2018](https://standards.iteh.ai/catalog/standards/sist/b1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018)

<https://standards.iteh.ai/catalog/standards/sist/b1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018>

## 14 Transient overvoltages

This clause of Part 1 is applicable.

## 15 Moisture resistance

This clause of Part 1 is applicable except as follows.

### 15.1 Addition:

*Inspection shall show that there is no trace of water within compartments that house electrical parts.*

**15.101** The functional part of the **SPTD** shall have adequate protection against the effects of immersion.

*Compliance is checked by the following test.*

*The functional part of the **SPTD** fitted with a fully charged battery, is partially immersed to a depth just below the foot support surface area in water containing approximately 1 % NaCl and having a temperature between 10 °C and 25 °C.*

*For appliances supplied with batteries that are charged within the **SPTD**, after 5 min, the functional part of the **SPTD** shall then be removed from the water, after which the **SPTD** shall be operated under **normal operation** for one **cycle**.*

*For appliances supplied with batteries that are not charged within the **SPTD**, after 5 min, the functional part of the **SPTD** shall then be removed from the water, after which the functional part of the **SPTD** shall be operated as specified in 3.1.9.101 until steady conditions are reached.*

*During and after the tests, the appliance shall not emit flames, molten metal, poisonous or ignitable gas in hazardous amounts. No explosion or ignition of the **battery** shall occur.*

NOTE Gas vented from batteries is not considered to be poisonous or ignitable in hazardous amounts.

## 16 Leakage current and electric strength

This clause of Part 1 is applicable.

## 17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

## 18 Endurance

This clause of Part 1 is not applicable.

## 19 Abnormal operation

This clause of Part 1 is applicable except as follows.

### 19.1 Modification:

<https://standards.iteh.ai/catalog/standards/sist/b1ab60ec-768e-44b0-bbb7-191a58ce54fe/iec-60335-2-114-2018>

*Instead of the tests specified, appliances are subjected to the tests of 19.2, 19.4, 19.7, 19.11, 19.12, 19.14, 19.15 and 19.101 to 19.103, as applicable.*

### 19.7 Modification:

*The **SPTD** is operated as specified in 3.1.9.101 but with the rotor locked and is operated for period of 5 min.*

### 19.11.2 Addition:

*h) the terminals of each motor are short circuited one at a time.*

*When any of the fault conditions a) to h) are simulated, the duration of the test is until steady conditions are established.*

### 19.11.4 Modification:

*The tests of 19.11.4.1 and 19.11.4.2 are only applicable to the functional part of the **SPTD** during the battery discharge conditions of Clause 11.*

### 19.13 Addition:

*During the tests, the temperature of the battery surface shall not exceed 130 °C, the **SPTD** shall be able to brake normally or, shall come to a standstill with a deceleration between 1,5 m/s<sup>2</sup> to 2 m/s<sup>2</sup> and its self-balancing function shall continue to function.*