

TECHNICAL SPECIFICATION

Recommendations for renewable energy and hybrid systems for rural
electrification –
Part 9-5: Integrated systems – Laboratory evaluation of stand-alone renewable
energy products for rural electrification

IEC TS 62257-9-5:2018

<https://standards.iteh.ai/catalog/standards/sist/5effe121-e7e5-48b6-af83-d2901f00d5fe/iec-ts-62257-9-5-2018>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC'S STANDARD PREVIEW
(standards.iec.ch)
IEC TS 61257-9:2018
https://standards.iec.ch/catalog/standards/4114188
d2901f00d5fe/iec-ts-61257-9-2018

TECHNICAL SPECIFICATION

**Recommendations for renewable energy and hybrid systems for rural electrification –
Part 9-5: Integrated systems – Laboratory evaluation of stand-alone renewable energy products for rural electrification**

STANDARD PREVIEW
(standards.iteh.ai)
IEC TS 62257-9-5:2018
<https://standards.iteh.ai/catalog/standards/sist/5effe121-e7e5-48b6-af83-d2901f00d5fe/iec-ts-62257-9-5-2018>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160

ISBN 978-2-8322-5693-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	15
INTRODUCTION.....	18
1 Scope.....	19
2 Normative references	19
3 Terms and definitions	21
4 Product components and characteristics.....	25
4.1 Components	25
4.1.1 Overview	25
4.1.2 Component categories.....	26
4.1.3 Lighting parts definitions.....	28
4.1.4 Appliance definitions.....	29
4.1.5 Additional system elements	30
4.2 System measurements and observations	30
4.2.1 General	30
4.2.2 Product design, manufacture, and marketing aspects	30
4.2.3 Product durability and workmanship aspects.....	33
4.2.4 Lighting durability aspects	36
4.2.5 Battery performance aspects.....	36
4.2.6 Solar module aspects.....	37
4.2.7 Electrical characteristics.....	38
4.2.8 Performance aspects.....	39
4.2.9 Light output aspects.....	41
4.2.10 Self-certification aspects.....	42
4.3 Constructions not specifically covered	43
5 Product specification	43
5.1 General.....	43
5.2 Applications	43
5.3 Quality assurance principles	44
5.4 Product specification framework description.....	44
5.4.1 General	44
5.4.2 Product specification template	45
5.4.3 Tolerances	49
5.4.4 Quality standards criteria.....	50
5.4.5 Warranty requirements criteria.....	55
6 Quality test method	56
6.1 General.....	56
6.2 Applications	56
6.3 Sampling requirements	56
6.4 Laboratory requirements	57
6.5 Testing requirements	57
6.6 Recommended tests programme.....	64
6.6.1 General	64
6.6.2 Test preparation	67
6.6.3 Batch A tests	67
6.6.4 Batch B tests	67
6.6.5 Batch C – potentially destructive tests	67

6.6.6	Report preparation.....	68
6.7	Reporting.....	68
7	Market check method.....	68
7.1	General.....	68
7.2	Applications.....	69
7.3	Sampling requirements.....	69
7.4	Laboratory requirements.....	70
7.5	Testing requirements.....	70
7.6	Recommended tests programme.....	70
7.7	Report requirements.....	70
8	Initial screening method.....	71
8.1	General.....	71
8.2	Applications.....	71
8.3	Sampling requirements.....	71
8.4	Laboratory requirements.....	72
8.5	Testing requirements.....	72
8.6	Recommended tests programme.....	72
8.7	Reporting.....	72
9	Accelerated verification method.....	72
9.1	General.....	72
9.2	Applications.....	73
9.3	Sampling requirements.....	73
9.3.1	General.....	73
9.3.2	Verification entry testing.....	73
9.3.3	Follow-up testing.....	74
9.4	Laboratory requirements.....	74
9.5	Testing requirements.....	74
9.5.1	General.....	74
9.5.2	Verification entry testing.....	75
9.5.3	Follow-up QTM testing.....	75
9.6	Recommended tests programme.....	75
9.7	Report requirements.....	75
10	Pay-as-you-go (PAYG) method.....	76
10.1	General.....	76
10.2	Applications.....	76
10.3	Sampling requirements.....	76
10.4	Laboratory requirements.....	77
10.5	Testing requirements.....	77
10.6	Recommended tests programme.....	78
10.7	Reporting.....	78
Annex A (informative)	Reserved.....	79
Annex B (informative)	Reserved.....	80
Annex C (informative)	Reserved.....	81
Annex D (normative)	Manufacturer self-reported information.....	82
D.1	Background.....	82
D.2	Outcomes.....	82
D.3	Solicited information.....	82
D.3.1	General.....	82

D.3.2	Confidential information (not released publicly).....	82
D.3.3	Public information (may be released publicly)	84
D.4	Reporting	86
Annex E (normative)	Product sampling	87
E.1	Background	87
E.2	Test outcomes	87
E.3	Related tests	87
E.4	Procedure	87
E.4.1	Retail sampling.....	87
E.4.2	Warehouse sampling	88
E.5	Reporting	89
Annex F (normative)	Visual screening.....	91
F.1	Background	91
F.2	Test outcomes	91
F.3	Related tests	91
F.4	Procedure	91
F.4.1	Properties, features, and information	91
F.4.2	Specifications	96
F.4.3	Functionality and internal inspection	99
F.5	Reporting	102
Annex G (normative)	Sample preparation	106
G.1	Background	106
G.2	Test outcomes	106
G.3	Related tests	106
G.4	Procedure	106
G.4.1	General	106
G.4.2	Equipment requirements	106
G.4.3	Test prerequisites	107
G.4.4	Procedure.....	107
G.4.5	Calculations.....	110
G.5	Reporting	110
Annex H (normative)	Power supply setup procedure	111
H.1	Background	111
H.2	Test outcomes	111
H.3	Related tests	111
H.4	Equipment requirements	111
H.5	Setup procedure for photometric measurements and lumen maintenance tests	112
H.5.1	Test setup	112
H.5.2	DC voltage and current levels	113
H.5.3	Stabilization period	114
H.5.4	4-wire power supply measurements	114
H.5.5	Filtering electronic noise.....	115
H.5.6	Troubleshooting.....	115
H.6	Reporting	117
Annex I (normative)	Light output test	118
I.1	Background	118
I.2	Test outcomes	118

ITeh STANDARD PREVIEW

(standards.iteh.ai)

IEC TS 62257-9-5:2018

<https://standards.iteh.ai/catalog/standards/sist/5effe121-e7e5-48b6-a83-d2901f00d5fe/iec-ts-62257-9-5-2018>

I.3	Related tests	118
I.4	Luminous flux measurement techniques.....	119
I.4.1	General	119
I.4.2	Calculation for lighting appliances tested according to IEC TS 62257-12-1.....	119
I.4.3	Luminous flux measurements with an integrating sphere or goniophotometer.....	120
I.4.4	Luminous flux measurements using the multi-plane method.....	120
I.5	Correlated colour temperature (CCT) measurement	123
I.6	Colour rendering index (CRI) measurement	123
I.7	Reporting	123
Annex J (normative)	Lumen maintenance test.....	124
J.1	Background	124
J.2	Test outcomes	124
J.3	Related tests	125
J.4	Procedure	125
J.4.1	General	125
J.4.2	Equipment requirements.....	126
J.4.3	Test prerequisites.....	127
J.4.4	Test methods.....	127
J.5	Calculations.....	128
J.6	Alternate method for testing lumen maintenance using IESNA LM-80-08	128
J.6.1	Background	128
J.6.2	Equipment requirements.....	129
J.6.3	Test prerequisites.....	129
J.6.4	Procedure.....	129
J.6.5	DUT preparation and LED thermocouple attachment guidelines.....	130
J.6.6	Calculations.....	130
J.7	Reporting	130
Annex K (normative)	Battery test	133
K.1	Background	133
K.2	Test outcomes	133
K.3	Related tests	133
K.4	Procedure.....	133
K.4.1	General	133
K.4.2	Lead-acid battery test.....	134
K.4.3	Nickel-metal hydride battery test.....	137
K.4.4	Lithium-ion battery test	138
K.4.5	Lithium iron phosphate battery test.....	139
K.5	Reporting	140
Annex L (informative)	Battery testing recommended practices	141
L.1	Background	141
L.2	Deep discharge protection specifications by battery type	141
L.3	Overcharge protection specifications by battery type	142
Annex M (normative)	Full-battery run time test.....	143
M.1	Background	143
M.2	Test outcomes	143

M.3	Related tests	144
M.4	Equipment requirements	144
M.5	Test prerequisites	145
M.6	Apparatus	145
M.7	Procedure	146
M.8	Calculations	149
M.9	Reporting	151
Annex N	(normative) Full discharge preparation	153
N.1	Background	153
N.2	Test outcomes	153
N.3	Related tests	153
N.4	Procedure	153
N.4.1	General	153
N.4.2	Equipment requirements	153
N.4.3	Test prerequisites	153
N.4.4	Procedure	154
N.4.5	Calculations	155
N.5	Reporting	155
Annex O	(normative) Grid charge test	156
O.1	Background	156
O.2	Test outcomes	156
O.3	Related tests	156
O.4	Procedure	156
O.4.1	General	156
O.4.2	Equipment requirements	156
O.4.3	Test prerequisites	157
O.4.4	Apparatus	157
O.4.5	Procedure	157
O.4.6	Calculations	157
O.5	Reporting	158
Annex P	(normative) Electromechanical charge test	159
P.1	Background	159
P.2	Test outcomes	159
P.3	Related tests	159
P.4	Procedure	159
P.4.1	General	159
P.4.2	Equipment requirements	159
P.4.3	Test prerequisites	160
P.4.4	Apparatus	160
P.4.5	Procedure	160
P.4.6	Calculations	160
P.4.7	Modifications for atypical products	160
P.5	Reporting	161
Annex Q	(normative) Photovoltaic module I-V characteristics test	162
Q.1	Background	162
Q.2	Test outcomes	162
Q.3	Related tests	163
Q.4	Procedure	163

STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/standards/sist/5effe121-e7e5-48b6-a83-12901f00d5fe/iec-ts-62257-9-5-2018>

Q.4.1	Substitution of IEC 61215-2 test results	163
Q.4.2	Test programme using a solar simulator	164
Q.4.3	Outdoor photovoltaic module I-V characteristics test.....	166
Q.5	Reporting	171
Annex R (normative)	Solar charge test.....	172
R.1	Background	172
R.2	Test outcomes	172
R.3	Related tests	172
R.4	Procedure	173
R.4.1	General	173
R.4.2	Test method using a resistor network	173
R.4.3	Test method using a solar array simulator (SAS)	180
R.4.4	Calculations.....	181
R.4.5	Alternative method to measure battery-charging circuit efficiency	189
R.5	Reporting	190
Annex S (normative)	Charge controller behaviour test	193
S.1	Background	193
S.2	Test outcomes	193
S.3	Related tests	194
S.4	Procedure	194
S.4.1	Active deep discharge protection test	194
S.4.2	Active overcharge protection test	196
S.4.3	Passive deep discharge protection test.....	200
S.4.4	Passive overcharge protection test.....	202
S.4.5	Standby loss measurement.....	204
S.5	Reporting	205
Annex T (normative)	Light distribution test	207
T.1	Background	207
T.2	Test outcomes	207
T.3	Related tests	208
T.4	Substitution of results from IEC TS 62257-12-1.....	208
T.5	Approved test methods	208
T.5.1	General	208
T.5.2	Goniophotometer	211
T.5.3	Multi-plane method	211
T.5.4	Illuminance on a plane method	215
T.5.5	Turntable method	218
T.5.6	Illuminance on a desktop method.....	220
T.6	Reporting	221
Annex U (normative)	Physical and water ingress protection test	226
U.1	Background	226
U.2	Test outcomes	226
U.3	Related tests	227
U.4	Procedure	227
U.4.1	General	227
U.4.2	IP testing at a laboratory that has been accredited to test according to IEC 60529	227
U.4.3	Simplified IP inspection for ingress of solid foreign objects	228

U.4.4	Simplified IP preliminary inspection for ingress of water with harmful effects	229
U.5	Reporting	232
Annex V (normative)	Level of water protection	233
V.1	Background	233
V.2	Test outcomes	233
V.3	Related tests	234
V.4	Laboratory requirements	234
V.5	Procedure	234
V.5.1	General	234
V.5.2	Level of water protection for enclosure only	235
V.5.3	Level of water protection from technical aspects	235
V.5.4	Overall level of water protection	238
V.6	Reporting	239
Annex W (normative)	Mechanical durability test	241
W.1	Background	241
W.2	Test outcomes	241
W.3	Related tests	242
W.4	Procedures	242
W.4.1	Drop test	242
W.4.2	Switch and connector test	244
W.4.3	Gooseneck and moving part test	245
W.4.4	Strain relief test	246
W.5	Reporting	248
Annex X (informative)	Reserved	250
Annex Y (informative)	Photometer box for relative luminous flux measurements	251
Y.1	Background	251
Y.2	Plans	252
Y.3	Instructions for construction	255
Annex Z (informative)	Reserved	256
Annex AA (informative)	Reserved	257
Annex BB (normative)	Battery durability test	258
BB.1	Background	258
BB.2	Test outcomes	258
BB.3	Related tests	258
BB.4	Procedure	258
BB.4.1	Durability storage test for valve-regulated lead-acid batteries	258
BB.4.2	Durability storage test for flooded lead-acid batteries	259
BB.4.3	Durability storage test for nickel-metal hydride batteries	260
BB.4.4	Durability storage test for lithium-ion batteries	261
BB.4.5	Durability storage test for lithium iron phosphate batteries	262
BB.5	Reporting	263
Annex CC (normative)	Equipment requirements	264
CC.1	Overview	264
CC.2	Requirements and recommendations for equipment and materials	264
CC.3	Guidelines for electrical power measurements	275
CC.3.1	Background	275
CC.3.2	Overview of DC power measurement	275

CC.3.3	Power measurement accuracy recommendations.....	277
CC.3.4	Additional guidelines and corrective measures	278
Annex DD (normative)	Protection tests	279
DD.1	Background	279
DD.2	Test outcomes	279
DD.3	Related tests	280
DD.4	Procedure	280
DD.4.1	Miswiring protection test.....	280
DD.4.2	Output overload protection test.....	283
DD.4.3	PV overvoltage protection test.....	286
DD.5	Reporting.....	290
Annex EE (normative)	Assessment of DC ports	294
EE.1	Background	294
EE.2	Test outcomes	294
EE.3	Related tests	295
EE.4	Procedure	295
EE.4.1	Preparation.....	295
EE.4.2	Measurement of steady-state port characteristics	296
EE.4.3	Dynamic measurement	306
EE.4.4	Summary calculations.....	310
EE.4.5	Pass/fail tests for functionality and truth in advertising.....	310
EE.5	Reporting.....	314
Annex FF (normative)	Appliance tests.....	316
FF.1	Background	316
FF.2	Appliance testing requirements.....	316
FF.3	Test outcomes	318
FF.4	Related tests	319
FF.5	Setup and determination of appliance operating voltage	319
FF.5.1	General	319
FF.5.2	Procedure using the power control unit.....	320
FF.5.3	Procedure using a power supply.....	321
FF.6	Power consumption test.....	322
FF.6.1	General	322
FF.6.2	General equipment requirements	322
FF.6.3	Procedure for appliances that have been previously tested according to a recognized test method.....	322
FF.6.4	Test procedure for LED or CFL lighting appliances without an internal battery.....	324
FF.6.5	Test procedure for television sets without internal batteries	325
FF.6.6	Test procedure for radios without internal batteries.....	326
FF.6.7	Test procedure for fans, motor-driven appliances, and other appliances without internal batteries.....	327
FF.6.8	Test procedure for appliances with an internal battery	328
FF.7	Charging efficiency test	330
FF.7.1	General	330
FF.7.2	Equipment requirements.....	330
FF.7.3	Test prerequisites	330
FF.7.4	Procedure.....	330
FF.7.5	Calculations.....	331

FF.8	Appliance operating voltage range test	331
FF.8.1	General	331
FF.8.2	Equipment requirements	332
FF.8.3	Test prerequisites	332
FF.8.4	Simultaneous testing for multiple products and applicability of previous test results	332
FF.8.5	Procedure for appliances without batteries that have been tested according to a recognized test method	333
FF.8.6	Procedure for appliances without an internal battery	335
FF.8.7	Procedure for appliances with internal batteries	336
FF.9	Appliance full-battery run time test with deep discharge protection measurement	337
FF.9.1	General	337
FF.9.2	Equipment requirements	337
FF.9.3	Test prerequisites	337
FF.9.4	Apparatus	337
FF.9.5	Procedure	338
FF.9.6	Calculations	340
FF.10	Reporting	341
Annex GG	(normative) Energy service calculations	343
GG.1	Background	343
GG.2	Test outcomes	344
GG.3	Related tests	345
GG.4	Procedure	346
GG.4.1	Full-battery run time energy service calculations	346
GG.4.2	Solar run time energy service calculations	360
GG.4.3	Grid or electromechanical run time energy service calculations	377
GG.4.4	Solar charging time calculation	377
GG.5	Reporting	378
Annex HH	(normative) Generic appliances	380
HH.1	Background	380
HH.2	Test outcomes	380
HH.3	Related tests	380
HH.4	Equipment requirements	380
HH.5	Procedures	381
HH.5.1	Constructing generic appliances	381
HH.5.2	Appliance reference values	383
HH.6	Reporting	383
Bibliography	384
Figure 1	– Fixed indoor components and PV module – Example	26
Figure 2	– Fixed outdoor components with an indoor light point – Example	27
Figure 3	– Portable separate components – Example	27
Figure 4	– Portable integrated components – Example	28
Figure 5	– Division of a product into subsystems – Illustrative example	29
Figure 6	– Recommended sequence of testing for QTM for products without ports	65
Figure 7	– Recommended sequence of testing for QTM for products with ports	66
Figure G.1	– Connections with secondary set of wires to avoid battery disconnection	110

Figure H.1 – Power supply setup for powering a power control unit.....	112
Figure H.2 – Power supply setup for directly powering an appliance	112
Figure H.3 – 4-wire test configuration with input filter capacitors	115
Figure I.1 – Conceptual schematic of the light output test setup, including the 11 × 11 grid, Cartesian coordinate axes for rotation reference, and the DUT	121
Figure J.1 – Example lumen maintenance plot	132
Figure M.1 – Interior view of photometer box with suspended light.....	146
Figure M.2 – Plot of example results for a product with lighting appliances	150
Figure Q.1 – PV module I-V curve testing rack.....	167
Figure R.1 – Schematic of the power supply and DUT connection for the solar charge test .	175
Figure R.2 – Example "true" and simulated I-V curves plotted with the deviation ratio.....	179
Figure R.3 – Example plots of current vs. time for four different DUT batteries	183
Figure R.4 – Example time series plot of the solar charging cycle showing the maximum power available from the PV simulator, actual power supplied by the PV simulator, and power delivered to the batteries	191
Figure R.5 – Example time series plot of the solar charging cycle showing the instantaneous battery-charging circuit efficiency and solar operation efficiency	192
Figure S.1 – Schematic of the DC power supply-DUT connection using a series protection resistor.....	197
Figure T.1 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for an omnidirectional light point	209
Figure T.2 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for a directed light point	210
Figure T.3 – Radial illuminance distributions in the horizontal plane for two example products, showing the calculation of the horizontal FWHM angle	214
Figure T.4 – Radial illuminance distribution in the vertical plane for an example omnidirectional ambient light with vertical FWHM = 108°	215
Figure T.5 – Schematic of a task light suspended above an illuminance meter.....	216
Figure T.6 – Schematic of turntable setup, with the DUT shown.....	219
Figure T.7 – Side view of desktop light measuring setup.....	221
Figure T.8 – Example plot of usable area as a function of minimum illuminance.....	223
Figure T.9 – Example of resulting surface plot of light distribution from the brightest "face" of the multi-plane method or illuminance on a plane method	224
Figure T.10 – Example of a polar plot of the radial illuminance distribution	225
Figure U.1 – Side view of the apparatus for testing an external solar module for protection against water ingress	231
Figure W.1 – Three-dimensional Cartesian coordinate system for drop test reference.....	243
Figure W.2 – Cable strain angle (γ) schematics for a PV module junction box (left) and a separate light point (right)	247
Figure Y.1 – Interior view of a completed photometer box	251
Figure Y.2 – Exterior view of completed photometer box.....	252
Figure Y.3 – Photometer box dimensions	253
Figure Y.4 – Photometer box assembly pieces and list of materials	254
Figure EE.1 – Schematic of the example DUT with DC port and USB port and variable resistors connected for the measurement of steady-state port characteristics	299
Figure EE.2 – Example of the plots of port characteristics	305

Figure EE.3 – Schematic of the DUT with DC port and USB port and variable resistors connected for the dynamic measurement 307

Figure EE.4 – Illustration of stepped current waveform for procedure 2..... 309

Figure EE.5 – Example time series plot of voltage and current showing a step increase in current and the resulting voltage undershoot..... 309

Figure EE.6 – Example time series plot of voltage and current showing a step decrease in current and the resulting voltage overshoot..... 310

Figure EE.7 – Illustration of functionality assessment 312

Figure EE.8 – Typical configuration of USB port data lines 314

Figure EE.9 – Pin configuration of type A receptacle..... 314

Figure FF.1 – Illustration of calculation of minimum and maximum values of port voltage for the appliance operating voltage range test 334

Figure GG.1 – Conceptual energy flow diagram for energy service estimates 344

Table 1 – Applications of product specifications 44

Table 2 – Qualification as separate PV module 45

Table 3 – Truth-in-advertising tolerance..... 46

Table 4 – Safety and durability standards 47

Table 5 – End user support standards..... 48

Table 6 – End user support requirements..... 49

Table 7 – Truth-in-advertising criteria for quality standards..... 51

Table 8 – Remarks on common truth-in-advertising aspects..... 52

Table 9 – Safety and durability criteria for quality standards 53

Table 10 – Recommended level of water protection by product category..... 55

Table 11 – End user support criteria for quality standards..... 55

Table 12 – Criteria for warranty standards 55

Table 13 – Applications of QTM results..... 56

Table 14 – QTM testing requirements 59

Table 15 – Applications of MCM results 69

Table 16 – Applications of ISM results 71

Table 17 – Applications of AVM results 73

Table 18 – Applications of PAYG method results 76

Table 19 – PAYG testing requirements 78

Table D.1 – Manufacturer self-reported information outcomes 82

Table E.1 – Product sampling outcomes 87

Table F.1 – Visual screening test outcomes 91

Table G.1 – Recommended minimum conductor sizes for copper wire 107

Table H.1 – Power supply setup test outcome..... 111

Table H.2 – Standard operating voltage for several common battery types 113

Table H.3 – Voltage and current reporting requirements 117

Table I.1 – Light output test outcomes 118

Table J.1 – Lumen maintenance test outcomes..... 125

Table J.2 – Measurement schedule for full screening test..... 126

Table J.3 – Measurement schedule for initial screening test 126

Table K.1 – Battery test outcomes	133
Table K.2 – Recommended battery testing parameters	134
Table L.1 – Recommended battery deep discharge protection voltage specifications	142
Table L.2 – Recommended battery overcharge protection voltage and temperature specifications	142
Table M.1 – Full-battery run time test outcomes	144
Table O.1 – Grid charge test outcomes	156
Table P.1 – Mechanical charge test outcomes	159
Table Q.1 – Photovoltaic module I-V characteristics test outcomes	162
Table R.1 – Solar charge test outcomes	172
Table R.2 – Simulated solar day power supply settings	179
Table S.1 – Charge controller behaviour test outcomes	194
Table T.1 – Light distribution test outcomes	207
Table T.2 – Summary of testing options for characterizing lamp distributions	208
Table T.3 – Table of example illuminance measurements on the brightest "face" of the 1 m ² grid and usable area as a function of minimum illuminance	223
Table U.1 – Water exposure and physical ingress protection test outcomes	226
Table V.1 – Water exposure and physical ingress protection test outcomes	234
Table V.2 – Enclosure-only level of water protection requirements	235
Table V.3 – Adjusted level of water protection for products with additional technical water protection	236
Table V.4 – Example detailed assessment supporting technical level of water protection	238
Table V.5 – Overall level of water protection requirements	238
Table W.1 – Mechanical durability test outcomes	241
Table BB.1 – Battery durability test outcomes	258
Table CC.1 – Symbols used in test method column of Table CC.2	264
Table CC.2 – Specifications for all required test equipment	265
Table DD.1 – Protection test outcomes	279
Table DD.2 – Allowable port voltage limit by nominal voltage	287
Table DD.3 – Example table of miswiring protection test results	292
Table DD.4 – Example table of PV overvoltage test results	293
Table EE.1 – DC ports assessment outcomes	294
Table EE.2 – Current pairs for dynamic test	308
Table EE.3 – Recommended voltage and current ranges for port functionality assessment	311
Table FF.1 – Appliance testing requirements	317
Table FF.2 – Appliance test outcomes	318
Table FF.3 – Example table of appliance operating voltage, measured voltage, measured current, and calculated power	342
Table GG.1 – Energy service calculations outcomes	345
Table GG.2 – Examples of advertised combinations involving mobile devices	348
Table GG.3 – Required inputs to estimate the full-battery run time(s)	350
Table GG.4 – Example usage profile	352
Table GG.5 – Required inputs to estimate the solar run time	361