

INTERNATIONAL STANDARD



Industrial communication networks – Profiles –
Part 1: Fieldbus profiles

(<https://standards.iteh.ai>)

Document Preview

IEC 61784-1:2019

<https://standards.iteh.ai/catalog/standards/iec/42695f05-28d4-41a5-9cd6-44328f54d6e9/iec-61784-1-2019>

Withhold



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC 61784-1:2019

<https://standards.iteh.ai/en/standards/iec/42695f05-28d4-41a5-9cd6-44328f54d6e9/iec-61784-1-2019>

INTERNATIONAL STANDARD



Industrial communication networks – Profiles –
Part 1: Fieldbus profiles

<https://standards.iteh.ai/standards/iec/42695f05-28d4-41a5-9cd6-44328f54d6e9/iec-61784-1-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.100.20; 35.240.50

ISBN 978-2-8322-6724-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	15
INTRODUCTION.....	17
1 Scope.....	18
2 Normative references	19
3 Terms, definitions, abbreviated terms, symbols, and conventions	23
3.1 Terms and definitions.....	23
3.2 Abbreviations and symbols	24
3.2.1 IEC 61158 abbreviations and symbols	24
3.2.2 Other abbreviations and symbols	24
3.3 Conventions.....	24
3.3.1 Conventions common to all layers	24
3.3.2 Physical layer	26
3.3.3 Data-link layer	26
3.3.4 Application layer.....	27
4 Conformance to communication profiles	27
5 Communication Profile Family 1 (FOUNDATION™ fieldbus)	28
5.1 General overview	28
5.2 Profile 1/1 (FOUNDATION™ H1)	29
5.2.1 Physical layer	29
5.2.2 Data-link layer	45
5.2.3 Application layer.....	115
5.3 Profile 1/2 (FOUNDATION™ HSE)	117
5.3.1 Physical layer.....	117
5.3.2 Data-link layer.....	117
5.3.3 Network layer	117
5.3.4 Transport layer	117
5.3.5 Application layer.....	117
5.4 Profile 1/3 (FOUNDATION™ H2)	118
5.4.1 Physical layer	118
5.4.2 Data-link layer	121
5.4.3 Application layer	121
6 Communication Profile Family 2 (CIP™).....	121
6.1 General overview	121
6.2 Profile 2/1 (ControlNet).....	122
6.2.1 Physical layer	122
6.2.2 Data-link layer	123
6.2.3 Application layer.....	125
6.3 Profile 2/2 (EtherNet/IP).....	126
6.3.1 Physical layer	126
6.3.2 Data-link layer	127
6.3.3 Application layer.....	128
6.4 Profile 2/3 (DeviceNet).....	130
6.4.1 Physical layer	130
6.4.2 Data-link layer	131
6.4.3 Application layer.....	132
7 Communication Profile Family 3 (PROFIBUS & PROFINET)	134

7.1	General overview	134
7.2	Profile 3/1 (PROFIBUS DP).....	135
7.2.1	Physical layer	135
7.2.2	Data-link layer	137
7.2.3	Application layer	162
7.3	Profile 3/2 (PROFIBUS PA).....	219
7.3.1	Physical layer	219
7.3.2	Data-link layer	223
7.3.3	Application layer	235
8	Communication Profile Family 4 (P-NET®)	236
8.1	General overview	236
8.2	Profile 4/1 (P-NET RS-485).....	236
8.2.1	Physical layer	236
8.2.2	Data-link layer	237
8.2.3	Application layer	238
9	Communication Profile Family 5 (WorldFIP®)	239
9.1	General overview	239
9.2	Profile 5/1 (WorldFIP)	240
9.2.1	Physical layer	240
9.2.2	Data-link layer	242
9.2.3	Application layer	245
9.3	Profile 5/2 (WorldFIP)	251
9.3.1	Physical layer	251
9.3.2	Data-link layer	251
9.3.3	Application layer	251
9.4	Profile 5/3 (WorldFIP)	257
9.4.1	Physical layer	257
9.4.2	Data-link layer	257
9.4.3	Application layer	257
10	Communication Profile Family 6 (INTERBUS®)	258
10.1	General overview	258
10.2	Profile 6/1	259
10.2.1	Physical layer	259
10.2.2	Data-link layer	261
10.2.3	Application layer	263
10.3	Profile 6/2	264
10.3.1	Physical layer	264
10.3.2	Data-link layer	265
10.3.3	Application layer	266
10.4	Profile 6/3	267
10.4.1	Physical layer	267
10.4.2	Data-link layer	267
10.4.3	Application layer	268
11	Communication Profile Family 7 – <i>Void</i>	269
12	Communication Profile Family 8 (CC-Link).....	270
12.1	General overview	270
12.1.1	General	270
12.1.2	Profile 8/1	270

12.1.3	Profile 8/2.....	271
12.1.4	Profile 8/3.....	271
12.2	Profile 8/1	271
12.2.1	Physical layer	271
12.2.2	Data-link layer	273
12.2.3	Application layer.....	276
12.3	Profile 8/2	279
12.3.1	Physical layer	279
12.3.2	Data-link layer	279
12.3.3	Application layer.....	279
12.4	Profile 8/3	279
12.4.1	Physical layer	279
12.4.2	Data-link layer	281
12.4.3	Application layer.....	284
13	Communication Profile Family 9 (HART®).....	287
13.1	General Overview	287
13.2	Profile 9/1, HART®	287
13.2.1	Physical layer	287
13.2.2	Data-link layer	288
13.2.3	Application layer.....	289
13.3	Profile 9/2, WirelessHART®.....	290
14	Communication Profile Family 16 (SERCOS).....	290
14.1	General overview.....	290
14.2	Profile 16/1 (SERCOS I).....	290
14.2.1	Physical layer selection	290
14.2.2	Data-link layer	291
14.2.3	Application layer.....	292
14.3	Profile 16/2 (SERCOS II).....	292
14.3.1	Physical layer	292
14.3.2	Data-link layer.....	293
14.3.3	Application layer.....	294
15	Communication Profile Family 19 (MECHATROLINK).....	294
15.1	General overview.....	294
15.2	Profile 19/1 (MECHATROLINK-II)	294
15.2.1	Physical layer selection	294
15.2.2	Data-link layer	296
15.2.3	Application layer.....	305
15.3	Profile 19/2 (M-III).....	311
15.3.1	Physical layer	311
15.3.2	Data-link layer	312
15.3.3	Application layer.....	320
Annex A (informative)	Communication concepts	326
A.1	CPF 1 (FOUNDATION Fieldbus) communication concepts.....	326
A.1.1	Overview	326
A.1.2	Physical layer characteristics.....	326
A.1.3	Data-link layer characteristics.....	326
A.1.4	Application layer characteristics.....	327
A.1.5	Management characteristics	327

A.2	CPF 2 (CIP) communication concepts	327
A.2.1	Overview	327
A.2.2	CIP common characteristics	328
A.2.3	ControlNet	328
A.2.4	EtherNet/IP	329
A.2.5	DeviceNet	330
A.3	CPF 3 (PROFIBUS & PROFINET) communication concepts	330
A.3.1	Basic characteristics	330
A.3.2	Physical layer profiles	331
A.3.3	Communication feature list (GSD)	332
A.4	CPF 4 (P-NET) communication concepts	332
A.5	CPF 5 (WorldFIP) communication concepts	333
A.5.1	Physical layer characteristics	333
A.5.2	Data-link layer characteristics	334
A.5.3	Application layer characteristics	334
A.6	CPF 6 (INTERBUS) communication concepts	334
A.7	CPF 8 (CC-LINK) communication concepts	336
A.7.1	Basic characteristics	336
A.7.2	Variants	336
A.8	CPF 9 (HART) communication concepts	337
A.9	CPF 16 (SERCOS) communication concepts	337
Annex B (informative)	Added value of IEC 61784-1	339
Bibliography	340
Figure 1	– Communication profile families and profiles	18
Figure 2	– Example optical power budget for a 100/140 μm fiber system with a 16/16 optical passive star coupler	45
Figure 3	– CP 3/2 Slave devices usable in applications	135
Figure A.1	– Ring structure	337
Figure A.2	– Topology example	338
Table 1	– Relations of Communication Profile Families to type numbers	19
Table 2	– Layout of profile (sub)clause selection tables	25
Table 3	– Contents of (sub)clause selection tables	25
Table 4	– Layout of service selection tables	25
Table 5	– Contents of service selection tables	26
Table 6	– Layout of parameter selection tables	26
Table 7	– Contents of parameter selection tables	26
Table 8	– Layout of class attribute selection tables	27
Table 9	– Contents of class attribute selection tables	27
Table 10	– CPF 1: overview of profile sets	29
Table 11	– CP 1/1: PhL selection for communicating devices and their MAUs	29
Table 12	– CP 1/1: PhL classification of MAUs and attached devices	31
Table 13	– CP 1/1: PhL selection of Clause 16 for devices and their MAUs	32
Table 14	– CP 1/1: PhL selection of Clause 12 for devices and their MAUs	33
Table 15	– Void	33

Table 16 – CP 1/1: PhL selection of recommended IS parameters for MAU classes 111, 112, 121, 122, 511 and 512	34
Table 17 – CP 1/1: PhL selection for media components.....	35
Table 18 – CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems	36
Table 19 – CP 1/1: PhL selection for power supplies.....	37
Table 20 – CP 1/1: PhL selection of power supply types	38
Table 21 – CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies	38
Table 22 – CP 1/1: PhL selection for terminators	39
Table 23 – CP 1/1: PhL selection of IS parameters for terminators	40
Table 24 – CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers.....	40
Table 25 – CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only)	41
Table 26 – CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators	42
Table 27 – CP 1/1: PhL selection of Clause 15, recommended optical fiber types	43
Table 28 – CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss	43
Table 29 – CP 1/1: PhL selection of active star couplers.....	44
Table 30 – CP 1/1: Optical power budget considerations	44
Table 31 – CP 1/1: DLL service selection.....	46
Table 32 – CP 1/1: DLL service selection of Clause 5.....	46
Table 33 – CP 1/1: DLL service selection of 5.4.....	46
Table 34 – CP 1/1: DLL service selection of 5.4.1.....	47
Table 35 – CP 1/1: DLL service selection of 5.4.3.....	47
Table 36 – CP 1/1: DLL service selection of 5.4.6.....	48
Table 37 – CP 1/1: DLL service selection of Clause 6.....	48
Table 38 – CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS.....	49
Table 39 – CP 1/1: DLL service selection of Figures 9 to 14 of 6.4.....	49
Table 40 – CP 1/1: DLL service selection of 6.5.....	50
Table 41 – CP 1/1: DLL service selection: replacement for Table 13 of 6.5.....	51
Table 42 – CP 1/1: DLL service selection of 6.5, replacement for Table 14.....	52
Table 43 – CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC	52
Table 44 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher.....	52
Table 45 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber.....	52
Table 46 – CP 1/1: DLL service selection of 6.6.....	53
Table 47 – CP 1/1: DLL service selection: replacement for Table 15 of 6.6.....	53
Table 48 – CP 1/1: DLL service selection of 6.7.....	54
Table 49 – CP 1/1: DLL service selection of 6.7, replacement for Table 16.....	54
Table 50 – CP 1/1: DLL service selection of 6.7, replacement for Table 17.....	54
Table 51 – CP 1/1: DLL service selection of 6.7, replacement for Table 18.....	55
Table 52 – CP 1/1: DLL service selection of Clause 7.....	55
Table 53 – CP 1/1: DLL service selection of 7.5, replacement for Table 23.....	56

Table 54 – CP 1/1: DLL service selection of Clause 8	57
Table 55 – CP 1/1: DLL service selection of 8.5, replacement for Table 28	57
Table 56 – CP 1/1: DLL protocol selection	58
Table 57 – CP 1/1: DLL protocol selection of Clause 4.....	58
Table 58 – CP 1/1: DLL protocol selection of 4.3	59
Table 59 – CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators.....	59
Table 60 – CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators	59
Table 61 – CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non-local DL-addresses	60
Table 62 – CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link-local DL-addresses	60
Table 63 – CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node-local DL-addresses	60
Table 64 – CP 1/1: DLL protocol selection of 4.7	61
Table 65 – CP 1/1: DLL protocol selection of 4.7.4.....	62
Table 66 – CP 1/1: DLL protocol selection of 4.7.5.....	63
Table 67 – CP 1/1: DLL protocol selection of Clause 6.....	64
Table 68 – CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0.....	65
Table 69 – CP 1/1: DLL protocol selection of 6.5	66
Table 70 – CP 1/1: DLL protocol selection of 6.7	69
Table 71 – CP 1/1: DLL protocol selection of 6.8	73
Table 72 – CP 1/1: DLL protocol selection of 6.11.....	74
Table 73 – CP 1/1: DLL protocol selection of 6.12.....	74
Table 74 – CP 1/1: DLL protocol selection of 6.15.....	75
Table 75 – CP 1/1: DLL protocol selection of 6.20.....	76
Table 76 – CP 1/1: DLL protocol selection of Clause 7.....	77
Table 77 – CP 1/1: DLL protocol selection of 7.4	78
Table 78 – CP 1/1: DLL protocol selection of Clause 8.....	79
Table 79 – CP 1/1: DLL protocol selection of 8.2	80
Table 80 – CP 1/1: DLL protocol selection of 8.2.2.....	90
Table 81 – CP 1/1: DLL protocol selection of 8.3	103
Table 82 – CP 1/1: DLL protocol selection of 8.4	103
Table 83 – CP 1/1: DLL protocol selection of Clause 9.....	105
Table 84 – CP 1/1: DLL protocol selection of 9.3	105
Table 85 – CP 1/1: DLL protocol selection of 9.3.5.....	107
Table 86 – CP 1/1: DLL protocol selection of 9.3.5.2.2, replacement for element encoding.....	108
Table 87 – CP 1/1: DLL protocol selection of Clause 10.....	109
Table 88 – CP 1/1: DLL protocol selection of 10.2.....	109
Table 89 – CP 1/1: DLL protocol selection of 10.3.....	110
Table 90 – CP 1/1: DLL protocol selection of 10.3.7, specification of errors	112
Table 91 – CP 1/1: DLL protocol selection of 10.4.....	113
Table 92 – CP 1/1: DLL protocol selection of 10.5.....	114
Table 93 – CP 1/1: DLL protocol selection of 10.6.....	115

Table 94 – CP 1/1: AL service selection.....	115
Table 95 – CP 1/1: AL data type selection of Clause 4.....	116
Table 96 – CP 1/1: AL protocol selection.....	116
Table 97 – CP 1/2: AL service selection.....	117
Table 98 – CP 1/2: AL protocol selection.....	118
Table 99 – CP 1/3: PhL selection for H2 devices.....	119
Table 100 – CP 1/3: PhL selection for H2 media and related components.....	120
Table 101 – CPF 2: overview of profile sets.....	122
Table 102 – CP 2/1: PhL selection.....	122
Table 103 – CP 2/1: DLL service selection.....	124
Table 104 – CP 2/1: DLL protocol selection.....	124
Table 105 – CP 2/1: DLL protocol selection of management objects.....	125
Table 106 – CP 2/1: AL service selection.....	125
Table 107 – CP 2/1: AL protocol selection.....	126
Table 108 – CP 2/2: DLL protocol selection.....	127
Table 109 – CP 2/2: DLL protocol selection of management objects.....	128
Table 110 – CP 2/2: AL service selection.....	129
Table 111 – CP 2/2: AL protocol selection.....	130
Table 112 – CP 2/3: DLL protocol selection.....	131
Table 113 – CP 2/3: DLL protocol selection of management objects.....	132
Table 114 – CP 2/3: AL service selection.....	132
Table 115 – CP 2/3: AL protocol selection.....	133
Table 116 – CPF 3: overview of profile sets.....	134
Table 117 – CP 3/1: PhL selection.....	135
Table 118 – CP 3/1: PhL selection of Clause 3.....	137
Table 119 – CP 3/1: PhL selection of Clause 4.....	137
Table 120 – CP 3/1: General DLL service selection.....	138
Table 121 – CP 3/1: DLL service selection for DP-V0 master (class 1).....	139
Table 122 – CP 3/1: DLM service selection for DP-V0 master (class 1).....	140
Table 123 – CP 3/1: DLL service selection for DP-V1 master (class 1).....	141
Table 124 – CP 3/1: DLM service selection for DP-V1 master (class 1).....	142
Table 125 – CP 3/1: DLL service selection for DP-V0 master (class 2).....	143
Table 126 – CP 3/1: DLL service selection for DP-V1 master (class 2).....	144
Table 127 – CP 3/1: DLL service selection for DP-V0 slave.....	145
Table 128 – CP 3/1: DLM service selection for DP-V0 slave.....	146
Table 129 – CP 3/1: DLL service selection for DP-V1 slave.....	147
Table 130 – CP 3/1: DLM service selection for DP-V1 slave.....	148
Table 131 – CP 3/1: General DLL protocol selection.....	149
Table 132 – CP 3/1: DLL protocol selection of Clause 5.....	149
Table 133 – CP 3/1: DLL protocol selection of Clause 6.....	150
Table 134 – CP 3/1: DLL protocol selection of Clause 7.....	150
Table 135 – CP 3/1: Time variable selection for DP-V0 master (class 1).....	151
Table 136 – CP 3/1: Timer and counter selection for DP-V0 master (class 1).....	152

Table 137 – CP 3/1: DLPDU selection for DP-V0 master (class 1)	152
Table 138 – CP 3/1: MAC state selection for DP-V0 master (class 1).....	153
Table 139 – CP 3/1: Time selection for DP-V1 master (class 1)	154
Table 140 – CP 3/1: Timer and counter selection for DP-V1 master (class 1).....	155
Table 141 – CP 3/1: DLPDU selection for DP-V1 master (class 1)	155
Table 142 – CP 3/1: MAC state selection for DP-V1 master (class 1).....	156
Table 143 – CP 3/1: CS protocol selection for DP-V1 master (class 1).....	156
Table 144 – CP 3/1: Time selection for DP-V1 master (class 2)	157
Table 145 – CP 3/1: Timer and counter selection for DP-V1 master (class 2).....	157
Table 146 – CP 3/1: DLPDU selection for DP-V1 master (class 2)	158
Table 147 – CP 3/1: Time selection for DP-V0 slave	158
Table 148 – CP 3/1: Timer and counter selection for DP-V0 slave	159
Table 149 – CP 3/1: DLPDU selection for DP-V0 slave	159
Table 150 – CP 3/1: MAC state selection for DP-V0 slave.....	160
Table 151 – CP 3/1: Time selection for DP-V1 slave	160
Table 152 – CP 3/1: Timer and counter selection for DP-V1 slave	161
Table 153 – CP 3/1: DLPDU selection for DP-V1 slave	161
Table 154 – CP 3/1: CS protocol selection for DP-V1 slave.....	162
Table 155 – CP 3/1, 3/2: AL service selection.....	162
Table 156 – CP 3/1, 3/2: AL service selection of Clause 6	163
Table 157 – CP 3/1, 3/2: AL service selection of I/O data ASE	163
Table 158 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	164
Table 159 – CP 3/1, 3/2: AL service selection of Context ASE	164
Table 160 – CP 3/1, 3/2: AL service selection of Management ASE	165
Table 161 – CP 3/1, 3/2: AL service selection of AR ASE	166
Table 162 – CP 3/1, 3/2: AL service selection of Clause 6	167
Table 163 – CP 3/1, 3/2: AL service selection of Process data ASE.....	167
Table 164 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	168
Table 165 – CP 3/1, 3/2: AL service selection of Alarm ASE	168
Table 166 – CP 3/1, 3/2: AL service selection of Context ASE	168
Table 167 – CP 3/1, 3/2: AL service selection of Load region ASE.....	169
Table 168 – CP 3/1, 3/2: AL service selection of Function invocation ASE	169
Table 169 – CP 3/1, 3/2: AL service selection of Time ASE	169
Table 170 – CP 3/1, 3/2: AL service selection of AR ASE	170
Table 171 – CP 3/1, 3/2: AL service selection of Clause 6	171
Table 172 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	171
Table 173 – CP 3/1, 3/2: AL service selection of Diagnosis ASE.....	172
Table 174 – CP 3/1, 3/2: AL service selection of Context ASE	172
Table 175 – CP 3/1, 3/2: AL service selection of Management ASE	172
Table 176 – CP 3/1, 3/2: AL service selection of AR ASE	173
Table 177 – CP 3/1, 3/2: AL service selection of Clause 6	174
Table 178 – CP 3/1, 3/2: AL service selection of Process data ASE.....	174
Table 179 – CP 3/1, 3/2: AL service selection of Context ASE	175

Table 180 – CP 3/1, 3/2: AL service selection of Load region ASE.....	175
Table 181 – CP 3/1, 3/2: AL service selection of Function invocation ASE	176
Table 182 – CP 3/1, 3/2: AL service selection of Time ASE	176
Table 183 – CP 3/1, 3/2: AL service selection of AR ASE	177
Table 184 – CP 3/1, 3/2: AL service selection of Clause 6	178
Table 185 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	179
Table 186 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	180
Table 187 – CP 3/1, 3/2: AL service selection of Context ASE	181
Table 188 – CP 3/1, 3/2: AL service selection of AR ASE	182
Table 189 – CP 3/1, 3/2: AL service selection of Clause 6	183
Table 190 – CP 3/1, 3/2: AL service selection of Process data ASE.....	183
Table 191 – CP 3/1, 3/2: AL service selection of I/O data ASE.....	184
Table 192 – CP 3/1, 3/2: AL service selection of diagnosis ASE.....	184
Table 193 – CP 3/1, 3/2: AL service selection of Alarm ASE.....	185
Table 194 – CP 3/1, 3/2: AL service selection of Context ASE.....	185
Table 195 – CP 3/1, 3/2: AL service selection of Load region ASE.....	186
Table 196 – CP 3/1, 3/2: AL service selection of Function invocation ASE	186
Table 197 – CP 3/1, 3/2: AL service selection of Time ASE	186
Table 198 – CP 3/1, 3/2: AL service selection of AR ASE	187
Table 199 – CP 3/1, 3/2: AL protocol selection.....	188
Table 200 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	188
Table 201 – CP 3/1, 3/2: AL protocol selection of APDUs	190
Table 202 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives.....	191
Table 203 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	192
Table 204 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	192
Table 205 – CP 3/1, 3/2: AL protocol selection of APDUs	194
Table 206 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives.....	196
Table 207 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	197
Table 208 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 6	198
Table 209 – CP 3/1, 3/2: AL protocol selection of APDUs	200
Table 210 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives.....	201
Table 211 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	201
Table 212 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	202
Table 213 – CP 3/1, 3/2: AL protocol selection of APDUs	204
Table 214 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives.....	206
Table 215 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	207
Table 216 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	207
Table 217 – CP 3/1, 3/2: AL protocol selection of APDU selection	209
Table 218 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives.....	210
Table 219 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	211
Table 220 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	212
Table 221 – CP 3/1, 3/2: AL protocol selection of APDUs	214
Table 222 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives.....	215

Table 223 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives.....	217
Table 224 – CP 3/2: PhL selection	219
Table 225 – CP 3/2: PhL selection of Clause 12 for devices and their MAUs.....	221
Table 226 – CP 3/2: PhL selection of recommended IS parameters	222
Table 227 – CP 3/2: PhL selection of Clause 21 for devices and their MAUs.....	222
Table 228 – CP 3/2: General DLL protocol selection	224
Table 229 – CP 3/2: DLL protocol selection of Clause 4.....	224
Table 230 – CP 3/2: DLL protocol selection of Clause 5.....	225
Table 231 – CP 3/2: DLL protocol selection of Clause 6.....	225
Table 232 – CP 3/2: DLL protocol selection of Clause 7.....	226
Table 233 – CP 3/2: Time variable selection for DP-V0 master (class 1).....	227
Table 234 – CP 3/2: Timer and counter selection for DP-V0 master (class 1).....	227
Table 235 – CP 3/2: DLPDU selection for DP-V0 master (class 1).....	228
Table 236 – CP 3/2: Time variable selection for DP-V1 master (class 1).....	229
Table 237 – CP 3/2: Timer and counter selection for DP-V1 master (class 1).....	230
Table 238 – CP 3/2: DLPDU selection for DP-V1 master (class 1).....	230
Table 239 – CP 3/2: Time variable selection for DP-V1 master (class 2).....	231
Table 240 – CP 3/2: Timer and counter selection for DP-V1 master (class 2).....	232
Table 241 – CP 3/2: DLPDU selection for DP-V1 master (class 2).....	232
Table 242 – CP 3/2: Time variable selection for DP-V0 slave.....	233
Table 243 – CP 3/2: Timer and counter selection for DP-V0 slave	233
Table 244 – CP 3/2: DLPDU selection for DP-V0 slave.....	234
Table 245 – CP 3/2: Time variable selection for DP-V1 slave.....	234
Table 246 – CP 3/2: Timer and counter selection for DP-V1 slave	235
Table 247 – CP 3/2: DLPDU selection for DP-V1 slave.....	235
Table 248 – CP 4/1: PhL selection.....	237
Table 249 – CP 4/1: DLL service selection.....	238
Table 250 – CP 4/1: DLL protocol selection	238
Table 251 – CP 4/1: AL service selection.....	239
Table 252 – CP 4/1: AL protocol selection	239
Table 253 – CPF 5: overview of profile sets.....	240
Table 254 – CPF 5: PhL selection.....	241
Table 255 – CPF 5: DLL service selection.....	242
Table 256 – CPF 5: DLL service selection of Clause 4.....	243
Table 257 – CPF 5: DLL protocol selection	243
Table 258 – CPF 5: DLL protocol selection of variables and resources	244
Table 259 – CPF 5: DLL protocol selection of DLPDUs.....	244
Table 260 – CP 5/1: AL service selection.....	245
Table 261 – CP 5/1: AL service selection of ASEs	245
Table 262 – CPF 5: AL service selection of MPS ASEs.....	245
Table 263 – CPF 5: AL service selection of variable elements	246
Table 264 – CPF 5: AL service selection of produced variable elements.....	246
Table 265 – CPF 5: AL service selection of consumed variable elements.....	246

Table 266 – CP 5/1: AL service selection of MPS services.....	247
Table 267 – CP 5/1, 5/2: AL service selection of A_Readloc service parameters.....	247
Table 268 – CP 5/1, 5/2: AL service selection of A_Readfar service parameters.....	247
Table 269 – CP 5/1, 5/2: AL service selection of A_Read service parameters.....	248
Table 270 – CP 5/1: AL service selection of MCS service classes.....	248
Table 271 – CP 5/1: AL service selection of QoS.....	248
Table 272 – CP 5/1: AL service selection of MCS services.....	248
Table 273 – CP 5/1, 5/2: AL service selection of A_Data parameters.....	249
Table 274 – CP 5/1: AL protocol selection.....	249
Table 275 – CPF 5/1: AL protocol selection of MPS data types.....	249
Table 276 – CPF 5/1: AL protocol selection of MPS PDUs.....	249
Table 277 – CPF 5/1: AL protocol selection of MPS encoding rules.....	250
Table 278 – CP 5/1, 5/2: AL protocol selection of MCS PDUs.....	250
Table 279 – CP 5/1: AL protocol selection of MCS state machines.....	251
Table 280 – CP 5/2: AL service selection.....	251
Table 281 – CP 5/2: AL service selection of ASEs.....	252
Table 282 – CP 5/2: AL service selection of MPS services.....	252
Table 283 – CP 5/2: AL service selection of MCS service classes.....	252
Table 284 – CP 5/2: AL service selection of QoS.....	253
Table 285 – CP 5/2: AL service selection of MCS services.....	253
Table 286 – CP 5/2: AL service selection of domain services.....	253
Table 287 – CP 5/2: AL service selection of domain object attributes.....	254
Table 288 – CP 5/2: AL service selection of program services.....	254
Table 289 – CP 5/2: AL service selection of program object attributes.....	254
Table 290 – CP 5/2: AL service selection of variable services.....	255
Table 291 – CP 5/2: AL service selection of variable classes.....	255
Table 292 – CP 5/2: AL service selection of variable class attributes.....	255
Table 293 – CP 5/2: AL protocol selection.....	255
Table 294 – CP 5/2: AL protocol selection of MCS state machines.....	256
Table 295 – CP 5/2: AL protocol selection of sub-MMS coding rules.....	256
Table 296 – CP 5/2: AL protocol selection of sub-MMS PDUs.....	257
Table 297 – CP 5/3: AL service selection.....	257
Table 298 – CP 5/3: AL service selection of ASEs.....	258
Table 299 – CP 5/3: AL protocol selection.....	258
Table 300 – CPF 6: device CP identifier assignment.....	259
Table 301 – CPF 6: PhL selection.....	260
Table 302 – CP 6/1: DLL service selection, assignment of DLL services to device types.....	262
Table 303 – CPF 6: DLL protocol selection of data widths supported by master.....	263
Table 304 – CP 6/1: AL service selection, assignment of AL services to device types.....	264
Table 305 – CP 6/2: DLL service selection, assignment of DLL services to device types.....	265
Table 306 – CP 6/2: AL service selection, assignment of AL services to device types.....	266